

## **CHRISTUS Health Plan Generations (HMO)**

## **CHRISTUS Health Plan Generations Plus (HMO)**

### **2019 Comprehensive Formulary**

**PLEASE READ: THIS DOCUMENT CONTAINS INFORMATION ABOUT SOME OF THE DRUGS WE COVER IN THIS PLAN**

HPMS Approved Formulary File Submission ID 00019072, Version Number 17.

This formulary was updated on 11/26/2019. For more recent information or other questions, please contact CHRISTUS Health Plan Generations (HMO) / CHRISTUS Health Plan Generations Plus (HMO) Member Services, at 1-844-282-3026 or, for TTY users, 711, 8 a.m. – 8 p.m. local time, seven days a week, from October 1 – March 31, and 8 a.m. – 8 p.m. local time, Monday – Friday, from April 1- September 30, or visit [christushealthplan.org](http://christushealthplan.org).

**Note to existing members:** This formulary has changed since last year. Please review this document to make sure that it still contains the drugs you take.

When this drug list (formulary) refers to “we,” “us”, or “our,” it means CHRISTUS Health Plan Generations (HMO) / CHRISTUS Health Plan Generations Plus (HMO). When it refers to “plan” or “our plan,” it means CHRISTUS Health Plan Generations (HMO) / CHRISTUS Health Plan Generations Plus (HMO).

This document includes a list of the drugs (formulary) for our plan which is current as of 12/01/2019. For a complete updated formulary, please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

You must generally use network pharmacies to use your prescription drug benefit. Benefits, formulary, pharmacy network, and/or copayments/coinsurance may change on January 1, 2020, and from time to time during the year.

## **What is the CHRISTUS Health Plan Generations (HMO) / CHRISTUS Health Plan Generations Plus (HMO) Formulary?**

A formulary is a list of covered drugs selected by CHRISTUS Health Plan Generations (HMO) / CHRISTUS Health Plan Generations Plus (HMO) in consultation with a team of health care providers, which represents the prescription therapies believed to be a necessary part of a quality treatment program. We will generally cover the drugs listed in our formulary as long as the drug is medically necessary, the prescription is filled at a CHRISTUS Health Plan Generations (HMO) / CHRISTUS Health Plan Generations Plus (HMO) network pharmacy, and other plan rules are followed. For more information on how to fill your prescriptions, please review your Evidence of Coverage.

## **Can the Formulary (drug list) change?**

Generally, if you are taking a drug on our 2019 formulary that was covered at the beginning of the year, we will not discontinue or reduce coverage of the drug during the 2019 coverage year except when a new, less expensive generic drug becomes available or when new adverse information about the safety or effectiveness of a drug is released, or the drug is removed from the market. (See bullets below for more information on changes that affect members currently taking the drug.) Other types of formulary changes, such as removing a drug from our formulary, will not affect members who are currently taking the drug. It will remain available at the same cost-sharing for those members taking it for the remainder of the coverage year. Below are changes to the drug list that will also affect members currently taking a drug:

- **New generic drugs.** We may immediately remove a brand name drug on our Drug List if we are replacing it with a new generic drug that will appear on the same or lower cost sharing tier and with the same or fewer restrictions. Also, when adding the new generic drug, we may decide to keep the brand name drug on our Drug List, but immediately move it to a different cost-sharing tier or add new restrictions. If you are currently taking that brand name drug, we may not tell you in advance before we make that change, but we will later provide you with information about the specific change(s) we have made.

- If we make such a change, you or your prescriber can ask us to make an exception and continue to cover the brand name drug for you. The notice we provide you will also include information on the steps you may take to request an exception, and you can also find information in the section below entitled “How do I request an exception to the CHRISTUS Health Plan Generations (HMO) / CHRISTUS Health Plan Generations Plus (HMO) Formulary?”
- **Drugs removed from the market.** If the Food and Drug Administration deems a drug on our formulary to be unsafe or the drug’s manufacturer removes the drug from the market, we will immediately remove the drug from our formulary and provide notice to members who take the drug.
- **Other changes.** We may make other changes that affect members currently taking a drug. For instance: we may add a new generic drug to replace a brand name drug currently on the formulary or add new restrictions to the brand name drug or move it to a different cost-sharing tier. Or we may make changes based on new clinical guidelines. If we remove drugs from our formulary, [or] add prior authorization, quantity limits and/or step therapy restrictions on a drug, or move a drug to a higher cost-sharing tier], we must notify affected members of the change at least 30 days before the change becomes effective, or at the time the member requests a refill of the drug, at which time the member will receive a 60-day supply of the drug.

The enclosed formulary is current as of 12/01/2019. To get updated information about the drugs covered by CHRISTUS Health Plan Generations (HMO) / CHRISTUS Health Plan Generations Plus (HMO), please contact us. Our contact information appears on the front and back cover pages.

## **How do I use the Formulary?**

There are two ways to find your drug within the formulary:

### **Medical Condition**

The formulary begins on page 9. The drugs in this formulary are grouped into categories depending on the type of medical conditions that they are used to treat. For example, drugs used to treat a heart condition are listed under the category, “antihypertensive therapy”. If you know what your drug is used for, look for the category name in the list that begins on page number 9. Then look under the category name for your drug.

### **Alphabetical Listing**

If you are not sure what category to look under, you should look for your drug in the Index that begins on page 85. The Index provides an alphabetical list of all of the drugs included in this document. Both brand name drugs and generic drugs are listed in the Index. Look in the Index and find your drug. Next to your drug, you will see the page number where you can find coverage

information. Turn to the page listed in the Index and find the name of your drug in the first column of the list.

## **What are generic drugs?**

CHRISTUS Health Plan Generations (HMO) / CHRISTUS Health Plan Generations Plus (HMO) covers both brand name drugs and generic drugs. A generic drug is approved by the FDA as having the same active ingredient as the brand name drug. Generally, generic drugs cost less than brand name drugs.

## **Are there any restrictions on my coverage?**

Some covered drugs may have additional requirements or limits on coverage. These requirements and limits may include:

- **Prior Authorization:** CHRISTUS Health Plan Generations (HMO) / CHRISTUS Health Plan Generations Plus (HMO) requires you or your physician to get prior authorization for certain drugs. This means that you will need to get approval from us before you fill your prescriptions. If you don't get approval, CHRISTUS Health Plan Generations (HMO) / CHRISTUS Health Plan Generations Plus (HMO) may not cover the drug.
- **Quantity Limits:** For certain drugs, CHRISTUS Health Plan Generations (HMO) / CHRISTUS Health Plan Generations Plus (HMO) limits the amount of the drug that we will cover. For example, we provide 31 tablets per prescription for AFINITOR. This may be in addition to a standard one-month or three-month supply.
- **Step Therapy:** In some cases, CHRISTUS Health Plan Generations (HMO) / CHRISTUS Health Plan Generations Plus (HMO) requires you to first try certain drugs to treat your medical condition before we will cover another drug for that condition. For example, if Drug A and Drug B both treat your medical condition, we may not cover Drug B unless you try Drug A first. If Drug A does not work for you, we will then cover Drug B.

You can find out if your drug has any additional requirements or limits by looking in the formulary that begins on page 9. You can also get more information about the restrictions applied to specific covered drugs by visiting our Web site. We have posted on line a document that explain our prior authorization restriction, step therapy restriction, prior authorization and step therapy restrictions. You may also ask us to send you a copy.

Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

You can ask CHRISTUS Health Plan Generations (HMO) / CHRISTUS Health Plan Generations Plus (HMO) to make an exception to these restrictions or limits or for a list of other, similar drugs that may treat your health condition. See the section, "How do I request an exception to the CHRISTUS Health Plan Generations (HMO) / CHRISTUS Health Plan Generations Plus (HMO) formulary?" on page 5 for information about how to request an exception.

## **What if my drug is not on the Formulary?**

If your drug is not included in this formulary (list of covered drugs), you should first contact Member Services and ask if your drug is covered.

If you learn that we do not cover your drug, you have two options:

- You can ask Member Services for a list of similar drugs that are covered by CHRISTUS Health Plan Generations (HMO) / CHRISTUS Health Plan Generations Plus (HMO). When you receive the list, show it to your doctor and ask him or her to prescribe a similar drug that is covered by us.
- You can ask CHRISTUS Health Plan Generations (HMO) / CHRISTUS Health Plan Generations Plus (HMO) to make an exception and cover your drug. See below for information about how to request an exception.

## **How do I request an exception to the CHRISTUS Health Plan Generations (HMO) / CHRISTUS Health Plan Generations Plus (HMO) Formulary?**

You can ask CHRISTUS Health Plan Generations (HMO) / CHRISTUS Health Plan Generations Plus (HMO) to make an exception to our coverage rules. There are several types of exceptions that you can ask us to make.

- You can ask us to cover a drug even if it is not on our formulary. If approved, this drug will be covered at a pre-determined cost-sharing level, and you would not be able to ask us to provide the drug at a lower cost-sharing level.
- You can ask us to cover a formulary drug at a lower cost-sharing level [if this drug is not on the specialty tier]. If approved this would lower the amount you must pay for your drug.
- You can ask us to waive coverage restrictions or limits on your drug. For example, for certain drugs we limit the amount of the drug that we will cover. If your drug has a quantity limit, you can ask us to waive the limit and cover a greater amount.

Generally, we will only approve your request for an exception if the alternative drugs included on the plan's formulary, [the lower cost-sharing drug] or additional utilization restrictions would not be as effective in treating your condition and/or would cause you to have adverse medical effects.

You should contact us to ask us for an initial coverage decision for a formulary, or utilization restriction exception. **When you request a formulary or utilization restriction exception you should submit a statement from your prescriber or physician supporting your request.** Generally, we must make our decision within 72 hours of getting your prescriber's supporting statement. You can request an expedited (fast) exception if you or your doctor believe that your health could be seriously harmed by waiting up to 72 hours for a decision. If your request to expedite is granted, we must give

you a decision no later than 24 hours after we get a supporting statement from your doctor or other prescriber.

## **What do I do before I can talk to my doctor about changing my drugs or requesting an exception?**

As a new or continuing member in our plan you may be taking drugs that are not on our formulary. Or, you may be taking a drug that is on our formulary but your ability to get it is limited. For example, you may need a prior authorization from us before you can fill your prescription. You should talk to your doctor to decide if you should switch to an appropriate drug that we cover or request a formulary exception so that we will cover the drug you take. While you talk to your doctor to determine the right course of action for you, we may cover your drug in certain cases during the first 90 days you are a member of our plan.

For each of your drugs that is not on our formulary or if your ability to get your drugs is limited, we will cover a temporary 30-day supply. If your prescription is written for fewer days, we'll allow refills to provide up to a maximum 30-day supply of medication. After your first 30-day supply, we will not pay for these drugs, even if you have been a member of the plan less than 90 days.

If you are a resident of a long-term care facility and you need a drug that is not on our formulary or if your ability to get your drugs is limited, but you are past the first 90 days of membership in our plan, we will cover a 31-day emergency supply of that drug while you pursue a formulary exception.

Enrollees whose transition window has expired and are either being admitted to a LTC setting or being discharged from a long term care setting are provided an additional transition fill due to that level of care change. While the claim will initially reject as the member is no longer transition eligible according to plan enrollment dates, the pharmacist is instructed to enter an override code to allow the transition supply to process accordingly. Early refill edits are not applied in a long term care setting.

## **For more information**

For more detailed information about your CHRISTUS Health Plan Generations (HMO) / CHRISTUS Health Plan Generations Plus (HMO) prescription drug coverage, please review your Evidence of Coverage and other plan materials.

If you have questions about CHRISTUS Health Plan Generations (HMO) / CHRISTUS Health Plan Generations Plus (HMO), please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

If you have general questions about Medicare prescription drug coverage, please call Medicare at 1-800-MEDICARE (1-800-633-4227) 24 hours a day/7 days a week. TTY users should call 711. Or, visit <http://www.medicare.gov>.

## **CHRISTUS Health Plan Generations (HMO) / CHRISTUS Health Plan Generations Plus (HMO) Formulary**

The formulary below provides coverage information about some of the drugs covered by CHRISTUS Health Plan Generations (HMO) / CHRISTUS Health Plan Generations Plus (HMO). If you have trouble finding your drug in the list, turn to the Index that begins on page 85.

The first column of the chart lists the drug name. Brand name drugs are capitalized (e.g., AFINITOR) and generic drugs are listed in lower-case italics (e.g., *atorvastatin*).

The information in the Requirements/Limits column tells you if we have any special requirements for coverage of your drug.

Below is a list of abbreviations that may appear on the following pages in the Requirements/Limits column that tells you if there are any special requirements for coverage of your drug.

## List of Abbreviations

**B/D PA:** This prescription drug may be covered under Medicare Part B or D depending upon the circumstances. Information may need to be submitted describing the use and setting of the drug to make the determination.

**LA:** Limited Availability. This prescription may be available only at certain pharmacies. For more information, please call Customer Service.

**MO:** Mail-Order Drug. This prescription drug is available through our mail-order service, as well as through our retail network pharmacies. Consider using mail order for your long-term (maintenance) medications (such as high blood pressure medications). Retail network pharmacies may be more appropriate for short-term prescriptions (such as antibiotics).

**PA:** Prior Authorization. The Plan requires you or your physician to get prior authorization for certain drugs. This means that you will need to get approval before you fill your prescriptions. If you don't get approval, we may not cover the drug.

**QL:** Quantity Limit. For certain drugs, the Plan limits the amount of the drug that we will cover.

**ST:** Step Therapy. In some cases, the Plan requires you to first try certain drugs to treat your medical condition before we will cover another drug for that condition. For example, if Drug A and Drug B both treat your medical condition, we may not cover Drug B unless you try Drug A first. If Drug A does not work for you, we will then cover Drug B.

Tier Number	Tier Name	Copay for a one-month supply filled at a network pharmacy with standard cost-sharing
1	Preferred Generic	\$4
2	Generic	\$10
3	Preferred Brand	\$35
4	Non-Preferred Brand	\$90
5	Specialty Drug Tier	You pay 29% of the total cost

Drug Name	Drug Tier	Requirements /Limits
<b>ANTI - INFECTIVES</b>		
<b>ANTIFUNGAL AGENTS</b>		
ABELCET	5	B/D PA; MO
AMBISOME	5	B/D PA; MO
<i>amphotericin b</i>	4	B/D PA; MO
<i>caspofungin</i>	5	B/D PA
<i>clotrimazole mucous membrane</i>	2	MO
CRESEMBIA INTRAVENOUS	5	
CRESEMBIA ORAL	5	MO
<i>fluconazole</i>	2	MO
<i>fluconazole in nacl (iso-osm) intravenous piggyback 200 mg/100 ml</i>	2	MO
<i>fluconazole in nacl (iso-osm) intravenous piggyback 400 mg/200 ml</i>	2	
<i>flucytosine</i>	5	MO
<i>griseofulvin microsize</i>	2	MO
<i>griseofulvin ultramicrosize</i>	2	MO
<i>itraconazole</i>	2	MO
<i>ketoconazole oral</i>	2	MO
MYCAMINE	5	MO
NOXAFIL ORAL	5	MO
<i>nystatin oral suspension</i>	2	MO
<i>nystatin oral tablet</i>	2	MO

Drug Name	Drug Tier	Requirements /Limits
<i>posaconazole oral tablet, delayed release (dr/ec)</i>	5	MO
SPORANOX ORAL SOLUTION	3	MO
<i>terbinafine hcl oral</i>	2	MO
<i>voriconazole intravenous</i>	2	MO
<i>voriconazole oral</i>	5	MO
<b>ANTIVIRALS</b>		
<i>abacavir</i>	2	MO
<i>abacavir-lamivudine</i>	5	MO
<i>abacavir-lamivudine-zidovudine</i>	5	MO
<i>acyclovir oral capsule</i>	2	MO
<i>acyclovir oral suspension 200 mg/5 ml</i>	2	MO
<i>acyclovir oral tablet</i>	2	MO
<i>acyclovir sodium intravenous solution</i>	4	B/D PA; MO
<i>adefovir</i>	5	MO
<i>amantadine hcl</i>	2	MO
APTIVUS ORAL CAPSULE	5	MO
APTIVUS ORAL SOLUTION	5	
<i>atazanavir oral capsule 150 mg, 200 mg</i>	2	MO
<i>atazanavir oral capsule 300 mg</i>	5	MO
ATRIPLA	5	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements /Limits
BARACLUDE ORAL SOLUTION	5	MO
BIKTARVY	5	MO
<i>cidofovir</i>	5	B/D PA; MO
CIMDUO	5	MO
COMPLERA	5	MO
CRIXIVAN ORAL CAPSULE 200 MG, 400 MG	3	MO
DELSTRIGO	5	MO
DESCOVY	5	MO
<i>didanosine oral capsule, delayed release(dr/ec) 200 mg</i>	2	
<i>didanosine oral capsule, delayed release(dr/ec) 250 mg, 400 mg</i>	2	MO
DOVATO	5	MO
EDURANT	5	MO
<i>efavirenz oral capsule 200 mg</i>	5	MO
<i>efavirenz oral capsule 50 mg</i>	2	MO
<i>efavirenz oral tablet</i>	5	MO
EMTRIVA	3	MO
<i>entecavir</i>	5	MO
EPCLUSA	5	PA; MO; QL (28 per 28 days)
EPIVIR HBV ORAL SOLUTION	3	MO
EVOTAZ	5	MO
<i>famciclovir</i>	2	MO
<i>fosamprenavir</i>	5	MO

Drug Name	Drug Tier	Requirements /Limits
FUZEON SUBCUTANEOUS RECON SOLN	5	MO
<i>ganciclovir sodium</i>	2	B/D PA; MO
GENVOYA	5	MO
HARVONI ORAL TABLET 45-200 MG	5	PA; MO
HARVONI ORAL TABLET 90-400 MG	5	PA; MO; QL (28 per 28 days)
INTELENCE ORAL TABLET 100 MG, 200 MG	5	MO
INTELENCE ORAL TABLET 25 MG	3	MO
INVIRASE ORAL TABLET	5	MO
ISENTRESS HD	5	MO
ISENTRESS ORAL POWDER IN PACKET	5	MO
ISENTRESS ORAL TABLET	5	MO
ISENTRESS ORAL TABLET,CHEWABLE 100 MG	5	MO
ISENTRESS ORAL TABLET,CHEWABLE 25 MG	3	MO
JULUCA	5	MO
KALETRA ORAL TABLET 100-25 MG	3	MO
KALETRA ORAL TABLET 200-50 MG	5	MO
<i>lamivudine</i>	2	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
lamivudine-zidovudine	2	MO
LEXIVA ORAL SUSPENSION	3	MO
lopinavir-ritonavir	2	MO
nevirapine oral suspension	2	
nevirapine oral tablet	2	MO
nevirapine oral tablet extended release 24 hr	2	MO
NORVIR ORAL POWDER IN PACKET	3	MO
NORVIR ORAL SOLUTION	3	MO
ODEFSEY	5	MO
oseltamivir	2	MO
PIFELTRO	5	MO
PREVYMIS INTRAVENOUS	5	
PREVYMIS ORAL	5	MO; QL (30 per 30 days)
PREZCOBIX	5	MO
PREZISTA ORAL SUSPENSION	5	MO
PREZISTA ORAL TABLET 150 MG, 75 MG	3	MO
PREZISTA ORAL TABLET 600 MG, 800 MG	5	MO
RELENZA DISKHALER	3	MO
SCRIPTOR ORAL TABLET	3	MO

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
RETROVIR INTRAVENOUS	3	MO
REYATAZ ORAL POWDER IN PACKET	5	MO
<i>ribasphere oral capsule</i>	2	MO
<i>ribasphere oral tablet 600 mg</i>	5	MO
<i>ribasphere ribapak oral tablets,dose pack 600 mg (7)-400 mg (7), 600 mg (7)- 600 mg (7)</i>	5	
<i>ribasphere ribapak oral tablets,dose pack 600-400 mg (28)-mg (28), 600-600 mg (28)-mg (28)</i>	5	MO
<i>ribavirin oral capsule</i>	2	MO
<i>ribavirin oral tablet 200 mg</i>	2	MO
<i>rimantadine</i>	2	MO
<i>ritonavir</i>	2	MO
<i>SELZENTRY</i>	3	MO
<i>stavudine oral capsule</i>	2	MO
<i>STRIBILD</i>	5	MO
<i>SYMFI</i>	5	MO
<i>SYMFI LO</i>	5	MO
<i>SYMTUZA</i>	5	MO
<i>SYNAGIS</i>	5	MO; LA
<i>TEMIXYS</i>	5	MO
<i>tenofovir disoproxil fumarate</i>	5	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
TIVICAY ORAL TABLET 10 MG	3	MO
TIVICAY ORAL TABLET 25 MG, 50 MG	5	MO
TRIUMEQ	5	MO
TROGARZO	5	MO; LA
TRUVADA	5	MO
<i>valacyclovir oral tablet 1 gram</i>	2	MO; QL (120 per 30 days)
<i>valacyclovir oral tablet 500 mg</i>	2	MO; QL (60 per 30 days)
valganciclovir	5	MO
VEMLIDY	5	MO
VIDEX 2 GRAM PEDIATRIC	3	MO
VIDEX EC ORAL CAPSULE,DELAY ED RELEASE(DR/EC) 125 MG	4	MO
VIRACEPT ORAL TABLET	5	MO
VIRAMUNE ORAL SUSPENSION	4	MO
VIREAD ORAL POWDER	5	MO
VIREAD ORAL TABLET 150 MG, 200 MG, 250 MG	5	MO
XOFLUZA	3	MO
<i>zidovudine</i>	2	MO
<b>CEPHALOSPORINS</b>		
<i>cefaclor oral capsule</i>	2	MO

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<i>cefaclor oral suspension for reconstitution 125 mg/5 ml</i>	2	MO
<i>cefaclor oral suspension for reconstitution 250 mg/5 ml, 375 mg/5 ml</i>	2	
<i>cefaclor oral tablet extended release 12 hr</i>	2	MO
<i>cefadroxil oral capsule</i>	2	MO
<i>cefadroxil oral suspension for reconstitution 250 mg/5 ml, 500 mg/5 ml</i>	2	MO
<i>cefadroxil oral tablet</i>	2	MO
<i>cefazolin in dextrose (iso-osm) intravenous piggyback 1 gram/50 ml, 2 gram/50 ml</i>	2	MO
<i>cefazolin injection recon soln 1 gram, 500 mg</i>	2	MO
<i>cefazolin injection recon soln 10 gram, 100 gram, 20 gram, 300 g</i>	2	
<i>cefazolin intravenous</i>	2	
<i>cefdinir</i>	2	MO
<i>cefepime in dextrose,iso-osm intravenous piggyback 1 gram/50 ml</i>	2	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<i>cefepime in dextrose,iso-osm intravenous piggyback 2 gram/100 ml</i>	2	MO
<i>cefepime injection</i>	2	MO
<i>cefixime</i>	2	MO
<i>cefotaxime injection recon soln 1 gram, 500 mg</i>	2	
<i>cefotetan</i>	2	
<i>cefoxitin in dextrose, iso-osm</i>	2	
<i>cefoxitin intravenous recon soln 1 gram, 2 gram</i>	2	MO
<i>cefoxitin intravenous recon soln 10 gram</i>	2	
<i>cefpodoxime</i>	2	MO
<i>cefprozil</i>	2	MO
<i>ceftazidime injection recon soln 1 gram, 2 gram</i>	2	MO
<i>ceftazidime injection recon soln 6 gram</i>	2	
<i>ceftriaxone in dextrose,iso-os</i>	2	MO
<i>ceftriaxone injection recon soln 1 gram, 2 gram, 250 mg, 500 mg</i>	2	MO
<i>ceftriaxone injection recon soln 10 gram</i>	2	
<i>ceftriaxone intravenous</i>	2	MO
<i>cefuroxime axetil oral tablet</i>	2	MO

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<i>cefuroxime sodium injection recon soln 750 mg</i>	2	MO
<i>cefuroxime sodium intravenous recon soln 1.5 gram</i>	2	MO
<i>cefuroxime sodium intravenous recon soln 7.5 gram</i>	2	
<i>cephalexin</i>	2	MO
<b>SUPRAX ORAL CAPSULE</b>	4	MO
<b>SUPRAX ORAL SUSPENSION FOR RECONSTITUTION 500 MG/5 ML</b>	4	
<b>SUPRAX ORAL TABLET,CHEWABLE</b>	4	MO
<i>tazicef injection recon soln 1 gram</i>	2	
<i>tazicef injection recon soln 2 gram, 6 gram</i>	2	MO
<i>tazicef intravenous</i>	2	
<b>TEFLARO</b>	5	MO
<b>ERYTHROMYCINS / OTHER MACROLIDES</b>		
<i>azithromycin intravenous</i>	2	MO
<i>azithromycin oral packet</i>	2	MO
<i>azithromycin oral suspension for reconstitution</i>	2	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<i>azithromycin oral tablet 250 mg, 250 mg (6 pack), 500 mg, 600 mg</i>	2	MO
<i>azithromycin oral tablet 500 mg (3 pack)</i>	2	
<i>clarithromycin</i>	2	MO
<i>e.e.s. 400 oral tablet</i>	2	MO
<i>ery-tab oral tablet, delayed release (dr/ec) 250 mg, 333 mg</i>	2	MO
<b>ERY-TAB ORAL TABLET, DELAYE D RELEASE (DR/EC) 500 MG</b>	3	MO
<i>erythrocin (as stearate) oral tablet 250 mg</i>	2	MO
<b>ERYTHROCIN INTRAVENOUS RECON SOLN 500 MG</b>	3	MO
<i>erythromycin ethylsuccinate oral suspension for reconstitution</i>	2	MO
<i>erythromycin ethylsuccinate oral tablet</i>	2	MO
<i>erythromycin oral</i>	2	MO
<b>MISCELLANEOUS ANTIINFECTIVES</b>		
<i>albendazole</i>	5	MO
<b>ALBENZA</b>	5	MO

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<b>ALINIA ORAL SUSPENSION FOR RECONSTITUTION</b>	3	MO
<b>ALINIA ORAL TABLET</b>	5	MO
<i>amikacin injection solution 1,000 mg/4 ml, 500 mg/2 ml</i>	2	MO
<b>ARIKAYCE</b>	5	PA; MO; LA
<i>atovaquone</i>	5	MO
<i>atovaquone-proguanil</i>	2	MO
<i>aztreonam</i>	2	MO
<i>bacitracin intramuscular</i>	2	MO
<b>BENZNIDAZOLE</b>	3	
<b>BETHKIS</b>	5	B/D PA; MO; QL (224 per 28 days)
<b>CAPASTAT</b>	4	
<b>CAYSTON</b>	5	MO; LA; QL (84 per 28 days)
<i>chloramphenicol sod succinate</i>	2	
<i>chloroquine phosphate</i>	2	MO
<i>clindamycin hcl</i>	2	MO
<i>clindamycin in 5 % dextrose</i>	2	MO
<i>clindamycin palmitate hcl</i>	2	MO
<i>clindamycin pediatric</i>	2	MO
<i>clindamycin phosphate injection</i>	2	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<i>clindamycin phosphate intravenous solution 600 mg/4 ml</i>	2	MO
COARTEM	3	MO
<i>colistin (colistimethate na)</i>	2	MO
dapsone oral	2	MO
DAPTO MYCIN INTRAVENOUS RECON SOLN 350 MG	3	MO
<i>daptomycin intravenous recon soln 500 mg</i>	5	MO
DARAPRIM	5	PA
EMVERM	5	MO
ertapenem	2	MO
ethambutol	2	MO
<i>gentamicin in nacl (iso-osm) intravenous piggyback 100 mg/100 ml, 60 mg/50 ml, 80 mg/50 ml</i>	2	MO
<i>gentamicin in nacl (iso-osm) intravenous piggyback 80 mg/100 ml</i>	2	
gentamicin injection	2	MO
gentamicin sulfate (ped) (pf)	2	MO
hydroxychloroquine	2	MO
imipenem-cilastatin	2	MO
IMPAVIDO	5	MO
INVANZ INJECTION	4	MO

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<i>isoniazid injection</i>	2	
<i>isoniazid oral</i>	2	MO
<i>ivermectin oral</i>	2	MO
<i>lincomycin</i>	2	
<i>linezolid</i>	5	MO
<i>linezolid in dextrose 5%</i>	5	
<i>linezolid-0.9% sodium chloride</i>	5	
<i>mefloquine</i>	2	MO
<i>meropenem</i>	2	MO
<i>metro i.v.</i>	2	MO
<i>metronidazole in nacl (iso-os)</i>	2	MO
<i>metronidazole oral</i>	2	MO
NEBUPENT	3	B/D PA; MO; QL (1 per 28 days)
<i>neomycin</i>	2	MO
<i>paromomycin</i>	4	MO
PASER	3	MO
PENTAM	4	MO
<i>pentamidine injection</i>	2	
<i>polymyxin b sulfate</i>	2	MO
<i>praziquantel</i>	2	MO
PRIFTIN	3	MO
PRIMAQUINE	3	MO
<i>pyrazinamide</i>	2	MO
<i>quinine sulfate</i>	2	MO
<i>rifabutin</i>	2	MO
<i>rifampin</i>	2	MO
SIRTURO	5	MO; LA

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
STREPTOMYCIN	3	MO
SYNERCID	5	
<i>tigecycline</i>	5	
<i>tinidazole</i>	2	MO
<i>tobramycin in 0.225 % nacl</i>	5	B/D PA; MO; QL (280 per 28 days)
<i>tobramycin sulfate injection recon soln</i>	2	
<i>tobramycin sulfate injection solution</i>	2	MO
TRECATOR	3	MO
VANCOMYCIN IN 0.9 % SODIUM CHL INTRAVENOUS PIGGYBACK	3	
<i>vancomycin intravenous recon soln 1,000 mg, 10 gram, 5 gram, 500 mg, 750 mg</i>	2	MO
<i>vancomycin oral capsule 125 mg</i>	2	MO
<i>vancomycin oral capsule 250 mg</i>	5	MO
XIFAXAN ORAL TABLET 200 MG	5	MO; QL (9 per 30 days)
XIFAXAN ORAL TABLET 550 MG	5	MO; QL (90 per 30 days)
<b>PENICILLINS</b>		
<i>amoxicillin oral capsule</i>	2	MO
<i>amoxicillin oral suspension for reconstitution</i>	2	MO
<i>amoxicillin oral tablet</i>	2	MO

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<i>amoxicillin oral tablet, chewable 125 mg, 250 mg</i>	2	MO
<i>amoxicillin-pot clavulanate</i>	2	MO
<i>ampicillin oral capsule 500 mg</i>	2	MO
<i>ampicillin sodium injection</i>	2	MO
<i>ampicillin sodium intravenous</i>	2	
<i>ampicillin-sulbactam injection recon soln 1.5 gram, 3 gram</i>	2	MO
<i>ampicillin-sulbactam injection recon soln 15 gram</i>	2	
<i>ampicillin-sulbactam intravenous recon soln 1.5 gram</i>	2	
<i>ampicillin-sulbactam intravenous recon soln 3 gram</i>	2	MO
AUGMENTIN ORAL SUSPENSION FOR RECONSTITUTION 125-31.25 MG/5 ML	3	MO
BICILLIN C-R	3	MO
BICILLIN L-A	3	MO
<i>dicloxacillin</i>	2	MO
<i>nafcillin in dextrose iso-osm intravenous piggyback 1 gram/50 ml</i>	2	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
nafcillin in dextrose iso-osm intravenous piggyback 2 gram/100 ml	2	MO
nafcillin injection recon soln 1 gram, 2 gram	2	MO
nafcillin injection recon soln 10 gram	5	MO
nafcillin intravenous	2	MO
oxacillin in dextrose(iso-osm) intravenous piggyback 1 gram/50 ml	2	
oxacillin in dextrose(iso-osm) intravenous piggyback 2 gram/50 ml	2	MO
oxacillin injection recon soln 1 gram	2	
oxacillin injection recon soln 10 gram	5	
oxacillin injection recon soln 2 gram	2	MO
penicillin g potassium	2	MO
penicillin g procaine intramuscular syringe 1.2 million unit/2 ml	2	MO
penicillin g procaine intramuscular syringe 600,000 unit/ml	2	
penicillin g sodium	2	MO
penicillin v potassium	2	MO

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
pfsizerpen-g	2	
piperacillin-tazobactam	2	MO
<b>QUINOLONES</b>		
ciprofloxacin	2	
ciprofloxacin hcl oral	2	MO
ciprofloxacin in 5 % dextrose	2	MO
levofloxacin in d5w intravenous piggyback 250 mg/50 ml	2	
levofloxacin in d5w intravenous piggyback 500 mg/100 ml, 750 mg/150 ml	2	MO
levofloxacin intravenous	2	MO
levofloxacin oral	2	MO
moxifloxacin oral	2	MO
moxifloxacin-sod.chloride(iso)	2	
ofloxacin oral tablet 300 mg	2	
ofloxacin oral tablet 400 mg	2	MO
<b>SULFA'S / RELATED AGENTS</b>		
sulfadiazine	4	MO
sulfamethoxazole-trimethoprim	2	MO
sulfatrim	2	MO
<b>TETRACYCLINES</b>		
demeclacycline	4	MO
doxy-100	2	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<i>doxycycline hyclate intravenous</i>	2	
<i>doxycycline hyclate oral capsule</i>	2	MO
<i>doxycycline hyclate oral tablet</i>	2	MO
<i>doxycycline monohydrate oral capsule</i>	2	MO
<i>doxycycline monohydrate oral suspension for reconstitution</i>	2	MO
<i>doxycycline monohydrate oral tablet</i>	2	MO
<i>minocycline oral capsule</i>	2	MO
<i>minocycline oral tablet</i>	2	MO
<i>monodoxine nl oral capsule 100 mg, 75 mg</i>	2	MO
<i>morgidox</i>	2	MO
<i>okebo oral capsule 75 mg</i>	2	MO
<i>tetracycline</i>	2	MO
<b>URINARY TRACT AGENTS</b>		
<i>methenamine hippurate</i>	2	MO
<i>methenamine mandelate</i>	2	MO
<i>nitrofurantoin</i>	2	MO
<i>nitrofurantoin macrocrystal</i>	2	MO
<i>nitrofurantoin monohyd/m-cryst</i>	2	MO

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<i>trimethoprim</i>	2	MO
<b>ANTINEOPLASTIC / IMMUNOSUPPRESSANT DRUGS</b>		
<b>ADJUNCTIVE AGENTS</b>		
<i>dexrazoxane hcl intravenous recon soln 250 mg</i>	5	B/D PA
<i>dexrazoxane hcl intravenous recon soln 500 mg</i>	5	B/D PA; MO
<i>ELITEK</i>	5	MO
<i>KEPIVANCE</i>	5	MO
<i>KHAPZORY</i>	5	B/D PA
<i>leucovorin calcium injection recon soln 100 mg, 200 mg, 350 mg, 50 mg</i>	2	B/D PA; MO
<i>leucovorin calcium injection recon soln 500 mg</i>	2	B/D PA
<i>leucovorin calcium oral</i>	2	MO
<i>levoleucovorin calcium intravenous recon soln 50 mg</i>	5	B/D PA
<i>levoleucovorin calcium intravenous solution</i>	5	B/D PA
<i>mesna</i>	2	B/D PA; MO
<i>MESNEX ORAL</i>	5	MO
<i>VISTOGARD</i>	5	MO
<i>XGEVA</i>	5	B/D PA; MO
<b>ANTINEOPLASTIC / IMMUNOSUPPRESSANT DRUGS</b>		

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
abiraterone	5	PA; MO; QL (120 per 30 days)
ABRAXANE	5	B/D PA; MO
adriamycin intravenous recon soln 10 mg	2	B/D PA; MO
adriamycin intravenous solution	2	B/D PA
adrucil intravenous solution 2.5 gram/50 ml	2	B/D PA
adrucil intravenous solution 5 gram/100 ml, 500 mg/10 ml	2	B/D PA; MO
AFINITOR	5	PA; MO; QL (30 per 30 days)
AFINITOR DISPERZ	5	PA; MO
ALECENSA	5	PA; MO; QL (240 per 30 days)
ALIMTA	5	B/D PA; MO
ALIQOPA	5	B/D PA; MO; LA
ALUNBRIG ORAL TABLET 180 MG, 90 MG	5	PA; MO; QL (30 per 30 days)
ALUNBRIG ORAL TABLET 30 MG	5	PA; MO; QL (60 per 30 days)
ALUNBRIG ORAL TABLETS,DOSE PACK	5	PA; MO; QL (30 per 30 days)
anastrozole	2	MO
ARRANON	5	B/D PA

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
ARSENIC TRIOXIDE INTRAVENOUS SOLUTION 1 MG/ML	5	B/D PA
<i>arsenic trioxide intravenous solution 2 mg/ml</i>	5	B/D PA
ARZERRA	5	B/D PA; MO
AVASTIN	5	B/D PA; MO
azacitidine	5	B/D PA; MO
azathioprine	2	B/D PA; MO
azathioprine sodium	2	B/D PA
BALVERSA	5	PA; MO; LA
BAVENCIO	5	B/D PA; MO; LA
BELEODAQ	5	B/D PA; MO
BENDEKA	5	B/D PA; MO
BESPONSA	5	B/D PA; MO; LA
<i>bexarotene</i>	5	PA; MO
<i>bicalutamide</i>	2	MO
BICNU	5	B/D PA; MO
<i>bleomycin</i>	2	B/D PA; MO
BLINCYTO INTRAVENOUS KIT	5	B/D PA; MO
BORTEZOMIB	5	B/D PA; MO
BOSULIF ORAL TABLET 100 MG	5	PA; MO; QL (90 per 30 days)
BOSULIF ORAL TABLET 400 MG, 500 MG	5	PA; MO; QL (30 per 30 days)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements /Limits
BRAFTOVI ORAL CAPSULE 50 MG	5	PA; MO; LA; QL (120 per 30 days)
BRAFTOVI ORAL CAPSULE 75 MG	5	PA; MO; LA; QL (180 per 30 days)
<i>busulfan</i>	5	B/D PA
CABOMETYX	5	PA; MO; LA
CALQUENCE	5	PA; MO; LA; QL (60 per 30 days)
CAPRELSA ORAL TABLET 100 MG	5	PA; LA; QL (60 per 30 days)
CAPRELSA ORAL TABLET 300 MG	5	PA; MO; LA; QL (30 per 30 days)
<i>carboplatin intravenous solution</i>	2	B/D PA; MO
<i>carmustine</i>	5	B/D PA; MO
<i>cisplatin intravenous solution</i>	2	B/D PA; MO
<i>cladribine</i>	5	B/D PA; MO
<i>clofarabine</i>	5	B/D PA
COMETRIQ	5	PA; MO
COPIKTRA	5	PA; MO; LA
COSMEGEN	5	B/D PA; MO
COTELLIC	5	PA; MO; LA; QL (63 per 28 days)
<i>cyclophosphamide intravenous</i>	2	B/D PA; MO
<i>cyclophosphamide oral capsule</i>	2	B/D PA; MO
<i>cyclosporine intravenous</i>	2	B/D PA

Drug Name	Drug Tier	Requirements /Limits
<i>cyclosporine modified</i>	2	B/D PA; MO
<i>cyclosporine oral capsule</i>	2	B/D PA; MO
CYRAMZA	5	B/D PA; MO
<i>cytarabine</i>	2	B/D PA; MO
<i>cytarabine (pf) injection solution 100 mg/5 ml (20 mg/ml), 2 gram/20 ml (100 mg/ml)</i>	2	B/D PA; MO
<i>cytarabine (pf) injection solution 20 mg/ml</i>	2	B/D PA
<i>dacarbazine</i>	2	B/D PA; MO
<i>dactinomycin</i>	2	B/D PA
DARZALEX	5	B/D PA; MO; LA
<i>daunorubicin intravenous solution</i>	2	B/D PA
DAURISMO	5	PA; MO
<i>decitabine</i>	5	B/D PA; MO
<i>docetaxel intravenous solution 160 mg/16 ml (10 mg/ml), 20 mg/2 ml (10 mg/ml)</i>	5	B/D PA
<i>docetaxel intravenous solution 160 mg/8 ml (20 mg/ml), 20 mg/ml (1 ml), 80 mg/4 ml (20 mg/ml), 80 mg/8 ml (10 mg/ml)</i>	5	B/D PA; MO
DOCETAXEL INTRAVENOUS SOLUTION 20 MG/ML	5	B/D PA

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<i>doxorubicin intravenous recon soln 50 mg</i>	2	B/D PA; MO
<i>doxorubicin intravenous solution</i>	2	B/D PA; MO
<i>doxorubicin, peg-liposomal</i>	5	B/D PA; MO
DROXIA	3	MO
EMCYT	5	MO
EMPLICITI	5	B/D PA; MO
<i>epirubicin intravenous solution</i>	2	B/D PA; MO
ERBITUX	5	B/D PA; MO
ERIVEDGE	5	PA; MO; QL (30 per 30 days)
ERLEADA	5	PA; MO
<i>erlotinib oral tablet 100 mg, 150 mg</i>	5	PA; MO; QL (30 per 30 days)
<i>erlotinib oral tablet 25 mg</i>	5	PA; MO; QL (60 per 30 days)
ERWINAZE	5	B/D PA; MO
ETOPOPHOS	4	B/D PA; MO
<i>etoposide intravenous</i>	2	B/D PA; MO
<i>exemestane</i>	2	MO
FARESTON	5	MO
FARYDAK ORAL CAPSULE 10 MG	5	PA; MO; QL (12 per 21 days)
FARYDAK ORAL CAPSULE 15 MG, 20 MG	5	PA; MO; QL (6 per 21 days)
FASLODEX	5	B/D PA; MO

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
FIRMAGON KIT W DILUENT SYRINGE SUBCUTANEOUS RECON SOLN 120 MG	5	B/D PA; MO
FIRMAGON KIT W DILUENT SYRINGE SUBCUTANEOUS RECON SOLN 80 MG	3	B/D PA; MO
flouxuridine	2	B/D PA
<i>fludarabine intravenous recon soln</i>	2	B/D PA; MO
<i>fludarabine intravenous solution</i>	2	B/D PA
<i>fluorouracil intravenous</i>	2	B/D PA; MO
<i>flutamide</i>	2	MO
FOLOTYN	5	B/D PA; MO
<i>fulvestrant</i>	5	B/D PA; MO
GAZYVA	5	B/D PA; MO
<i>gemcitabine intravenous recon soln 1 gram, 200 mg</i>	2	B/D PA; MO
<i>gemcitabine intravenous recon soln 2 gram</i>	2	B/D PA
<i>gemcitabine intravenous solution 1 gram/26.3 ml (38 mg/ml), 200 mg/5.26 ml (38 mg/ml)</i>	2	B/D PA; MO
GEMCITABINE INTRAVENOUS SOLUTION 100 MG/ML	3	B/D PA

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<i>gemcitabine intravenous solution 2 gram/52.6 ml (38 mg/ml)</i>	2	B/D PA
<i>genograf oral capsule 100 mg, 25 mg</i>	2	B/D PA; MO
<i>genograf oral solution</i>	2	B/D PA; MO
GILOTRIF	5	PA; MO; QL (30 per 30 days)
GLEOSTINE	3	MO
HALAVEN	5	B/D PA; MO
HERCEPTIN HYLECTA	5	B/D PA; MO
HERCEPTIN INTRAVENOUS RECON SOLN 150 MG	5	B/D PA; MO
<i>hydroxyurea</i>	2	MO
IBRANCE	5	PA; MO; QL (21 per 28 days)
ICLUSIG ORAL TABLET 15 MG	5	PA; MO; QL (60 per 30 days)
ICLUSIG ORAL TABLET 45 MG	5	PA; MO; QL (30 per 30 days)
<i>idarubicin</i>	2	B/D PA
IDHIFA	5	PA; MO; LA; QL (30 per 30 days)
<i>ifosfamide intravenous recon soln</i>	2	B/D PA; MO
<i>ifosfamide intravenous solution 1 gram/20 ml</i>	2	B/D PA; MO

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<i>ifosfamide intravenous solution 3 gram/60 ml</i>	2	B/D PA
<i>imatinib oral tablet 100 mg</i>	5	PA; MO; QL (180 per 30 days)
<i>imatinib oral tablet 400 mg</i>	5	PA; MO; QL (60 per 30 days)
IMBRUVICA ORAL CAPSULE 140 MG	5	PA; MO; QL (120 per 30 days)
IMBRUVICA ORAL CAPSULE 70 MG	5	PA; MO; QL (30 per 30 days)
IMBRUVICA ORAL TABLET	5	PA; MO; QL (30 per 30 days)
IMFINZI	5	B/D PA; MO; LA
INFUGEM	5	B/D PA
INLYTA ORAL TABLET 1 MG	5	PA; MO; QL (180 per 30 days)
INLYTA ORAL TABLET 5 MG	5	PA; MO; QL (120 per 30 days)
INREBIC	5	PA; MO; LA; QL (120 per 30 days)
IRESSA	5	PA; MO; QL (30 per 30 days)
<i>irinotecan intravenous solution 100 mg/5 ml</i>	2	B/D PA; MO
<i>irinotecan intravenous solution 40 mg/2 ml</i>	5	B/D PA; MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
irinotecan <i>intravenous solution</i> 500 mg/25 ml	5	B/D PA
ISTODAX	5	B/D PA; MO
IXEMPRA	5	B/D PA; MO
JAKAFI	5	PA; MO; QL (60 per 30 days)
JEVTANA	5	B/D PA; MO
KADCYLA	5	PA; MO
KANJINTI INTRAVENOUS RECON SOLN 150 MG	5	B/D PA
KANJINTI INTRAVENOUS RECON SOLN 420 MG	5	B/D PA; MO
KEYTRUDA INTRAVENOUS SOLUTION	5	PA; MO
KISQALI	5	PA; MO
KISQALI FEMARA CO-PACK	5	PA; MO
KYPROLIS	5	B/D PA; MO
LENVIMA	5	PA; MO
<i>letrozole</i>	2	MO
LEUKERAN	3	MO
<i>leuprolide subcutaneous kit</i>	5	MO
LIBTAYO	5	PA; MO; LA
LONSURF	5	PA; MO
LORBRENA	5	PA; MO
LUMOXITI	5	PA; MO; LA
LUPRON DEPOT	5	PA; MO

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
LUPRON DEPOT (3 MONTH)	5	PA; MO
LUPRON DEPOT (4 MONTH)	5	PA; MO
LUPRON DEPOT (6 MONTH)	5	PA; MO
LUPRON DEPOT- PED	5	PA; MO
LUPRON DEPOT- PED (3 MONTH)	5	PA; MO
LYNPARZA ORAL TABLET	5	PA; MO; QL (120 per 30 days)
LYSODREN	3	MO
MARQIBO	3	B/D PA; MO
MATULANE	5	MO
<i>megestrol oral suspension 400 mg/10 ml (10 ml)</i>	2	PA
<i>megestrol oral suspension 400 mg/10 ml (40 mg/ml), 625 mg/5 ml</i>	2	PA; MO
<i>megestrol oral tablet</i>	2	PA; MO
MEKINIST ORAL TABLET 0.5 MG	5	PA; MO; QL (90 per 30 days)
MEKINIST ORAL TABLET 2 MG	5	PA; MO; QL (30 per 30 days)
MEKTOVI	5	PA; MO; LA; QL (180 per 30 days)
<i>melphalan</i>	2	B/D PA; MO
<i>melphalan hcl</i>	5	B/D PA
<i>mercaptopurine</i>	2	MO
<i>methotrexate sodium</i>	2	B/D PA; MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<i>methotrexate sodium (pf) injection recon soln</i>	2	B/D PA
<i>methotrexate sodium (pf) injection solution</i>	2	B/D PA; MO
<i>mitomycin intravenous recon soln 20 mg, 5 mg</i>	2	B/D PA; MO
<i>mitomycin intravenous recon soln 40 mg</i>	5	B/D PA; MO
<i>mitoxantrone</i>	2	B/D PA; MO
<i>MVASI</i>	5	B/D PA; MO
<i>mycophenolate mofetil hcl</i>	2	B/D PA
<i>mycophenolate mofetil oral capsule</i>	2	B/D PA; MO
<i>mycophenolate mofetil oral suspension for reconstitution</i>	5	B/D PA; MO
<i>mycophenolate mofetil oral tablet</i>	2	B/D PA; MO
<i>mycophenolate sodium</i>	2	B/D PA; MO
<i>MYLOTARG</i>	5	B/D PA; MO; LA
<i>NERLYNX</i>	5	PA; MO; LA
<i>NEXAVAR</i>	5	PA; MO; LA; QL (120 per 30 days)
<i>nilutamide</i>	5	MO
<i>NINLARO ORAL CAPSULE 2.3 MG</i>	5	PA; MO; QL (6 per 28 days)
<i>NINLARO ORAL CAPSULE 3 MG</i>	5	PA; MO; QL (4 per 28 days)

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<i>NINLARO ORAL CAPSULE 4 MG</i>	5	PA; MO; QL (3 per 28 days)
<i>NUBEQA</i>	5	PA; MO; LA
<i>NULOJIX</i>	5	B/D PA; MO
<i>octreotide acetate injection solution 1,000 mcg/ml, 500 mcg/ml</i>	5	MO
<i>octreotide acetate injection solution 100 mcg/ml, 200 mcg/ml, 50 mcg/ml</i>	2	MO
<i>octreotide acetate injection syringe 100 mcg/ml (1 ml), 50 mcg/ml (1 ml)</i>	2	MO
<i>octreotide acetate injection syringe 500 mcg/ml (1 ml)</i>	5	MO
<i>ODOMZO</i>	5	PA; MO; LA; QL (30 per 30 days)
<i>ONCASPAR</i>	5	B/D PA; MO
<i>ONIVYDE</i>	5	B/D PA; MO
<i>OPDIVO</i>	5	PA; MO
<i>oxaliplatin intravenous recon soln 100 mg</i>	2	B/D PA; MO
<i>oxaliplatin intravenous recon soln 50 mg</i>	2	B/D PA
<i>oxaliplatin intravenous solution</i>	2	B/D PA; MO
<i>paclitaxel</i>	2	B/D PA; MO
<i>PERJETA</i>	5	B/D PA; MO
<i>PIQRAY</i>	5	PA; MO
<i>POLIVY</i>	5	PA; MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
POMALYST	5	PA; MO; LA
PORTRAZZA	5	B/D PA; MO
POTELIGEO	5	PA; MO
PROGRAF INTRAVENOUS	3	B/D PA; MO
PROGRAF ORAL GRANULES IN PACKET	3	B/D PA; MO
PURIXAN	5	
RAPAMUNE ORAL SOLUTION	5	B/D PA; MO
REVLIMID	5	PA; MO; LA; QL (28 per 28 days)
RITUXAN	5	PA; MO
RITUXAN HYCELA	5	PA; MO
ROMIDEPSIN	5	B/D PA
ROZLYTREK	5	PA; MO
RUBRACA	5	PA; MO; LA; QL (120 per 30 days)
RYDAPT	5	PA; MO
SANDIMMUNE ORAL SOLUTION	3	B/D PA; MO
SANDOSTATIN LAR DEPOT INTRAMUSCULA R SUSPENSION,EXT ENDED REL RECON	5	MO
SIGNIFOR	5	MO
SIKLOS	5	MO

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
SIMULECT	3	B/D PA
INTRAVENOUS RECON SOLN 10 MG		
SIMULECT	3	B/D PA; MO
INTRAVENOUS RECON SOLN 20 MG		
<i>sirolimus oral solution</i>	5	B/D PA; MO
<i>sirolimus oral tablet 0.5 mg, 1 mg</i>	2	B/D PA; MO
<i>sirolimus oral tablet 2 mg</i>	5	B/D PA; MO
SOLTAMOX	3	MO
SOMATULINE DEPOT	5	MO
SPRYCEL ORAL TABLET 100 MG, 140 MG, 50 MG, 80 MG	5	PA; MO; QL (30 per 30 days)
SPRYCEL ORAL TABLET 20 MG	5	PA; MO; QL (90 per 30 days)
SPRYCEL ORAL TABLET 70 MG	5	PA; MO; QL (60 per 30 days)
STIVARGA	5	PA; MO; QL (84 per 28 days)
SUTENT	5	PA; MO; QL (30 per 30 days)
SYLVANT	5	B/D PA; MO
SYNRIBO	5	B/D PA; MO
TABLOID	3	MO
<i>tacrolimus oral</i>	2	B/D PA; MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements /Limits
TAFINLAR	5	PA; MO; QL (120 per 30 days)
TAGRISSO	5	PA; MO; LA; QL (30 per 30 days)
TALZENNA	5	PA; MO
<i>tamoxifen</i>	2	MO
TARCEVA ORAL TABLET 100 MG, 150 MG	5	PA; MO; QL (30 per 30 days)
TARCEVA ORAL TABLET 25 MG	5	PA; MO; QL (60 per 30 days)
TARGETIN TOPICAL	5	PA; MO
TASIGNA ORAL CAPSULE 150 MG, 200 MG	5	PA; MO; QL (112 per 28 days)
TASIGNA ORAL CAPSULE 50 MG	5	PA; MO; QL (120 per 30 days)
TECENTRIQ	5	B/D PA; MO; LA
TEMODAR INTRAVENOUS	5	B/D PA; MO
<i>temsirolimus</i>	5	B/D PA; MO
THALOMID	5	PA; MO
<i>thiotepa</i>	5	B/D PA; MO
TIBSOVO	5	PA; MO
<i>toposar</i>	2	B/D PA; MO
<i>topotecan intravenous recon soln</i>	5	B/D PA
<i>topotecan intravenous solution</i>	5	B/D PA; MO
<i>toremifene</i>	5	MO

Drug Name	Drug Tier	Requirements /Limits
TORISEL	5	B/D PA; MO
TREANDA INTRAVENOUS RECON SOLN	5	B/D PA; MO
TRELSTAR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION	5	B/D PA; MO
<i>tretinoin (chemotherapy)</i>	5	MO
TRISENOX INTRAVENOUS SOLUTION 2 MG/ML	5	B/D PA; MO
TYKERB	5	PA; MO; LA; QL (180 per 30 days)
UNITUXIN	5	B/D PA; MO
<i>valrubicin</i>	5	B/D PA; MO
VALSTAR	5	B/D PA; MO
VANTAS	4	B/D PA; MO
VECTIBIX	5	B/D PA; MO
VELCADE	5	B/D PA; MO
VENCLEXTA ORAL TABLET 10 MG, 50 MG	3	PA; MO; LA
VENCLEXTA ORAL TABLET 100 MG	5	PA; MO; LA
VENCLEXTA STARTING PACK	5	PA; MO; LA; QL (42 per 180 days)
VERZENIO	5	PA; MO; LA; QL (60 per 30 days)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<i>vinblastine intravenous solution</i>	2	B/D PA; MO
<i>vincristine</i>	2	B/D PA; MO
<i>vinorelbine</i>	2	B/D PA; MO
VITRAKVI	5	PA; MO; LA
VIZIMPRO	5	PA; MO; QL (30 per 30 days)
VOTRIENT	5	PA; MO; QL (120 per 30 days)
VYXEOS	5	B/D PA; MO
XALKORI	5	PA; MO; QL (60 per 30 days)
XATMEP	5	B/D PA; MO
XERMELO	5	PA; MO; LA; QL (90 per 30 days)
XOSPATA	5	PA; MO; LA
XPOVIO	5	PA; MO; LA
XTANDI	5	PA; MO; QL (120 per 30 days)
YERVOY	5	B/D PA; MO
YONDELIS	5	B/D PA; MO
YONSA	5	PA; MO; QL (120 per 30 days)
ZALTRAP	5	B/D PA; MO
ZANOSAR	4	B/D PA; MO
ZEJULA	5	PA; MO; LA; QL (90 per 30 days)
ZELBORAF	5	PA; MO; QL (240 per 30 days)

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
ZOLADEX	4	B/D PA; MO
ZOLINZA	5	MO
ZORTRESS	5	B/D PA; MO
ZYDELIG	5	PA; MO; QL (60 per 30 days)
ZYKADIA	5	PA; MO; QL (150 per 30 days)
ZYTIGA ORAL TABLET 250 MG	5	PA; MO; QL (120 per 30 days)
ZYTIGA ORAL TABLET 500 MG	5	PA; MO; QL (60 per 30 days)

## AUTONOMIC / CNS DRUGS, NEUROLOGY / PSYCH

### ANTICONVULSANTS

APTIOM ORAL TABLET 200 MG, 400 MG, 800 MG	4	MO
APTIOM ORAL TABLET 600 MG	5	MO
BANZEL	5	MO
BRIVIACT INTRAVENOUS	4	
BRIVIACT ORAL	5	MO
<i>carbamazepine oral capsule, er multiphase 12 hr</i>	2	MO
<i>carbamazepine oral suspension 100 mg/5 ml</i>	2	MO
<i>carbamazepine oral tablet</i>	1	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<i>carbamazepine oral tablet extended release 12 hr</i>	2	MO
<i>carbamazepine oral tablet, chewable</i>	1	MO
<b>CELONTIN ORAL CAPSULE 300 MG</b>	3	MO
<i>clobazam oral suspension</i>	2	PA; MO; QL (480 per 30 days)
<i>clobazam oral tablet</i>	2	PA; MO; QL (60 per 30 days)
<i>clonazepam oral tablet 0.5 mg, 1 mg</i>	2	PA; MO; QL (90 per 30 days)
<i>clonazepam oral tablet 2 mg</i>	2	PA; MO; QL (300 per 30 days)
<i>clonazepam oral tablet, disintegrating 0.125 mg, 0.25 mg, 0.5 mg, 1 mg</i>	2	PA; MO; QL (90 per 30 days)
<i>clonazepam oral tablet, disintegrating 2 mg</i>	2	PA; MO; QL (300 per 30 days)
<b>DIASTAT</b>	4	MO
<b>DIASTAT ACUDIAL</b>	4	MO
<i>diazepam rectal</i>	2	MO
<b>DILANTIN 30 MG</b>	3	MO
<i>divalproex oral capsule, delayed rel sprinkle</i>	2	MO
<i>divalproex oral tablet extended release 24 hr</i>	2	MO

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<i>divalproex oral tablet, delayed release (dr/ec)</i>	1	MO
<b>EPIDIOLEX</b>	5	PA; MO; LA
<i>epitol</i>	2	MO
<i>ethosuximide</i>	2	MO
<i>felbamate oral suspension</i>	5	MO
<i>felbamate oral tablet</i>	2	MO
<i>fosphenytoin</i>	2	MO
<b>FYCOMPA ORAL SUSPENSION</b>	5	MO
<b>FYCOMPA ORAL TABLET</b>	3	MO
<i>gabapentin oral capsule 100 mg</i>	1	PA; MO; QL (1080 per 30 days)
<i>gabapentin oral capsule 300 mg</i>	1	PA; MO; QL (360 per 30 days)
<i>gabapentin oral capsule 400 mg</i>	1	PA; MO; QL (270 per 30 days)
<i>gabapentin oral solution 250 mg/5 ml</i>	2	PA; MO; QL (2160 per 30 days)
<i>gabapentin oral solution 250 mg/5 ml (5 ml), 300 mg/6 ml (6 ml)</i>	2	PA; QL (2160 per 30 days)
<i>gabapentin oral tablet 600 mg</i>	1	PA; MO; QL (180 per 30 days)
<i>gabapentin oral tablet 800 mg</i>	1	PA; MO; QL (120 per 30 days)
<i>lamotrigine oral tablet</i>	1	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
lamotrigine oral tablet disintegrating, dose pk	2	MO
lamotrigine oral tablet extended release 24hr	4	MO
lamotrigine oral tablet, chewable dispersible	2	MO
lamotrigine oral tablet,disintegrating	4	MO
lamotrigine oral tablets,dose pack	2	MO
levetiracetam in nacl (iso-os) intravenous piggyback 1,000 mg/100 ml, 1,500 mg/100 ml	2	
levetiracetam in nacl (iso-os) intravenous piggyback 500 mg/100 ml	2	MO
levetiracetam intravenous	2	MO
levetiracetam oral solution 100 mg/ml	2	MO
levetiracetam oral solution 500 mg/5 ml (5 ml)	2	
levetiracetam oral tablet	2	MO
levetiracetam oral tablet extended release 24 hr	2	MO
LYRICA ORAL CAPSULE 100 MG, 150 MG, 200 MG, 25 MG, 50 MG, 75 MG	3	PA; MO; QL (90 per 30 days)

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
LYRICA ORAL CAPSULE 225 MG, 300 MG	3	PA; MO; QL (60 per 30 days)
LYRICA ORAL SOLUTION	3	PA; MO; QL (900 per 30 days)
ONFI ORAL SUSPENSION	5	PA; MO; QL (480 per 30 days)
ONFI ORAL TABLET 10 MG, 20 MG	5	PA; MO; QL (60 per 30 days)
oxcarbazepine	2	MO
PEGANONE	3	MO
phenobarbital	2	PA; MO
phenobarbital sodium injection solution 130 mg/ml	2	MO
phenobarbital sodium injection solution 65 mg/ml	2	
phenytoin oral suspension 100 mg/4 ml	2	
phenytoin oral suspension 125 mg/5 ml	2	MO
phenytoin oral tablet,chewable	2	
phenytoin sodium extended	2	MO
phenytoin sodium intravenous solution	2	MO
pregabalin oral capsule 100 mg, 150 mg, 200 mg, 25 mg, 50 mg, 75 mg	2	PA; MO; QL (90 per 30 days)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<i>pregabalin oral capsule 225 mg, 300 mg</i>	2	PA; MO; QL (60 per 30 days)
<i>pregabalin oral solution</i>	2	PA; MO; QL (900 per 30 days)
<i>primidone</i>	2	MO
<i>roweepra</i>	2	MO
<i>roweepra xr</i>	2	MO
<b>SABRIL ORAL TABLET</b>	5	MO; LA
<b>SPRITAM</b>	4	MO
<i>subvenite</i>	2	MO
<i>subvenite starter (blue) kit</i>	2	MO
<i>subvenite starter (green) kit</i>	2	MO
<i>subvenite starter (orange) kit</i>	2	MO
<b>SYMPAZAN ORAL FILM 10 MG, 20 MG</b>	5	PA; MO; QL (60 per 30 days)
<b>SYMPAZAN ORAL FILM 5 MG</b>	4	PA; MO; QL (60 per 30 days)
<i>tiagabine</i>	4	MO
<i>topiramate oral capsule, sprinkle</i>	2	PA; MO
<i>topiramate oral tablet</i>	1	PA; MO
<i>valproate sodium</i>	2	MO
<i>valproic acid</i>	2	MO
<i>valproic acid (as sodium salt) oral solution 250 mg/5 ml</i>	2	MO

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<i>valproic acid (as sodium salt) oral solution 250 mg/5 ml (5 ml), 500 mg/10 ml (10 ml)</i>	2	
<i>vigabatrin</i>	5	MO; LA
<i>vigadron</i>	5	MO; LA
<b>VIMPAT INTRAVENOUS</b>	3	MO
<b>VIMPAT ORAL SOLUTION</b>	3	MO
<b>VIMPAT ORAL TABLET</b>	3	MO
<i>zonisamide</i>	2	PA; MO
<b>ANTIPARKINSONISM AGENTS</b>		
<i>APOKYN</i>	5	MO; LA
<i>benztropine injection</i>	2	MO
<i>benztropine oral</i>	2	PA; MO
<i>bromocriptine</i>	4	MO
<i>carbidopa</i>	2	MO
<i>carbidopa-levodopa</i>	2	MO
<i>carbidopa-levodopa-entacapone</i>	4	MO
<i>entacapone</i>	2	MO
<i>NEUPRO</i>	4	MO
<i>pramipexole</i>	2	MO
<i>rasagiline</i>	2	MO
<i>ropinirole</i>	2	MO
<i>selegiline hcl</i>	2	MO
<i>tolcapone</i>	5	MO
<b>MIGRAINE / CLUSTER HEADACHE THERAPY</b>		
<i>dihydroergotamine injection</i>	2	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
dihydroergotamine nasal	2	MO; QL (8 per 28 days)
eletriptan	2	MO; QL (18 per 28 days)
ergotamine-caffeine	2	MO
migergot	2	MO
naratriptan	2	MO; QL (18 per 28 days)
rizatriptan	2	MO; QL (36 per 28 days)
sumatriptan nasal spray,non-aerosol 20 mg/actuation	2	MO; QL (18 per 28 days)
sumatriptan nasal spray,non-aerosol 5 mg/actuation	2	MO; QL (36 per 28 days)
sumatriptan succinate oral	2	MO; QL (18 per 28 days)
sumatriptan succinate subcutaneous cartridge	2	MO; QL (8 per 28 days)
sumatriptan succinate subcutaneous pen injector	2	MO; QL (8 per 28 days)
sumatriptan succinate subcutaneous solution	2	MO; QL (8 per 28 days)
sumatriptan succinate subcutaneous syringe 6 mg/0.5 ml	2	MO; QL (8 per 28 days)
sumatriptan-naproxen	2	MO; QL (18 per 28 days)
zolmitriptan	2	MO; QL (18 per 28 days)

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<b>MISCELLANEOUS NEUROLOGICAL THERAPY</b>		
AMPYRA	5	PA; MO; LA
dalfampridine	5	PA; MO
donepezil oral tablet 10 mg, 5 mg	1	MO
donepezil oral tablet 23 mg	4	MO
donepezil oral tablet,disintegrating	1	MO
FIRDAPSE	5	PA; MO; LA
galantamine	2	MO
GILENYA ORAL CAPSULE 0.5 MG	5	PA; MO
glatiramer subcutaneous syringe 20 mg/ml	5	PA; MO; QL (30 per 30 days)
glatiramer subcutaneous syringe 40 mg/ml	5	PA; MO; QL (12 per 28 days)
glatopa subcutaneous syringe 20 mg/ml	5	PA; MO; QL (30 per 30 days)
glatopa subcutaneous syringe 40 mg/ml	5	PA; MO; QL (12 per 28 days)
LEMTRADA	5	PA; MO
memantine oral capsule,sprinkle,er 24hr	2	PA; MO
memantine oral solution	2	PA; MO
memantine oral tablet	2	PA; MO
NAMZARIC	3	PA; MO
NUEDEXTA	3	PA; MO
OCREVUS	5	PA; MO; LA

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
RADICAVA	5	PA; MO
rivastigmine	2	MO
rivastigmine tartrate	2	MO
TECFIDERA	5	PA; MO; LA
tetrabenazine oral tablet 12.5 mg	5	PA; MO; QL (240 per 30 days)
tetrabenazine oral tablet 25 mg	5	PA; MO; QL (120 per 30 days)
TYSABRI	5	PA; MO; LA
<b>MUSCLE RELAXANTS / ANTISPASMODIC THERAPY</b>		
baclofen oral tablet 10 mg, 20 mg	2	MO
cyclobenzaprine oral tablet	4	PA; MO
dantrolene oral	2	MO
LIORESAL INTRATHECAL SOLUTION 2,000 MCG/ML, 500 MCG/ML	3	B/D PA; MO
LIORESAL INTRATHECAL SOLUTION 50 MCG/ML	3	B/D PA
MESTINON ORAL SYRUP	5	MO
neostigmine methylsulfate intravenous solution 0.5 mg/ml	2	MO
neostigmine methylsulfate intravenous solution 1 mg/ml	2	

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
pyridostigmine bromide oral syrup	5	MO
pyridostigmine bromide oral tablet 60 mg	2	MO
pyridostigmine bromide oral tablet extended release	2	MO
regonol	2	
revonto	2	
tizanidine	2	MO
<b>NARCOTIC ANALGESICS</b>		
acetaminophen-caff-dihydrocod oral capsule	2	MO; QL (300 per 30 days)
acetaminophen-codeine oral solution 120 mg-12 mg /5 ml (5 ml), 300 mg-30 mg /12.5 ml	2	QL (4500 per 30 days)
acetaminophen-codeine oral solution 120-12 mg/5 ml	2	MO; QL (4500 per 30 days)
acetaminophen-codeine oral tablet 300-15 mg, 300-30 mg	2	MO; QL (360 per 30 days)
acetaminophen-codeine oral tablet 300-60 mg	2	MO; QL (180 per 30 days)
buprenorphine hcl injection solution	2	MO
buprenorphine hcl injection syringe	2	
buprenorphine hcl sublingual	2	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>	<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<i>buprenorphine transdermal patch weekly 10 mcg/hour, 15 mcg/hour, 20 mcg/hour, 5 mcg/hour</i>	2	PA; MO; QL (4 per 28 days)	<i>hydrocodone-acetaminophen oral solution 7.5-325 mg/15 ml</i>	2	MO; QL (5550 per 30 days)
<i>duramorph (pf) injection solution 0.5 mg/ml</i>	2	MO; QL (4000 per 30 days)	<i>hydrocodone-acetaminophen oral tablet 10-300 mg, 5-300 mg, 7.5-300 mg</i>	2	MO; QL (390 per 30 days)
<i>duramorph (pf) injection solution 1 mg/ml</i>	2	QL (2000 per 30 days)	<i>hydrocodone-acetaminophen oral tablet 10-325 mg, 2.5-325 mg, 5-325 mg, 7.5-325 mg</i>	2	MO; QL (360 per 30 days)
<i>endocet oral tablet 10-325 mg, 2.5-325 mg, 5-325 mg, 7.5-325 mg</i>	2	MO; QL (360 per 30 days)	<i>hydrocodone-ibuprofen oral tablet 10-200 mg, 5-200 mg, 7.5-200 mg</i>	2	MO; QL (50 per 30 days)
<i>fentanyl citrate (pf) injection solution</i>	2	MO; QL (400 per 30 days)	<i>hydromorphone (pf) injection solution 10 (mg/ml) (5 ml), 10 mg/ml</i>	2	MO; QL (240 per 30 days)
<b>FENTANYL CITRATE (PF) INTRAVENOUS SYRINGE 100 MCG/2 ML (50 MCG/ML)</b>	3	QL (400 per 30 days)	<i>hydromorphone (pf) injection solution 2 mg/ml</i>	2	QL (1200 per 30 days)
<i>fentanyl citrate buccal lozenge on a handle</i>	5	PA; MO; QL (120 per 30 days)	<i>hydromorphone injection solution 1 mg/ml</i>	2	QL (2400 per 30 days)
<i>fentanyl transdermal patch 72 hour 100 mcg/hr, 12 mcg/hr, 25 mcg/hr, 37.5 mcg/hour, 50 mcg/hr, 62.5 mcg/hour, 75 mcg/hr</i>	2	PA; MO; QL (10 per 30 days)	<i>hydromorphone injection solution 2 mg/ml</i>	2	MO; QL (1200 per 30 days)
<i>fentanyl transdermal patch 72 hour 87.5 mcg/hour</i>	5	PA; MO; QL (10 per 30 days)	<i>hydromorphone injection solution 4 mg/ml</i>	2	MO; QL (600 per 30 days)
<i>hydrocodone-acetaminophen oral solution 10-325 mg/15 ml(15 ml)</i>	2	QL (5550 per 30 days)	<i>hydromorphone injection syringe 1 mg/ml</i>	2	MO; QL (2400 per 30 days)
			<i>hydromorphone injection syringe 2 mg/ml</i>	2	QL (1200 per 30 days)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
hydromorphone injection syringe 4 mg/ml	2	MO; QL (600 per 30 days)
hydromorphone oral liquid	2	MO; QL (2400 per 30 days)
hydromorphone oral tablet	2	MO; QL (180 per 30 days)
hydromorphone oral tablet extended release 24 hr 12 mg, 8 mg	2	PA; MO; QL (60 per 30 days)
hydromorphone oral tablet extended release 24 hr 16 mg, 32 mg	5	PA; MO; QL (60 per 30 days)
ibuprofen-oxycodone	2	MO; QL (28 per 30 days)
levorphanol tartrate oral tablet 2 mg	2	MO; QL (120 per 30 days)
loracet (hydrocodone)	2	MO; QL (360 per 30 days)
loracet hd	2	MO; QL (360 per 30 days)
loracet plus oral tablet 7.5-325 mg	2	MO; QL (360 per 30 days)
methadone injection solution	2	QL (150 per 30 days)
methadone intensol	2	PA; MO; QL (90 per 30 days)
methadone oral concentrate	2	PA; MO; QL (90 per 30 days)
methadone oral solution 10 mg/5 ml	2	PA; MO; QL (600 per 30 days)
methadone oral solution 5 mg/5 ml	2	PA; MO; QL (1200 per 30 days)

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
methadone oral tablet 10 mg	2	PA; MO; QL (120 per 30 days)
methadone oral tablet 5 mg	2	PA; MO; QL (240 per 30 days)
methadose oral concentrate	2	PA; MO; QL (90 per 30 days)
morphine (pf) injection solution 0.5 mg/ml	2	QL (4000 per 30 days)
morphine (pf) injection solution 1 mg/ml	2	MO; QL (2000 per 30 days)
morphine (pf) intravenous patient control.analgesia soln 150 mg/30 ml	2	B/D PA; MO; QL (400 per 30 days)
morphine (pf) intravenous patient control.analgesia soln 30 mg/30 ml	2	B/D PA; QL (2000 per 30 days)
morphine concentrate oral solution	2	MO; QL (900 per 30 days)
morphine injection solution 8 mg/ml	2	QL (250 per 30 days)
morphine injection syringe 10 mg/ml	2	MO; QL (200 per 30 days)
morphine injection syringe 2 mg/ml	2	MO; QL (1000 per 30 days)
morphine injection syringe 4 mg/ml	2	MO; QL (500 per 30 days)
morphine injection syringe 5 mg/ml	2	QL (400 per 30 days)
morphine injection syringe 8 mg/ml	2	QL (250 per 30 days)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<i>morphine intravenous solution 10 mg/ml</i>	2	MO; QL (200 per 30 days)
<i>morphine intravenous syringe 10 mg/ml</i>	2	QL (200 per 30 days)
<i>morphine intravenous syringe 2 mg/ml</i>	2	QL (1000 per 30 days)
<i>morphine intravenous syringe 4 mg/ml</i>	2	QL (500 per 30 days)
<i>morphine oral capsule, er multiphase 24 hr</i>	2	PA; MO; QL (60 per 30 days)
<i>morphine oral capsule, extend.releas pellets</i>	2	PA; MO; QL (90 per 30 days)
<i>morphine oral solution</i>	2	MO; QL (900 per 30 days)
<i>morphine oral tablet</i>	2	MO; QL (180 per 30 days)
<i>morphine oral tablet extended release</i>	2	PA; MO; QL (120 per 30 days)
<i>oxycodone oral capsule</i>	2	MO; QL (360 per 30 days)
<i>oxycodone oral concentrate</i>	2	MO; QL (180 per 30 days)
<i>oxycodone oral solution</i>	2	MO; QL (1200 per 30 days)
<i>oxycodone oral tablet 10 mg, 15 mg, 20 mg, 30 mg</i>	2	MO; QL (180 per 30 days)
<i>oxycodone oral tablet 5 mg</i>	2	MO; QL (360 per 30 days)

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<i>oxycodone-acetaminophen oral tablet 10-325 mg, 2.5-325 mg, 5-325 mg, 7.5-325 mg</i>	2	MO; QL (360 per 30 days)
<i>oxycodone-aspirin</i>	2	MO; QL (360 per 30 days)
<i>oxymorphone oral tablet 10 mg</i>	2	MO; QL (360 per 30 days)
<i>oxymorphone oral tablet 5 mg</i>	2	MO; QL (180 per 30 days)
<i>vicodin es</i>	2	MO; QL (390 per 30 days)
<i>vicodin hp</i>	2	MO; QL (390 per 30 days)
<b>NON-NARCOTIC ANALGESICS</b>		
<i>buprenorphine-naloxone sublingual film 12-3 mg</i>	2	MO; QL (60 per 30 days)
<i>buprenorphine-naloxone sublingual film 2-0.5 mg</i>	2	MO; QL (360 per 30 days)
<i>buprenorphine-naloxone sublingual film 4-1 mg, 8-2 mg</i>	2	MO; QL (90 per 30 days)
<i>buprenorphine-naloxone sublingual tablet 2-0.5 mg</i>	2	MO; QL (360 per 30 days)
<i>buprenorphine-naloxone sublingual tablet 8-2 mg</i>	2	MO; QL (90 per 30 days)
<i>butorphanol tartrate injection solution 1 mg/ml</i>	2	MO; QL (857 per 30 days)
<i>butorphanol tartrate injection solution 2 mg/ml</i>	2	MO; QL (428 per 30 days)
<i>butorphanol tartrate nasal</i>	2	MO; QL (10 per 28 days)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<i>celecoxib</i>	2	MO
<i>clonidine (pf) epidural solution 5,000 mcg/10 ml</i>	2	
<i>diclofenac potassium</i>	2	MO
<i>diclofenac sodium oral</i>	2	MO
<i>diclofenac sodium topical drops</i>	2	MO; QL (300 per 28 days)
<i>diclofenac sodium topical gel 1 %</i>	2	MO; QL (1000 per 28 days)
<i>diclofenac-misoprostol</i>	2	MO
<i>diflunisal</i>	2	MO
<i>ec-naproxen</i>	2	
<i>etodolac</i>	2	MO
<i>fenoprofen oral tablet</i>	2	MO
<i>flurbiprofen</i>	2	MO
<i>ibu</i>	1	MO
<i>ibuprofen oral suspension</i>	2	MO
<i>ibuprofen oral tablet 400 mg, 600 mg, 800 mg</i>	1	MO
<i>ketoprofen oral capsule 25 mg</i>	2	MO
<i>ketoprofen oral capsule, ext rel. pellets 24 hr 200 mg</i>	2	MO
<i>meclofenamate</i>	2	MO
<i>mefenamic acid</i>	2	MO
<i>meloxicam oral tablet 15 mg</i>	1	MO
<i>meloxicam oral tablet 7.5 mg</i>	1	MO; QL (30 per 30 days)

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<i>nabumetone</i>	2	MO
<i>nalbuphine injection solution 10 mg/ml</i>	2	MO; QL (200 per 30 days)
<i>nalbuphine injection solution 20 mg/ml</i>	2	MO; QL (100 per 30 days)
<i>naloxone</i>	2	MO
<i>naltrexone</i>	2	MO
<i>naproxen oral suspension</i>	2	MO
<i>naproxen oral tablet</i>	1	MO
<i>naproxen oral tablet, delayed release (dr/ec)</i>	2	MO
<i>naproxen sodium oral tablet 275 mg, 550 mg</i>	2	MO
<i>naproxen sodium oral tablet, er multiphase 24 hr</i>	2	MO
<b>NARCAN NASAL SPRAY, NON-AEROSOL 4 MG/ACTUATION</b>	3	MO
<i>oxaprozin</i>	2	MO
<i>piroxicam</i>	2	MO
<i>salsalate</i>	1	MO
<b>SUBOXONE SUBLINGUAL FILM 12-3 MG</b>	3	MO; QL (60 per 30 days)
<b>SUBOXONE SUBLINGUAL FILM 2-0.5 MG</b>	3	MO; QL (360 per 30 days)
<b>SUBOXONE SUBLINGUAL FILM 4-1 MG, 8-2 MG</b>	3	MO; QL (90 per 30 days)
<i>sulindac</i>	1	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<i>tolmetin</i>	2	MO
<i>tramadol oral tablet</i>	2	MO; QL (240 per 30 days)
<i>tramadol-acetaminophen</i>	2	MO; QL (240 per 30 days)
VIVITROL	5	MO
<b>PSYCHOTHERAPEUTIC DRUGS</b>		
<i>ABILIFY MAINTENA</i>	5	MO
<i>ADASUVE</i>	3	LA
<i>amitriptyline</i>	2	PA; MO
<i>amoxapine</i>	2	PA; MO
<i>ariPIPRAZOLE oral solution</i>	5	MO
<i>ariPIPRAZOLE oral tablet</i>	2	MO; QL (30 per 30 days)
<i>ariPIPRAZOLE oral tablet,disintegrating</i>	5	MO; QL (60 per 30 days)
<i>ARISTADA</i>	5	MO
<i>ARISTADA INITIO</i>	5	MO
<i>armodafinil</i>	4	PA; MO
<i>atomoxetine</i>	2	MO
<i>bupropion hcl oral tablet</i>	1	MO
<i>bupropion hcl oral tablet extended release 24 hr 150 mg</i>	2	MO; QL (90 per 30 days)
<i>bupropion hcl oral tablet extended release 24 hr 300 mg</i>	2	MO; QL (30 per 30 days)
<i>bupropion hcl oral tablet sustained-release 12 hr</i>	2	MO; QL (60 per 30 days)
<i>buspirone</i>	2	MO
<i>chlorpromazine</i>	2	MO

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<i>citalopram oral solution</i>	2	MO
<i>citalopram oral tablet</i>	1	MO; QL (30 per 30 days)
<i>clomipramine</i>	4	PA; MO
<i>clonidine hcl oral tablet extended release 12 hr</i>	2	MO
<i>clorazepate dipotassium oral tablet 15 mg</i>	2	PA; MO; QL (180 per 30 days)
<i>clorazepate dipotassium oral tablet 3.75 mg</i>	2	PA; MO; QL (90 per 30 days)
<i>clorazepate dipotassium oral tablet 7.5 mg</i>	2	PA; MO; QL (360 per 30 days)
<i>clozapine oral tablet</i>	2	MO
<i>clozapine oral tablet,disintegrating 100 mg, 12.5 mg, 25 mg</i>	2	
<i>desipramine</i>	2	PA; MO
<i>desvenlafaxine succinate</i>	2	MO; QL (30 per 30 days)
<i>dextroamphetamine oral solution</i>	2	MO
<i>dextroamphetamine-amphetamine</i>	2	MO
<i>diazepam injection solution</i>	2	PA
<i>diazepam injection syringe</i>	2	PA; MO
<i>diazepam intensol</i>	2	PA; MO; QL (240 per 30 days)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
diazepam oral concentrate	2	PA; MO; QL (240 per 30 days)
diazepam oral solution 5 mg/5 ml (1 mg/ml)	2	PA; MO; QL (1200 per 30 days)
diazepam oral tablet	2	PA; MO; QL (120 per 30 days)
doxepin oral	4	PA; MO
duloxetine oral capsule,delayed release(dr/ec) 20 mg, 30 mg, 60 mg	2	MO; QL (60 per 30 days)
duloxetine oral capsule,delayed release(dr/ec) 40 mg	2	MO; QL (90 per 30 days)
EMSAM	5	MO
ergoloid	4	MO
escitalopram oxalate oral solution	2	MO
escitalopram oxalate oral tablet	1	MO; QL (30 per 30 days)
eszopiclone	4	ST; MO; QL (30 per 30 days)
FANAPT ORAL TABLET 1 MG, 2 MG, 4 MG	4	MO; QL (60 per 30 days)
FANAPT ORAL TABLET 10 MG, 12 MG, 6 MG, 8 MG	5	MO; QL (60 per 30 days)
FANAPT ORAL TABLETS,DOSE PACK	4	MO; QL (8 per 28 days)
FAZACLO ORAL TABLET,DISINTE GRATING 150 MG, 200 MG	4	

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
FETZIMA ORAL CAPSULE,EXT REL 24HR DOSE PACK	4	MO; QL (28 per 28 days)
FETZIMA ORAL CAPSULE,EXTENDED RELEASE 24 HR	4	MO; QL (30 per 30 days)
flumazenil	2	MO
fluoxetine oral capsule 10 mg	1	MO; QL (30 per 30 days)
fluoxetine oral capsule 20 mg	1	MO
fluoxetine oral capsule 40 mg	1	MO; QL (60 per 30 days)
fluoxetine oral capsule,delayed release(dr/ec)	2	MO; QL (4 per 28 days)
fluoxetine oral solution	2	MO
fluoxetine oral tablet 10 mg	2	MO; QL (30 per 30 days)
fluoxetine oral tablet 20 mg, 60 mg	2	MO
fluphenazine decanoate	2	MO
fluphenazine hcl	2	MO
fluvoxamine oral capsule,extended release 24hr	4	MO; QL (60 per 30 days)
fluvoxamine oral tablet 100 mg	2	MO; QL (90 per 30 days)
fluvoxamine oral tablet 25 mg	2	MO; QL (30 per 30 days)
fluvoxamine oral tablet 50 mg	2	MO; QL (60 per 30 days)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements /Limits	Drug Name	Drug Tier	Requirements /Limits
GEODON INTRAMUSCULAR	4	MO	KHEDEZLA ORAL TABLET EXTENDED RELEASE 24HR 50 MG	4	MO; QL (30 per 30 days)
<i>guanidine</i>	2	MO	LATUDA ORAL TABLET 120 MG, 20 MG, 40 MG, 60 MG	5	MO; QL (30 per 30 days)
<i>haloperidol</i>	1	MO	LATUDA ORAL TABLET 80 MG	5	MO; QL (60 per 30 days)
<i>haloperidol decanoate</i>	2	MO	<i>lithium carbonate</i>	1	MO
<i>haloperidol lactate injection</i>	2	MO	<i>lithium citrate oral solution 8 meq/5 ml</i>	2	MO
<i>haloperidol lactate intramuscular</i>	2		<i>lorazepam injection solution</i>	2	PA; MO
<i>haloperidol lactate oral</i>	2	MO	<i>lorazepam injection syringe</i>	2	PA
HETLIOZ	5	PA; MO; QL (30 per 30 days)	<i>lorazepam intensol</i>	2	PA; MO; QL (150 per 30 days)
<i>imipramine hcl</i>	4	PA; MO	<i>lorazepam oral concentrate</i>	2	PA; MO; QL (150 per 30 days)
<i>imipramine pamoate</i>	4	PA; MO	<i>lorazepam oral tablet 0.5 mg, 1 mg</i>	2	PA; MO; QL (90 per 30 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 117 MG/0.75 ML, 156 MG/ML, 234 MG/1.5 ML, 78 MG/0.5 ML	5	MO	<i>lorazepam oral tablet 2 mg</i>	2	PA; MO; QL (150 per 30 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 39 MG/0.25 ML	4	MO	<i>loxapine succinate</i>	2	MO
INVEGA TRINZA	5	MO	<i>maprotiline</i>	2	MO
KHEDEZLA ORAL TABLET EXTENDED RELEASE 24HR 100 MG	4	MO; QL (120 per 30 days)	MARPLAN	3	MO
			<i>metadate er</i>	2	MO
			<i>methylphenidate hcl oral capsule,er biphasic 50-50</i>	2	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>	<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<i>methylphenidate hcl oral solution</i>	2	MO	<i>paroxetine hcl oral tablet 10 mg, 20 mg, 40 mg</i>	1	MO; QL (30 per 30 days)
<i>methylphenidate hcl oral tablet</i>	2	MO	<i>paroxetine hcl oral tablet 30 mg</i>	1	MO; QL (60 per 30 days)
<i>methylphenidate hcl oral tablet extended release</i>	2	MO	<i>paroxetine hcl oral tablet extended release 24 hr</i>	2	MO; QL (60 per 30 days)
<i>methylphenidate hcl oral tablet, chewable</i>	2	MO	<i>paroxetine mesylate(menop.sym )</i>	2	MO; QL (30 per 30 days)
<i>mirtazapine oral tablet</i>	1	MO	<b>PAXIL ORAL SUSPENSION</b>	4	MO
<i>mirtazapine oral tablet, disintegrating</i>	2	MO	<i>perphenazine</i>	2	MO
<i>modafinil</i>	2	PA; MO	<b>PERSERIS</b>	5	MO
<i>molindone</i>	2	MO	<i>phenelzine</i>	2	MO
<i>nefazodone</i>	2	MO	<i>pimozide</i>	2	MO
<i>nortriptyline</i>	2	PA; MO	<i>procentra</i>	2	MO
<b>NUPLAZID ORAL CAPSULE</b>	5	PA; MO	<i>protriptyline</i>	2	MO
<b>NUPLAZID ORAL TABLET 10 MG</b>	5	PA; MO	<i>quetiapine oral tablet 100 mg, 200 mg, 25 mg, 50 mg</i>	2	MO; QL (90 per 30 days)
<i>olanzapine intramuscular</i>	2	MO	<i>quetiapine oral tablet 300 mg, 400 mg</i>	2	MO; QL (60 per 30 days)
<i>olanzapine oral</i>	2	MO; QL (30 per 30 days)	<i>quetiapine oral tablet extended release 24 hr 150 mg, 200 mg</i>	2	MO; QL (30 per 30 days)
<i>olanzapine-fluoxetine</i>	2	MO	<i>quetiapine oral tablet extended release 24 hr 300 mg, 400 mg, 50 mg</i>	2	MO; QL (60 per 30 days)
<i>paliperidone oral tablet extended release 24hr 1.5 mg, 3 mg</i>	2	MO; QL (30 per 30 days)	<i>ramelteon</i>	2	MO; QL (30 per 30 days)
<i>paliperidone oral tablet extended release 24hr 6 mg</i>	2	MO; QL (60 per 30 days)	<b>REXULTI</b>	5	MO; QL (30 per 30 days)
<i>paliperidone oral tablet extended release 24hr 9 mg</i>	5	MO; QL (30 per 30 days)			

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
RISPERDAL CONSTA INTRAMUSCULA R SYRINGE 12.5 MG/2 ML, 25 MG/2 ML	3	MO
RISPERDAL CONSTA INTRAMUSCULA R SYRINGE 37.5 MG/2 ML, 50 MG/2 ML	5	MO
<i>risperidone oral solution</i>	2	MO
<i>risperidone oral tablet 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg</i>	1	MO; QL (60 per 30 days)
<i>risperidone oral tablet 4 mg</i>	1	MO; QL (120 per 30 days)
<i>risperidone oral tablet,disintegrating 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg</i>	2	MO; QL (60 per 30 days)
<i>risperidone oral tablet,disintegrating 4 mg</i>	2	MO; QL (120 per 30 days)
ROZEREM	3	MO; QL (30 per 30 days)
SAPHRIS	4	MO; QL (60 per 30 days)
<i>sertraline oral concentrate</i>	2	MO
<i>sertraline oral tablet 100 mg, 50 mg</i>	1	MO; QL (60 per 30 days)
<i>sertraline oral tablet 25 mg</i>	1	MO; QL (30 per 30 days)
<i>thioridazine</i>	4	MO
<i>thiothixene</i>	1	MO

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<i>tranylcypromine</i>	4	MO
<i>trazodone</i>	1	MO
<i>trifluoperazine</i>	2	MO
<i>trimipramine</i>	4	PA; MO
TRINTELLIX	3	MO; QL (30 per 30 days)
<i>venlafaxine oral capsule,extended release 24hr 150 mg, 37.5 mg</i>	2	MO; QL (30 per 30 days)
<i>venlafaxine oral capsule,extended release 24hr 75 mg</i>	2	MO; QL (90 per 30 days)
<i>venlafaxine oral tablet</i>	2	MO; QL (90 per 30 days)
<i>venlafaxine oral tablet extended release 24hr</i>	2	MO; QL (30 per 30 days)
VERSACLOZ	5	
VIIBRYD ORAL TABLET	3	MO; QL (30 per 30 days)
VIIBRYD ORAL TABLETS,DOSE PACK 10 MG (7)-20 MG (23)	3	MO; QL (30 per 180 days)
VRAYLAR ORAL CAPSULE	5	MO; QL (30 per 30 days)
VRAYLAR ORAL CAPSULE,DOSE PACK	4	MO; QL (7 per 30 days)
XYREM	5	PA; MO; LA
<i>zaleplon oral capsule 10 mg</i>	4	ST; MO; QL (60 per 30 days)
<i>zaleplon oral capsule 5 mg</i>	4	ST; MO; QL (30 per 30 days)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
ziprasidone hcl	2	MO; QL (60 per 30 days)
zolpidem oral tablet	2	ST; MO; QL (30 per 30 days)
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 210 MG	3	MO
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 300 MG, 405 MG	5	MO
<b>CARDIOVASCULAR, HYPERTENSION / LIPIDS</b>		
<b>ANTIARRHYTHMIC AGENTS</b>		
adenosine	2	
amiodarone <i>intravenous solution</i>	2	B/D PA; MO
amiodarone <i>intravenous syringe</i>	2	B/D PA
amiodarone oral	2	MO
dofetilide	2	MO
flecainide	2	MO
ibutilide fumarate	2	MO
lidocaine (pf) in d7.5w	2	MO
lidocaine (pf) <i>intravenous solution</i>	2	MO
lidocaine (pf) <i>intravenous syringe</i>	2	

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<i>lidocaine in 5 % dextrose (pf) intravenous parenteral solution 4 mg/ml (0.4 %), 8 mg/ml (0.8 %)</i>	2	
<i>mexiletine</i>	2	MO
<i>pacerone oral tablet 100 mg, 200 mg, 400 mg</i>	2	MO
<i>procainamide injection solution 100 mg/ml</i>	2	MO
<i>procainamide injection solution 500 mg/ml</i>	2	
<i>propafenone</i>	2	MO
<i>quinidine gluconate oral</i>	2	MO
<i>quinidine sulfate oral tablet</i>	2	MO
<i>sorine oral tablet 120 mg, 160 mg, 80 mg</i>	2	MO
<i>sorine oral tablet 240 mg</i>	2	
<i>sotalol af</i>	2	MO
<i>sotalol oral</i>	2	MO
SOTYLIZE	3	MO
<b>ANTIHYPERTENSIVE THERAPY</b>		
acebutolol	2	MO
aliskiren	2	MO
amiloride	2	MO
amiloride-hydrochlorothiazide	2	MO
amlodipine	1	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>	<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<i>amlodipine-benazepril</i>	1	MO	<i>clonidine (pf) epidural solution 1,000 mcg/10 ml (100 mcg/ml)</i>	2	
<i>amlodipine-olmesartan</i>	2	MO	<i>clonidine hcl oral tablet</i>	1	MO
<i>amlodipine-valsartan</i>	2	MO	<i>DEMSER</i>	5	PA; MO
<i>amlodipine-valsartan-hcthiazid</i>	2	MO	<i>diltiazem hcl intravenous</i>	2	
<i>atenolol</i>	1	MO	<i>diltiazem hcl oral capsule,extended release 12 hr</i>	2	MO
<i>atenolol-chlorthalidone</i>	2	MO	<i>diltiazem hcl oral capsule,extended release 24 hr</i>	2	MO
<i>benazepril</i>	1	MO	<i>diltiazem hcl oral capsule,extended release 24hr</i>	2	MO
<i>benazepril-hydrochlorothiazide</i>	2	MO	<i>diltiazem hcl oral tablet</i>	1	MO
<i>betaxolol oral</i>	2	MO	<i>diltiazem hcl oral tablet extended release 24 hr</i>	2	MO
<i>bisoprolol fumarate</i>	2	MO	<i>diltiazem hcl oral tablet</i>	2	MO
<i>bisoprolol-hydrochlorothiazide</i>	1	MO	<i>diltiazem hcl oral tablet extended release 24 hr</i>	2	MO
<i>bumetanide</i>	2	MO	<i>diltiazem hcl oral tablet</i>	1	MO
<i>candesartan</i>	2	MO	<i>diltiazem hcl oral tablet extended release 24 hr</i>	2	MO
<i>candesartan-hydrochlorothiazid</i>	2	MO	<i>diltiazem hcl oral tablet</i>	2	MO
<i>captopril</i>	2	MO	<i>doxazosin oral tablet 1 mg, 2 mg, 4 mg</i>	1	MO; QL (30 per 30 days)
<i>captopril-hydrochlorothiazide</i>	2	MO	<i>doxazosin oral tablet 8 mg</i>	1	MO; QL (60 per 30 days)
<i>cartia xt</i>	2	MO	<i>enalapril maleate</i>	1	MO
<i>carvedilol</i>	1	MO	<i>enalaprilat intravenous solution</i>	2	
<i>carvedilol phosphate</i>	2	MO	<i>enalapril-hydrochlorothiazide</i>	1	MO
<i>chlorothiazide</i>	2	MO	<i>eplerenone</i>	2	MO
<i>chlorothiazide sodium</i>	2	MO	<i>epoprostenol (glycine)</i>	2	B/D PA; MO
<i>chlorthalidone oral tablet 25 mg, 50 mg</i>	1	MO	<i>eprosartan</i>	2	MO
<i>clonidine</i>	4	MO; QL (4 per 28 days)			

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<i>esmolol intravenous solution</i>	2	
<i>ethacrynone sodium</i>	5	MO
<i>ethacrynic acid</i>	5	MO
<i>felodipine</i>	2	MO
<i>fosinopril</i>	1	MO
<i>fosinopril-hydrochlorothiazide</i>	2	MO
<i>furosemide injection</i>	2	MO
<i>furosemide oral solution 10 mg/ml, 40 mg/5 ml (8 mg/ml)</i>	2	MO
<i>furosemide oral tablet</i>	1	MO
<i>hydralazine</i>	2	MO
<i>hydrochlorothiazide</i>	1	MO
<i>indapamide</i>	2	MO
<i>irbesartan</i>	1	MO
<i>irbesartan-hydrochlorothiazide</i>	1	MO
<i>isradipine</i>	2	MO
<i>labetalol intravenous solution</i>	2	MO
<i>labetalol intravenous syringe 20 mg/4 ml (5 mg/ml)</i>	2	
<i>labetalol oral</i>	2	MO
<i>lisinopril</i>	1	MO
<i>lisinopril-hydrochlorothiazide</i>	1	MO
<i>losartan</i>	1	MO
<i>losartan-hydrochlorothiazide</i>	1	MO

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<i>mannitol 20 %</i>	2	
<i>mannitol 25 % intravenous solution</i>	2	MO
<i>matzim la</i>	2	MO
<i>methyclothiazide</i>	2	MO
<i>methyldopa</i>	2	MO
<i>metolazone</i>	2	MO
<i>metoprolol succinate</i>	1	MO
<i>metoprolol tar-hydrochlorothiazide</i>	2	MO
<i>metoprolol tartrate intravenous solution</i>	2	
<i>metoprolol tartrate intravenous syringe</i>	2	
<i>metoprolol tartrate oral</i>	1	MO
<i>minoxidil oral</i>	2	MO
<i>moexipril</i>	1	MO
<i>nadolol</i>	2	MO
<i>nadolol-bendroflumethiazide oral tablet 40-5 mg</i>	2	
<i>nadolol-bendroflumethiazide oral tablet 80-5 mg</i>	2	MO
<i>nicardipine intravenous solution</i>	2	MO
<i>nicardipine oral</i>	2	MO
<i>nifedipine oral tablet extended release</i>	2	MO
<i>nifedipine oral tablet extended release 24hr</i>	2	MO
<i>nimodipine</i>	2	MO
<i>nisoldipine</i>	2	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<i>olmesartan</i>	1	MO
<i>olmesartan-amlodipin-hcthiazid</i>	2	MO
<i>olmesartan-hydrochlorothiazide</i>	1	MO
<i>osmitrol 15 %</i>	2	
<i>osmitrol 20 %</i>	2	
<i>perindopril erbumine</i>	1	MO
<i>phenoxybenzamine</i>	5	PA; MO
<i>phentolamine injection recon soln</i>	2	
<i>pindolol</i>	2	MO
<i>prazosin</i>	2	MO
<i>propranolol intravenous</i>	2	
<i>propranolol oral capsule, extended release 24 hr</i>	2	MO
<i>propranolol oral solution</i>	2	MO
<i>propranolol oral tablet</i>	1	MO
<i>propranolol-hydrochlorothiazid</i>	2	MO
<i>quinapril</i>	1	MO
<i>quinapril-hydrochlorothiazide</i>	2	MO
<i>ramipril</i>	1	MO
<b>REMODULIN</b>	5	PA; MO; LA
<i>spironolactone</i>	1	MO
<i>spironolacton-hydrochlorothiaz</i>	2	MO
<i>taztia xt</i>	2	MO
<b>TEKTURN</b>	3	MO

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<b>TEKTURN HCT</b>	3	MO
<i>telmisartan</i>	2	MO
<i>telmisartan-amlodipine</i>	2	MO
<i>telmisartan-hydrochlorothiazid</i>	2	MO
<i>terazosin oral capsule 1 mg, 2 mg, 5 mg</i>	1	MO; QL (30 per 30 days)
<i>terazosin oral capsule 10 mg</i>	1	MO; QL (60 per 30 days)
<i>timolol maleate oral</i>	2	MO
<i>torsemide oral</i>	2	MO
<i>trandolapril</i>	1	MO
<i>trandolapril-verapamil</i>	2	MO
<i>treprostinil sodium</i>	5	PA; MO; LA
<i>triamterene</i>	2	MO
<i>triamterene-hydrochlorothiazid oral capsule 37.5-25 mg</i>	1	MO
<i>triamterene-hydrochlorothiazid oral tablet</i>	1	MO
<b>UPTRAVI</b>	5	PA; MO; LA
<i>valsartan</i>	1	MO
<i>valsartan-hydrochlorothiazide</i>	1	MO
<i>veletri</i>	2	B/D PA; MO
<i>verapamil intravenous solution</i>	2	MO
<i>verapamil intravenous syringe</i>	2	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<i>verapamil oral capsule, 24 hr er pellet ct</i>	2	MO
<i>verapamil oral capsule, ext rel. pellets 24 hr 120 mg, 180 mg, 240 mg</i>	2	MO
<i>verapamil oral capsule, ext rel. pellets 24 hr 360 mg</i>	1	MO
<i>verapamil oral tablet</i>	1	MO
<i>verapamil oral tablet extended release</i>	2	MO
<b>COAGULATION THERAPY</b>		
AMICAR	3	MO
<i>aminocaproic acid</i>	2	MO
<i>aspirin-dipyridamole</i>	2	MO
BRILINTA	3	MO
CABLIVI INJECTION KIT	5	PA; MO; LA
CEPROTIN (BLUE BAR)	3	MO
CEPROTIN (GREEN BAR)	3	MO
<i>cilostazol</i>	2	MO
<i>clopidogrel oral tablet 300 mg</i>	2	MO
<i>clopidogrel oral tablet 75 mg</i>	1	MO
<i>dipyridamole intravenous</i>	2	PA
<i>dipyridamole oral</i>	2	MO
DOPTELET (10 TAB PACK)	5	PA; MO; LA
DOPTELET (15 TAB PACK)	5	PA; MO; LA

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
DOPTELET (30 TAB PACK)	5	PA; MO; LA
ELIQUIS	3	MO
<i>enoxaparin</i>	2	MO
<i>fondaparinux subcutaneous syringe 10 mg/0.8 ml, 5 mg/0.4 ml, 7.5 mg/0.6 ml</i>	5	MO
<i>fondaparinux subcutaneous syringe 2.5 mg/0.5 ml</i>	2	MO
<i>heparin (porcine) in 5 % dex intravenous parenteral solution 20,000 unit/500 ml (40 unit/ml)</i>	2	
<i>heparin (porcine) in 5 % dex intravenous parenteral solution 25,000 unit/250 ml(100 unit/ml), 25,000 unit/500 ml (50 unit/ml)</i>	2	MO
<i>heparin (porcine) in nacl (pf)</i>	2	
<i>heparin (porcine) injection cartridge</i>	2	MO
<i>heparin (porcine) injection solution</i>	2	MO
<i>heparin (porcine) injection syringe 5,000 unit/ml</i>	2	MO
HEPARIN(PORCINE) IN 0.45% NACL INTRAVENOUS PARENTERAL SOLUTION 12,500 UNIT/250 ML	3	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements /Limits
heparin( <i>porcine</i> ) in 0.45% <i>nacl intravenous parenteral solution</i> 25,000 unit/250 ml, 25,000 unit/500 ml	2	MO
heparin, porcine (pf) injection solution	2	MO
heparin, porcine (pf) injection syringe 5,000 unit/0.5 ml	2	MO
HEPARIN, PORCINE (PF) INJECTION SYRINGE 5,000 UNIT/ML	3	
HEPARIN, PORCINE (PF) SUBCUTANEOUS	3	
jantoven	1	MO
MULPLETA	5	PA; MO
NPLATE	5	MO
pentoxifylline	2	MO
PRADAXA	4	MO
prasugrel	2	MO
PROMACTA	5	PA; MO; LA
protamine	2	
warfarin	1	MO
XARELTO	3	MO
<b>LIPID/CHOLESTEROL LOWERING AGENTS</b>		
amlodipine- atorvastatin	2	MO; QL (30 per 30 days)
atorvastatin	1	MO; QL (30 per 30 days)
cholestyramine (with sugar)	2	MO

Drug Name	Drug Tier	Requirements /Limits
cholestyramine light	2	MO
colesevelam	2	MO
colestipol	2	MO
ezetimibe	2	MO
ezetimibe-simvastatin	2	MO; QL (30 per 30 days)
fenofibrate micronized	2	MO
fenofibrate nanocrystallized oral tablet 145 mg, 48 mg	2	MO
fenofibrate oral tablet	2	MO
fenofibric acid	2	MO
fenofibric acid (choline)	2	MO
fluvastatin oral capsule 20 mg	2	MO; QL (30 per 30 days)
fluvastatin oral capsule 40 mg	2	MO; QL (60 per 30 days)
fluvastatin oral tablet extended release 24 hr	2	MO; QL (30 per 30 days)
gemfibrozil	1	MO
JUXTAPID	5	PA; MO; LA
lovastatin oral tablet 10 mg	1	MO; QL (30 per 30 days)
lovastatin oral tablet 20 mg, 40 mg	1	MO; QL (60 per 30 days)
niacin oral tablet 500 mg	2	MO
niacin oral tablet extended release 24 hr	2	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements /Limits
PRALUENT SUBCUTANEOUS PEN INJECTOR 150 MG/ML	5	PA; MO; QL (2 per 28 days)
PRALUENT SUBCUTANEOUS PEN INJECTOR 75 MG/ML	5	PA; MO; QL (4 per 28 days)
<i>pravastatin</i>	1	MO; QL (30 per 30 days)
<i>prevalite</i>	2	MO
REPATHA	5	PA; MO; QL (3 per 28 days)
REPATHA PUSHTRONEX	5	PA; MO; QL (3.5 per 28 days)
REPATHA SURECLICK	5	PA; MO; QL (3 per 28 days)
<i>rosuvastatin</i>	1	MO; QL (30 per 30 days)
<i>simvastatin</i>	1	MO; QL (30 per 30 days)
VASCEPA	3	MO
<b>MISCELLANEOUS CARDIOVASCULAR AGENTS</b>		
<i>cardioplegic soln</i>	2	
CORLANOR ORAL SOLUTION	3	PA
CORLANOR ORAL TABLET	3	PA; MO
<i>digitek</i>	2	MO
<i>digox</i>	2	MO
<i>digoxin oral solution 50 mcg/ml (0.05 mg/ml)</i>	2	MO
<i>digoxin oral tablet</i>	2	MO
<i>dobutamine</i>	2	B/D PA

Drug Name	Drug Tier	Requirements /Limits
<i>dobutamine in d5w intravenous parenteral solution 1,000 mg/250 ml (4,000 mcg/ml), 250 mg/250 ml (1 mg/ml)</i>	2	B/D PA; MO
<i>dobutamine in d5w intravenous parenteral solution 500 mg/250 ml (2,000 mcg/ml)</i>	2	B/D PA
<i>dopamine in 5 % dextrose intravenous solution 200 mg/250 ml (800 mcg/ml), 400 mg/250 ml (1,600 mcg/ml), 400 mg/500 ml (800 mcg/ml), 800 mg/500 ml (1,600 mcg/ml)</i>	2	B/D PA
<i>dopamine in 5 % dextrose intravenous solution 800 mg/250 ml (3,200 mcg/ml)</i>	2	B/D PA; MO
<i>dopamine intravenous solution 200 mg/5 ml (40 mg/ml)</i>	2	B/D PA
<i>dopamine intravenous solution 400 mg/10 ml (40 mg/ml)</i>	2	B/D PA; MO
ENTRESTO	3	MO; QL (60 per 30 days)
LANOXIN ORAL TABLET 187.5 MCG (0.1875 MG), 62.5 MCG (0.0625 MG)	3	MO
<i>milrinone</i>	2	B/D PA; MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements /Limits
<i>milrinone in 5 % dextrose</i>	2	B/D PA; MO
<i>norepinephrine bitartrate</i>	2	
RANEXA	3	MO
<i>ranolazine</i>	2	MO
<i>sodium nitroprusside</i>	2	
VECAMYL	5	
VYNDAQEL	5	PA; MO
<b>NITRATES</b>		
<i>isosorbide dinitrate oral tablet</i>	2	MO
<i>isosorbide dinitrate oral tablet extended release</i>	2	
<i>isosorbide mononitrate</i>	1	MO
<i>nitro-bid</i>	2	MO
<i>nitroglycerin in 5 % dextrose intravenous solution 100 mg/250 ml (400 mcg/ml), 50 mg/250 ml (200 mcg/ml)</i>	2	B/D PA
<i>nitroglycerin in 5 % dextrose intravenous solution 25 mg/250 ml (100 mcg/ml)</i>	2	B/D PA; MO
<i>nitroglycerin intravenous</i>	2	B/D PA
<i>nitroglycerin sublingual</i>	2	MO
<i>nitroglycerin transdermal patch 24 hour</i>	2	MO
<i>nitroglycerin translingual spray, non-aerosol</i>	2	MO

Drug Name	Drug Tier	Requirements /Limits
<b>DERMATOLOGICALS/TOPICAL THERAPY</b>		
<b>ANTIPSORIATIC / ANTISEBORRHEIC</b>		
<i>acitretin oral capsule 10 mg</i>	2	MO
<i>acitretin oral capsule 17.5 mg, 25 mg</i>	5	MO
<i>calcipotriene scalp</i>	2	MO; QL (120 per 30 days)
<i>calcipotriene topical cream</i>	4	MO; QL (120 per 30 days)
<i>calcipotriene topical ointment</i>	2	MO; QL (120 per 30 days)
<i>calcipotriene-betamethasone</i>	2	MO; QL (400 per 30 days)
<i>calcitriol topical</i>	4	MO
<i>selenium sulfide topical lotion</i>	2	MO
SKYRIZI SUBCUTANEOUS SYRINGE KIT	5	PA; MO; QL (1 per 28 days)
<b>MISCELLANEOUS DERMATOLOGICALS</b>		
<i>ammonium lactate</i>	2	MO
<i>carbocaine (pf) injection solution 15 mg/ml (1.5 %)</i>	2	
<i>chloroprocaine (pf)</i>	2	
<i>diclofenac sodium topical gel 3 %</i>	5	PA; MO; QL (100 per 28 days)
<i>doxepin topical</i>	5	MO; QL (45 per 30 days)
DUPIXENT	5	PA; MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<i>fluorouracil topical cream 5 %</i>	2	MO
<i>fluorouracil topical solution</i>	2	MO
<i>glydo</i>	2	MO; QL (60 per 30 days)
<i>imiquimod topical cream in packet</i>	2	MO
<i>lidocaine (pf) injection solution 10 mg/ml (1 %), 20 mg/ml (2 %), 40 mg/ml (4 %), 5 mg/ml (0.5 %)</i>	2	MO
<i>lidocaine (pf) injection solution 15 mg/ml (1.5 %)</i>	2	
<i>lidocaine hcl injection solution</i>	2	MO
<i>lidocaine hcl laryngotracheal</i>	2	MO
<i>lidocaine hcl mucous membrane jelly</i>	2	MO; QL (60 per 30 days)
<i>lidocaine hcl mucous membrane jelly in applicator</i>	2	MO; QL (60 per 30 days)
<i>lidocaine hcl mucous membrane solution 4 % (40 mg/ml)</i>	2	MO
<i>lidocaine topical adhesive patch,medicated</i>	2	PA; MO; QL (90 per 30 days)
<i>lidocaine topical ointment</i>	4	MO; QL (36 per 30 days)
<i>lidocaine viscous</i>	2	MO

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<i>lidocaine-epinephrine injection solution 0.5 %-1:200,000, 1.5 %-1:200,000, 2 %-1:200,000</i>	2	
<i>lidocaine-epinephrine injection solution 1 %-1:100,000, 2 %-1:100,000</i>	2	MO
<i>lidocaine-prilocaine topical cream</i>	2	MO; QL (30 per 30 days)
<i>methoxsalen</i>	5	MO
<i>PANRETIN</i>	5	MO
<i>pimecrolimus</i>	2	PA; MO; QL (100 per 30 days)
<i>podofilox</i>	2	MO
<i>polocaine injection solution 1 % (10 mg/ml)</i>	2	
<i>polocaine-mpf</i>	2	
<i>prudoxin</i>	2	MO; QL (45 per 30 days)
<i>REGRANEX</i>	5	MO
<i>SANTYL</i>	3	MO
<i>silver sulfadiazine</i>	2	MO
<i>ssd</i>	2	MO
<i>tacrolimus topical</i>	2	PA; MO; QL (100 per 30 days)
<i>UVADEX</i>	4	B/D PA
<i>VALCHLOR</i>	5	MO
<b>THERAPY FOR ACNE</b>		
<i>amnesteem</i>	2	MO
<i>azelaic acid</i>	2	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<i>claravis</i>	4	MO
<i>clindamycin phosphate topical gel</i>	2	MO
<i>clindamycin phosphate topical lotion</i>	2	MO
<i>clindamycin phosphate topical solution</i>	2	MO
<i>dapsone topical</i>	2	MO
<i>erythromycin with ethanol topical solution</i>	2	MO
<i>isotretinoin</i>	2	MO
<i>ivermectin topical</i>	2	MO
<i>metronidazole topical</i>	2	MO
<i>myorisan</i>	2	MO
<i>rosadan topical cream</i>	2	MO
<i>rosadan topical gel</i>	2	MO
<i>tazarotene</i>	2	PA; MO
<b>TAZORAC TOPICAL CREAM 0.05 %</b>	3	PA; MO
<b>TAZORAC TOPICAL GEL</b>	3	PA; MO
<i>tretinoin topical</i>	2	PA; MO
<i>zenatane</i>	4	MO
<b>TOPICAL ANTIBACTERIALS</b>		
<i>gentamicin topical</i>	2	MO
<i>mafenide acetate</i>	2	MO
<i>mupirocin</i>	2	MO
<i>mupirocin calcium</i>	2	MO

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<i>sulfacetamide sodium (acne)</i>	2	MO
<b>SULFAMYLYON TOPICAL CREAM</b>	3	MO
<b>SULFAMYLYON TOPICAL PACKET</b>	5	MO
<b>TOPICAL ANTIFUNGALS</b>		
<i>ciclodan topical solution</i>	2	MO
<i>ciclopirox topical cream</i>	2	MO; QL (90 per 28 days)
<i>ciclopirox topical gel</i>	2	MO; QL (45 per 28 days)
<i>ciclopirox topical shampoo</i>	2	MO; QL (120 per 28 days)
<i>ciclopirox topical solution</i>	2	MO
<i>ciclopirox topical suspension</i>	2	MO; QL (60 per 28 days)
<i>clotrimazole topical cream</i>	2	MO; QL (45 per 28 days)
<i>clotrimazole topical solution</i>	2	MO; QL (30 per 28 days)
<i>clotrimazole-betamethasone topical cream</i>	2	MO; QL (45 per 28 days)
<i>clotrimazole-betamethasone topical lotion</i>	2	MO; QL (60 per 28 days)
<i>econazole</i>	2	MO; QL (85 per 28 days)
<i>ketoconazole topical cream</i>	2	MO; QL (60 per 28 days)
<i>ketoconazole topical foam</i>	2	MO; QL (100 per 28 days)
<i>ketoconazole topical shampoo</i>	2	MO; QL (120 per 28 days)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<i>naftifine</i>	2	MO; QL (60 per 28 days)
<i>nyamyc</i>	2	MO
<i>nystatin topical cream</i>	2	MO; QL (30 per 28 days)
<i>nystatin topical ointment</i>	2	MO; QL (30 per 28 days)
<i>nystatin topical powder</i>	2	MO
<i>nystatin-triamcinolone</i>	2	MO; QL (60 per 28 days)
<i>nystop</i>	2	MO
<i>oxiconazole</i>	2	MO
<b>TOPICAL ANTIVIRALS</b>		
<i>acyclovir topical cream</i>	2	PA; MO; QL (5 per 30 days)
<i>acyclovir topical ointment</i>	4	PA; MO; QL (30 per 30 days)
<b>DENAVIR</b>	3	MO
<b>ZOVIRAX TOPICAL CREAM</b>	5	PA; MO; QL (5 per 30 days)
<b>TOPICAL CORTICOSTEROIDS</b>		
<i>ala-cort topical cream</i>	2	MO
<i>alclometasone</i>	2	MO
<i>betamethasone dipropionate</i>	2	MO
<i>betamethasone valerate</i>	2	MO
<i>betamethasone, augmented</i>	2	MO
<i>clobetasol scalp</i>	2	MO; QL (100 per 28 days)
<i>clobetasol topical cream</i>	2	MO; QL (120 per 28 days)

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<i>clobetasol topical foam</i>	2	MO; QL (100 per 28 days)
<i>clobetasol topical gel</i>	2	MO; QL (120 per 28 days)
<i>clobetasol topical lotion</i>	2	MO; QL (118 per 28 days)
<i>clobetasol topical ointment</i>	2	MO; QL (120 per 28 days)
<i>clobetasol topical shampoo</i>	2	MO; QL (236 per 28 days)
<i>clobetasol topical spray,non-aerosol</i>	2	MO; QL (125 per 28 days)
<i>clobetasol-emollient topical cream</i>	2	MO; QL (120 per 28 days)
<i>clobetasol-emollient topical foam</i>	2	MO; QL (100 per 28 days)
<i>desonide</i>	4	MO
<i>fluocinolone</i>	2	MO
<i>fluocinolone and shower cap</i>	2	MO
<i>fluocinonide</i>	2	MO; QL (120 per 30 days)
<i>fluocinonide-e</i>	2	MO; QL (120 per 30 days)
<i>fluocinonide-emollient</i>	2	MO; QL (120 per 30 days)
<i>halobetasol propionate topical cream</i>	2	MO
<i>halobetasol propionate topical ointment</i>	2	MO
<i>hydrocortisone butyrate topical lotion</i>	2	MO
<i>hydrocortisone topical cream 1 %, 2.5 %</i>	2	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<i>hydrocortisone topical lotion 2.5 %</i>	2	MO
<i>hydrocortisone topical ointment 1 %, 2.5 %</i>	2	MO
<i>mometasone topical</i>	2	MO
<i>nolix topical cream</i>	2	
<i>prednicarbate</i>	2	MO
<i>triamcinolone acetonide topical aerosol</i>	2	MO
<i>triamcinolone acetonide topical cream</i>	2	MO
<i>triamcinolone acetonide topical lotion</i>	2	MO
<i>triamcinolone acetonide topical ointment 0.025 %, 0.1 %, 0.5 %</i>	2	MO
<i>trianex</i>	2	MO
<i>triderm topical cream</i>	2	MO
<b>TOPICAL SCABICIDES / PEDICULICIDES</b>		
<i>crotan</i>	2	
<i>lindane topical shampoo</i>	2	MO
<i>malathion</i>	2	MO
<i>permethrin topical cream</i>	2	MO
<b>DIAGNOSTICS / MISCELLANEOUS AGENTS</b>		
<b>ANTIDOTES</b>		

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<i>acetylcysteine intravenous</i>	2	MO
<b>IRRIGATING SOLUTIONS</b>		
<i>lactated ringers irrigation</i>	2	MO
<i>neomycin-polymyxin b gu</i>	2	MO
<i>ringer's irrigation</i>	2	MO
<b>MISCELLANEOUS AGENTS</b>		
<i>acamprosate</i>	4	MO
<i>acetic acid irrigation</i>	2	MO
<i>alendronate oral tablet 40 mg</i>	1	MO; QL (30 per 30 days)
<i>anagrelide</i>	2	MO
<i>ARALAST NP</i>	5	MO; LA
<i>caffeine citrate intravenous</i>	2	
<i>caffeine citrate oral</i>	2	MO
<i>CARBAGLU</i>	5	MO; LA
<i>cevimeline</i>	2	MO
<i>CHEMET</i>	3	PA; MO
<i>CLINIMIX 4.25%/D5W SULFIT FREE</i>	3	B/D PA
<i>d10 %-0.45 % sodium chloride</i>	2	
<i>d2.5 %-0.45 % sodium chloride</i>	2	
<i>d5 % and 0.9 % sodium chloride</i>	2	MO
<i>d5 %-0.45 % sodium chloride</i>	2	MO
<i>deferasirox</i>	5	PA; MO
<i>deferoxamine</i>	2	B/D PA; MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
dextrose 10 % and 0.2 % nacl	2	
dextrose 10 % in water (d10w)	2	MO
dextrose 20 % in water (d20w)	2	
dextrose 25 % in water (d25w)	2	
dextrose 30 % in water (d30w)	2	
dextrose 40 % in water (d40w)	2	
dextrose 5 % in water (d5w)	2	MO
dextrose 5 %-lactated ringers	2	MO
dextrose 5%-0.2 % sod chloride	2	
dextrose 5%-0.3 % sod.chloride	2	
dextrose 50 % in water (d50w)	2	MO
dextrose 70 % in water (d70w)	2	MO
dextrose with sodium chloride	2	
disulfiram	2	MO
etidronate disodium	2	MO
EXJADE	5	PA; MO; LA
FERRIPROX	5	PA; MO
INCRELEX	5	MO; LA
kionex (with sorbitol)	2	MO
lanthanum	2	MO
levocarnitine (with sugar)	2	MO

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
levocarnitine oral solution 100 mg/ml	2	
levocarnitine oral tablet	2	MO
LOKELMA	3	MO
midodrine	2	MO
nitisinone	5	MO; LA
NORTHERA	5	PA; MO
ORFADIN	5	MO; LA
pilocarpine hcl oral	2	MO
PROLASTIN-C INTRAVENOUS RECON SOLN	5	LA
PROLASTIN-C INTRAVENOUS SOLUTION	5	MO; LA
RAVICTI	5	MO
REVCovi	5	PA; MO; LA
riluzole	2	MO
risedronate oral tablet 30 mg	2	MO; QL (30 per 30 days)
sevelamer carbonate oral powder in packet	5	MO
sevelamer carbonate oral tablet	2	MO
sevelamer hcl	2	MO
sodium benzoate-sod phenylacet	5	
sodium chloride 0.9 % intravenous	2	MO
sodium chloride irrigation	2	MO
sodium phenylbutyrate	5	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements /Limits
sodium polystyrene sulfonate oral	2	MO
sodium polystyrene sulfonate rectal enema 30 gram/120 ml	2	
SOLIRIS	5	PA; MO
sps (with sorbitol) oral	2	MO
sps (with sorbitol) rectal	2	
THIOLA	5	MO
THIOLA EC	5	MO
trientine	5	PA; MO
VELTASSA	3	MO
water for irrigation, sterile	2	MO
XIAFLEX	5	MO
XURIDEN	5	MO
zoledronic acid-mannitol-water intravenous piggyback 5 mg/100 ml	2	PA; MO
<b>SMOKING DETERRENTS</b>		
bupropion hcl (smoking deter)	2	MO
CHANTIX	3	MO
CHANTIX CONTINUING MONTH BOX	3	MO
CHANTIX STARTING MONTH BOX	3	MO
NICOTROL	4	MO
NICOTROL NS	4	MO

Drug Name	Drug Tier	Requirements /Limits
<b>EAR, NOSE / THROAT MEDICATIONS</b>		
<b>MISCELLANEOUS AGENTS</b>		
azelastine nasal	2	MO; QL (60 per 30 days)
chlorhexidine gluconate mucous membrane	2	MO
denta 5000 plus	2	MO
dentagel	2	MO
fluoride (sodium) dental gel	2	
ipratropium bromide nasal	2	MO; QL (30 per 30 days)
olopatadine nasal	2	MO; QL (30.5 per 30 days)
oralone	2	MO
paroex oral rinse	2	MO
periogard	2	MO
sf	2	MO
sf 5000 plus	2	MO
sodium fluoride 5000 plus	2	
triamcinolone acetonide dental	2	MO
<b>MISCELLANEOUS OTIC PREPARATIONS</b>		
acetic acid otic (ear)	2	MO
ciprofloxacin hcl otic (ear)	2	MO
fluocinolone acetonide oil	2	MO
hydrocortisone-acetic acid	2	MO
ofloxacin otic (ear)	2	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements /Limits
<b>OTIC STEROID / ANTIBIOTIC</b>		
CIPRODEX	3	MO
<i>neomycin-polymyxin-hc otic (ear)</i>	2	MO
<b>ENDOCRINE/DIABETES</b>		
<b>ADRENAL HORMONES</b>		
<i>betamethasone acet,sod phos</i>	2	MO
cortisone	2	MO
<i>decadron oral tablet</i>	2	
<i>dexamethasone intensol</i>	2	MO
<i>dexamethasone oral elixir</i>	2	MO
<i>dexamethasone oral solution</i>	2	MO
<i>dexamethasone oral tablet</i>	1	MO
<i>dexamethasone oral tablets,dose pack</i>	2	MO
<i>dexamethasone sodium phos (pf) injection solution</i>	2	MO
<i>dexamethasone sodium phosphate injection</i>	2	MO
fludrocortisone	2	MO
hydrocortisone oral	2	MO
<i>methylprednisolone acetate</i>	2	MO
<i>methylprednisolone oral tablet</i>	2	B/D PA; MO
<i>methylprednisolone oral tablets,dose pack</i>	2	MO

Drug Name	Drug Tier	Requirements /Limits
<i>methylprednisolone sodium succ injection recon soln 125 mg, 40 mg</i>	2	MO
<i>methylprednisolone sodium succ intravenous recon soln 1,000 mg</i>	2	MO
<i>methylprednisolone sodium succ intravenous recon soln 500 mg</i>	2	
<i>millipred dp</i>	2	MO
<i>millipred oral tablet</i>	4	B/D PA; MO
<i>prednisolone oral solution 15 mg/5 ml</i>	2	MO
<i>prednisolone sodium phosphate oral solution 10 mg/5 ml, 15 mg/5 ml (3 mg/ml), 20 mg/5 ml (4 mg/ml), 25 mg/5 ml (5 mg/ml), 5 mg base/5 ml (6.7 mg/5 ml)</i>	2	MO
<i>prednisolone sodium phosphate oral tablet,disintegrating</i>	2	B/D PA; MO
<i>prednisone intensol</i>	2	B/D PA; MO
<i>prednisone oral solution</i>	2	MO
<i>prednisone oral tablet</i>	1	B/D PA; MO
<i>prednisone oral tablets,dose pack</i>	1	MO
<i>triamcinolone acetonide injection</i>	2	MO
<b>ANTITHYROID AGENTS</b>		

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<i>methimazole oral tablet 10 mg, 5 mg</i>	2	MO
<i>propylthiouracil</i>	2	MO
<b>DIABETES THERAPY</b>		
<i>acarbose oral tablet 100 mg</i>	2	MO; QL (90 per 30 days)
<i>acarbose oral tablet 25 mg</i>	2	MO; QL (360 per 30 days)
<i>acarbose oral tablet 50 mg</i>	2	MO; QL (180 per 30 days)
<b>ALCOHOL PADS</b>	3	MO
<b>BAQSIMI</b>	3	MO
<b>BYDUREON BCISE</b>	3	PA; MO; QL (4 per 28 days)
<b>BYDUREON SUBCUTANEOUS PEN INJECTOR</b>	3	PA; MO; QL (4 per 28 days)
<b>BYETTA SUBCUTANEOUS PEN INJECTOR 10 MCG/DOSE(250 MCG/ML) 2.4 ML</b>	3	PA; MO; QL (2.4 per 30 days)
<b>BYETTA SUBCUTANEOUS PEN INJECTOR 5 MCG/DOSE (250 MCG/ML) 1.2 ML</b>	3	PA; MO; QL (1.2 per 30 days)
<b>CYCLOSET</b>	4	MO; QL (180 per 30 days)
<b>FREESTYLE FREEDOM</b>	3	
<b>FREESTYLE FREEDOM LITE</b>	3	MO
<b>FREESTYLE INSULINX</b>	3	MO
<b>FREESTYLE INSULINX TEST STRIPS</b>	3	MO

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<b>FREESTYLE LITE METER</b>	3	MO
<b>FREESTYLE LITE STRIPS</b>	3	MO
<b>FREESTYLE PRECISION NEO STRIPS</b>	3	MO
<b>FREESTYLE TEST</b>	3	MO
<b>GAUZE PADS 2 X 2</b>	3	MO
<i>glimepiride oral tablet 1 mg</i>	1	MO; QL (240 per 30 days)
<i>glimepiride oral tablet 2 mg</i>	1	MO; QL (120 per 30 days)
<i>glimepiride oral tablet 4 mg</i>	1	MO; QL (60 per 30 days)
<i>glipizide oral tablet 10 mg</i>	1	MO; QL (120 per 30 days)
<i>glipizide oral tablet 5 mg</i>	1	MO; QL (240 per 30 days)
<i>glipizide oral tablet extended release 24hr 10 mg</i>	1	MO; QL (60 per 30 days)
<i>glipizide oral tablet extended release 24hr 2.5 mg</i>	1	MO; QL (240 per 30 days)
<i>glipizide oral tablet extended release 24hr 5 mg</i>	1	MO; QL (120 per 30 days)
<i>glipizide-metformin oral tablet 2.5-250 mg</i>	1	MO; QL (240 per 30 days)
<i>glipizide-metformin oral tablet 2.5-500 mg, 5-500 mg</i>	1	MO; QL (120 per 30 days)
<b>GLUCAGEN HYPOKIT</b>	3	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>	<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
GLUCAGON EMERGENCY KIT (HUMAN)	3	MO	INSULIN SYRINGE (DISP) U-100 0.3 ML, 1 ML, 1/2 ML	3	MO
HUMALOG JUNIOR KWIKPEN U-100	3	MO	INVOKAMET ORAL TABLET 150-1,000 MG, 150- 500 MG, 50-1,000 MG	3	MO; QL (60 per 30 days)
HUMALOG KWIKPEN INSULIN	3	MO	INVOKAMET ORAL TABLET 50- 500 MG	3	MO; QL (120 per 30 days)
HUMALOG MIX 50-50 INSULN U- 100	3	MO	INVOKAMET XR ORAL TABLET, IR - ER, BIPHASIC 24HR 150-1,000 MG, 150-500 MG, 50-1,000 MG	3	MO; QL (60 per 30 days)
HUMALOG MIX 50-50 KWIKPEN	3	MO	INVOKAMET XR ORAL TABLET, IR - ER, BIPHASIC 24HR 50-500 MG	3	MO; QL (120 per 30 days)
HUMALOG MIX 75-25 KWIKPEN	3	MO	INVOKANA ORAL TABLET 100 MG	3	MO; QL (90 per 30 days)
HUMALOG MIX 75-25(U- 100)INSULN	3	MO	INVOKANA ORAL TABLET 300 MG	3	MO; QL (30 per 30 days)
HUMALOG U-100 INSULIN	3	MO	JANUMET	3	MO; QL (60 per 30 days)
HUMULIN 70/30 U-100 INSULIN	3	MO	JANUMET XR ORAL TABLET, ER MULTIPHASE 24 HR 100-1,000 MG	3	MO; QL (30 per 30 days)
HUMULIN 70/30 U-100 KWIKPEN	3	MO	JANUMET XR ORAL TABLET, ER MULTIPHASE 24 HR 50-1,000 MG, 50-500 MG	3	MO; QL (60 per 30 days)
HUMULIN N NPH INSULIN KWIKPEN	3	MO	JANUVIA	3	MO; QL (30 per 30 days)
HUMULIN N NPH U-100 INSULIN	3	MO			
HUMULIN R REGULAR U-100 INSULN	3	MO			
HUMULIN R U-500 (CONC) INSULIN	3	MO			
HUMULIN R U-500 (CONC) KWIKPEN	3	MO			
INSULIN PEN NEEDLE	3	MO			

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements /Limits	Drug Name	Drug Tier	Requirements /Limits
JARDIANCE	3	MO; QL (30 per 30 days)	NEEDLES, INSULIN DISP.,SAFETY	3	MO
JENTADUETO	3	MO; QL (60 per 30 days)	NOVOFINE 32	3	MO
JENTADUETO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 2.5-1,000 MG	3	MO; QL (60 per 30 days)	OMNIPOD DASH INSULIN POD	3	MO
JENTADUETO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 5-1,000 MG	3	MO; QL (30 per 30 days)	OMNIPOD INSULIN MANAGEMENT	3	MO
LANTUS SOLOSTAR U-100 INSULIN	3	MO	OMNIPOD INSULIN REFILL	3	MO
LANTUS U-100 INSULIN	3	MO	ONETOUCH ULTRA BLUE TEST STRIP	3	MO
<i>metformin oral tablet 1,000 mg</i>	1	MO; QL (75 per 30 days)	ONETOUCH ULTRA2 METER	3	MO
<i>metformin oral tablet 500 mg</i>	1	MO; QL (150 per 30 days)	ONETOUCH ULTRAMINI	3	MO
<i>metformin oral tablet 850 mg</i>	1	MO; QL (90 per 30 days)	ONETOUCH VERIO	3	MO
<i>metformin oral tablet extended release 24 hr 500 mg</i>	1	MO; QL (120 per 30 days)	ONETOUCH VERIO IQ METER	3	MO
<i>metformin oral tablet extended release 24 hr 750 mg</i>	1	MO; QL (75 per 30 days)	ONETOUCH VERIO SYSTEM	3	MO
<i>miglitol oral tablet 100 mg</i>	2	MO; QL (90 per 30 days)	OZEMPIC SUBCUTANEOUS PEN INJECTOR 0.25 MG OR 0.5 MG(2 MG/1.5 ML)	3	PA; MO; QL (1.5 per 28 days)
<i>miglitol oral tablet 25 mg</i>	2	MO; QL (360 per 30 days)	OZEMPIC SUBCUTANEOUS PEN INJECTOR 1 MG/DOSE (2 MG/1.5 ML)	3	PA; MO; QL (3 per 28 days)
<i>miglitol oral tablet 50 mg</i>	2	MO; QL (180 per 30 days)	<i>pioglitazone</i>	1	MO; QL (30 per 30 days)
<i>nateglinide oral tablet 120 mg</i>	2	MO; QL (90 per 30 days)	<i>pioglitazone- glimepiride</i>	2	MO; QL (30 per 30 days)
<i>nateglinide oral tablet 60 mg</i>	2	MO; QL (180 per 30 days)			

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements /Limits	Drug Name	Drug Tier	Requirements /Limits
pioglitazone-metformin	2	MO; QL (90 per 30 days)	SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-1,000 MG, 12.5-1,000 MG, 5-1,000 MG	3	MO; QL (60 per 30 days)
PRECISION PCX PLUS TEST	3		SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 25-1,000 MG	3	MO; QL (30 per 30 days)
PRECISION PCX TEST	3	MO	TECHLITE INSULIN SYR HALF UNIT	3	
PRECISION POINT OF CARE TEST	3	MO	TECHLITE INSULIN SYRINGE	3	
PRECISION Q-I-D TEST	3	MO	tolazamide oral tablet 250 mg	2	MO; QL (120 per 30 days)
PRECISION XTRA MONITOR	3	MO	tolazamide oral tablet 500 mg	2	MO; QL (60 per 30 days)
PROGLYCEM	3	MO	tolbutamide	2	MO; QL (180 per 30 days)
repaglinide oral tablet 0.5 mg	2	MO; QL (960 per 30 days)	TOUJEO MAX U-300 SOLOSTAR	3	MO
repaglinide oral tablet 1 mg	2	MO; QL (480 per 30 days)	TOUJEO SOLOSTAR U-300 INSULIN	3	MO
repaglinide oral tablet 2 mg	2	MO; QL (240 per 30 days)	TRADJENTA	3	MO; QL (30 per 30 days)
repaglinide-metformin	2	MO; QL (150 per 30 days)	TRULICITY	4	PA; MO; QL (2 per 28 days)
RIOMET	3	MO; QL (765 per 30 days)	V-GO 20	3	MO
SYMLINPEN 120	5	PA; MO; QL (10.8 per 30 days)	V-GO 30	3	MO
SYMLINPEN 60	5	PA; MO; QL (6 per 30 days)	V-GO 40	3	MO
SYNJARDY ORAL TABLET 12.5-1,000 MG, 12.5-500 MG, 5-1,000 MG	3	MO; QL (60 per 30 days)	VICTOZA 2-PAK	3	PA; MO; QL (9 per 30 days)
SYNJARDY ORAL TABLET 5-500 MG	3	MO; QL (120 per 30 days)	VICTOZA 3-PAK	3	PA; MO; QL (9 per 30 days)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements /Limits
<b>MISCELLANEOUS HORMONES</b>		
ALDURAZYME	5	MO
ANDROGEL TRANSDERMAL GEL IN METERED-DOSE PUMP 20.25 MG/1.25 GRAM (1.62 %)	3	PA; MO; QL (150 per 30 days)
ANDROGEL TRANSDERMAL GEL IN PACKET 1.62 % (20.25 MG/1.25 GRAM)	3	PA; MO; QL (37.5 per 30 days)
ANDROGEL TRANSDERMAL GEL IN PACKET 1.62 % (40.5 MG/2.5 GRAM)	3	PA; MO; QL (150 per 30 days)
<i>cabergoline</i>	2	MO
<i>calcitonin (salmon)</i>	2	MO
<i>calcitriol intravenous solution 1 mcg/ml</i>	2	MO
<i>calcitriol oral</i>	2	MO
CERDELGA	5	MO
CEREZYME INTRAVENOUS RECON SOLN 400 UNIT	5	MO
<i>cinacalcet oral tablet 30 mg</i>	2	MO
<i>cinacalcet oral tablet 60 mg, 90 mg</i>	5	MO
<i>clomiphene citrate</i>	2	PA; MO
CRYSVITA	5	PA; MO; LA
<i>danazol</i>	4	MO

Drug Name	Drug Tier	Requirements /Limits
DDAVP NASAL SOLUTION	3	MO
<i>desmopressin injection</i>	2	MO
<i>desmopressin nasal spray with pump</i>	2	MO
<i>desmopressin nasal spray,non-aerosol</i>	2	MO
<i>desmopressin oral</i>	2	MO
<i>doxercalciferol intravenous</i>	2	
<i>doxercalciferol oral</i>	2	MO
ELAPRASE	5	MO
FABRAZYME	5	MO
KANUMA	5	MO
KORLYM	5	PA; MO
KUVAN	5	PA; MO
LUMIZYME	5	MO
MEPSEVII	3	MO
<i>methyltestosterone oral capsule</i>	5	MO
MIACALCIN INJECTION	4	MO
<i>miglustat</i>	5	MO; LA
MYALEPT	5	PA; MO; LA
NAGLAZYME	5	MO; LA
NATPARA	5	PA; MO; LA
<i>oxandrolone oral tablet 10 mg</i>	5	PA; MO
<i>oxandrolone oral tablet 2.5 mg</i>	2	PA; MO
PALYNZIQ SUBCUTANEOUS SYRINGE 10 MG/0.5 ML	5	PA; MO; LA; QL (15 per 30 days)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>	<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
PALYNZIQ SUBCUTANEOUS SYRINGE 2.5 MG/0.5 ML	5	PA; MO; LA; QL (4 per 30 days)	<i>testosterone</i> <i>transdermal gel in metered-dose pump</i> <i>10 mg/0.5 gram /actuation</i>	2	PA; MO; QL (120 per 30 days)
PALYNZIQ SUBCUTANEOUS SYRINGE 20 MG/ML	5	PA; MO; LA; QL (60 per 30 days)	<i>testosterone</i> <i>transdermal gel in metered-dose pump</i> <i>12.5 mg/ 1.25 gram (1 %)</i>	2	PA; MO; QL (300 per 30 days)
pamidronate	2	MO	<i>testosterone</i> <i>transdermal gel in metered-dose pump</i> <i>20.25 mg/1.25 gram (1.62 %)</i>	2	PA; MO; QL (150 per 30 days)
paricalcitol <i>intravenous solution</i> 2 mcg/ml	2		<i>testosterone</i> <i>transdermal gel in packet 1 % (25 mg/2.5gram), 1 % (50 mg/5 gram)</i>	2	PA; MO; QL (300 per 30 days)
paricalcitol <i>intravenous solution</i> 5 mcg/ml	2	MO	<i>testosterone</i> <i>transdermal gel in packet 1.62 % (20.25 mg/1.25 gram)</i>	2	PA; MO; QL (37.5 per 30 days)
paricalcitol oral	4	MO	<i>testosterone</i> <i>transdermal gel in packet 1.62 % (40.5 mg/2.5 gram)</i>	2	PA; MO; QL (150 per 30 days)
SAMSCA	5	PA; MO	<i>testosterone</i> <i>transdermal solution in metered pump w/app</i>	2	PA; MO; QL (180 per 30 days)
SENSIPAR ORAL TABLET 30 MG	3	MO	VIMIZIM	5	MO; LA
SENSIPAR ORAL TABLET 60 MG, 90 MG	5	MO	<i>zoledronic acid intravenous solution</i>	2	B/D PA; MO
SOMAVERT	5	MO	<i>zoledronic acid- mannitol-water intravenous piggyback 4 mg/100 ml</i>	2	B/D PA; MO
STIMATE	3	MO			
STRENSIQ	5	MO; LA			
SYNAREL	5	MO			
<i>testosterone</i> <i>cypionate</i> <i>intramuscular oil</i> 100 mg/ml, 200 mg/ml	2	PA; MO			
<i>testosterone</i> <i>enanthate</i>	2	PA; MO			
<i>testosterone</i> <i>transdermal gel</i>	2	PA; MO; QL (300 per 30 days)			

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements /Limits
<b>THYROID HORMONES</b>		
<i>levothyroxine</i>	2	MO
<i>intravenous recon soln</i>		
<i>levothyroxine oral</i>	1	MO
<i>levoxyl oral tablet 100 mcg, 112 mcg, 125 mcg, 137 mcg, 150 mcg, 175 mcg, 200 mcg, 25 mcg, 50 mcg, 75 mcg, 88 mcg</i>	1	MO
<i>liothyronine</i>	2	MO
<i>unithroid</i>	1	MO
<b>GASTROENTEROLOGY</b>		
<b>ANTIDIARRHEALS / ANTISPASMODICS</b>		
<i>atropine injection solution 0.4 mg/ml</i>	2	MO
<i>atropine injection syringe 0.05 mg/ml</i>	2	
<i>atropine injection syringe 0.1 mg/ml</i>	2	MO
<i>dicyclomine intramuscular</i>	2	MO
<i>dicyclomine oral capsule</i>	2	MO
<i>dicyclomine oral solution</i>	2	MO
<i>dicyclomine oral tablet</i>	2	MO
<i>diphenoxylate-atropine</i>	2	MO
<i>glycopyrrolate (pf) in water intravenous syringe 0.4 mg/2 ml (0.2 mg/ml)</i>	2	

Drug Name	Drug Tier	Requirements /Limits
<i>glycopyrrolate injection</i>	2	MO
<i>glycopyrrolate oral tablet 1 mg, 2 mg</i>	2	MO
<i>glycopyrrolate oral tablet 1.5 mg</i>	2	
<i>loperamide oral capsule</i>	2	MO
<i>opium tincture</i>	2	MO
<i>paregoric</i>	2	MO
<b>MISCELLANEOUS GASTROINTESTINAL AGENTS</b>		
<i>alosetron</i>	5	MO
<i>aprepitant</i>	2	B/D PA; MO
<i>balsalazide</i>	2	MO
<i>budesonide oral</i>	5	MO
<i>CHENODAL</i>	5	PA; MO; LA
<i>CHOLBAM ORAL CAPSULE 250 MG</i>	5	PA; MO
<i>CHOLBAM ORAL CAPSULE 50 MG</i>	5	PA; MO; QL (120 per 30 days)
<i>CINVANTI</i>	3	MO
<i>colocort</i>	2	MO
<i>compro</i>	2	MO
<i>constulose</i>	2	MO
<i>CORTIFOAM</i>	3	MO
<i>CREON</i>	3	MO
<i>cromolyn oral</i>	2	MO
<i>CYSTADANE</i>	5	MO
<i>dimenhydrinate injection solution</i>	2	MO
<i>DIPENTUM</i>	5	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<i>doxylamine-pyridoxine (vit b6)</i>	2	MO
<i>dronabinol oral capsule 10 mg</i>	5	B/D PA; MO
<i>dronabinol oral capsule 2.5 mg, 5 mg</i>	4	B/D PA; MO
<i>droperidol injection solution</i>	2	MO
<b>EMEND ORAL SUSPENSION FOR RECONSTITUTION</b>	3	B/D PA; MO
<b>ENTYVIO</b>	5	PA; MO
<i>enulose</i>	2	MO
<i>fosaprepitant</i>	2	MO
<b>GATTEX 30-VIAL</b>	5	PA; MO
<b>GATTEX ONE-VIAL</b>	5	PA; MO
<i>gavilyte-c</i>	2	MO
<i>gavilyte-g</i>	2	MO
<i>gavilyte-n</i>	2	MO
<i>generlac</i>	2	MO
<i>granisetron (pf)</i>	2	MO
<i>granisetron hcl intravenous</i>	2	MO
<i>granisetron hcl oral</i>	2	B/D PA; MO
<i>hydrocortisone rectal</i>	2	MO
<i>hydrocortisone topical cream with perineal applicator</i>	2	MO
<i>hydrocortisone-pramoxine rectal cream 1-1 %</i>	2	MO
<i>lactulose oral solution</i>	2	MO

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<b>LINZESS</b>	3	MO
<i>meclizine oral tablet 12.5 mg, 25 mg</i>	2	MO
<i>mesalamine</i>	2	MO
<i>mesalamine with cleansing wipe</i>	2	MO
<i>metoclopramide hcl injection solution</i>	2	MO
<i>metoclopramide hcl injection syringe</i>	2	
<i>metoclopramide hcl oral solution</i>	2	MO
<i>metoclopramide hcl oral tablet</i>	1	MO
<i>metoclopramide hcl oral tablet,disintegrating</i>	2	MO
<b>MOVANTIK</b>	3	MO
<b>OCALIVA</b>	5	PA; MO; LA; QL (30 per 30 days)
<i>ondansetron</i>	2	B/D PA; MO
<i>ondansetron hcl (pf)</i>	2	MO
<i>ondansetron hcl intravenous</i>	2	MO
<i>ondansetron hcl oral solution</i>	2	B/D PA; MO
<i>ondansetron hcl oral tablet 24 mg</i>	2	B/D PA
<i>ondansetron hcl oral tablet 4 mg, 8 mg</i>	2	B/D PA; MO
<i>palonosetron intravenous solution 0.25 mg/5 ml</i>	2	MO
<i>palonosetron intravenous syringe</i>	2	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
peg 3350-electrolytes oral recon soln 236-22.74-6.74 -5.86 gram	2	MO
peg 3350-electrolytes oral recon soln 240-22.72-6.72 -5.84 gram	2	
peg-electrolyte	2	
PENTASA ORAL CAPSULE, EXTENDED RELEASE 250 MG	3	MO
PENTASA ORAL CAPSULE, EXTENDED RELEASE 500 MG	5	MO
polyethylene glycol 3350	2	MO
prochlorperazine	2	MO
prochlorperazine edisylate	2	MO
prochlorperazine maleate oral	1	MO
procto-med hc	2	MO
procto-pak	2	MO
proctosol hc topical	2	MO
proctozone-hc	2	MO
RECTIV	3	MO
RELISTOR SUBCUTANEOUS SOLUTION	5	MO
RELISTOR SUBCUTANEOUS SYRINGE	5	MO
REMICADE	5	PA; MO

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
scopolamine base	2	MO
SUCRAID	5	MO
sulfasalazine	2	MO
TRANSDERM-SCOP	4	MO
trilyte with flavor packets	2	MO
ursodiol	2	MO
VARUBI INTRAVENOUS	3	
VARUBI ORAL	3	B/D PA; MO
VIBERZI	5	MO
VIOKACE	3	MO
<b>ULCER THERAPY</b>		
amoxicil-clarithromy-lansopraz	2	MO; QL (112 per 30 days)
cimetidine	2	MO
cimetidine hcl oral	2	MO
esomeprazole magnesium oral capsule,delayed release(dr/ec) 20 mg	2	MO; QL (30 per 30 days)
esomeprazole magnesium oral capsule,delayed release(dr/ec) 40 mg	2	MO
esomeprazole sodium intravenous recon soln 20 mg	2	
esomeprazole sodium intravenous recon soln 40 mg	2	MO
famotidine (pf)	2	MO
famotidine (pf)-nacl (iso-os)	2	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
famotidine intravenous solution	2	MO
famotidine oral suspension	2	MO
famotidine oral tablet 20 mg, 40 mg	1	MO
lansoprazole oral capsule,delayed release(dr/ec) 15 mg	2	MO; QL (30 per 30 days)
lansoprazole oral capsule,delayed release(dr/ec) 30 mg	2	MO
misoprostol	2	MO
nizatidine	2	MO
omeprazole oral capsule,delayed release(dr/ec) 10 mg, 20 mg	1	MO; QL (30 per 30 days)
omeprazole oral capsule,delayed release(dr/ec) 40 mg	1	MO
pantoprazole intravenous	2	MO
pantoprazole oral tablet,delayed release (dr/ec) 20 mg	1	MO; QL (30 per 30 days)
pantoprazole oral tablet,delayed release (dr/ec) 40 mg	1	MO
ranitidine hcl injection	2	MO
ranitidine hcl oral capsule	1	MO
ranitidine hcl oral syrup	2	MO

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
ranitidine hcl oral tablet 150 mg, 300 mg	1	MO
sucralfate oral tablet	2	MO
<b>IMMUNOLOGY, VACCINES / BIOTECHNOLOGY</b>		
<b>BIOTECHNOLOGY DRUGS</b>		
ACTIMMUNE	5	B/D PA; MO
ARCALYST	5	PA; MO
AVONEX (WITH ALBUMIN)	5	PA; MO; QL (4 per 28 days)
AVONEX INTRAMUSCULA R PEN INJECTOR KIT	5	PA; MO; QL (4 per 28 days)
AVONEX INTRAMUSCULA R SYRINGE KIT	5	PA; MO; QL (4 per 28 days)
BETASERON SUBCUTANEOUS KIT	5	PA; MO; QL (15 per 28 days)
FULPHILA	5	PA; MO
GRANIX	5	PA; MO
ILARIS (PF) SUBCUTANEOUS SOLUTION	5	PA; MO; LA
INTRON A INJECTION RECON SOLN	5	B/D PA; MO
INTRON A INJECTION SOLUTION 10 MILLION UNIT/ML	3	B/D PA; MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>	<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
INTRON A INJECTION SOLUTION 6 MILLION UNIT/ML	5	B/D PA; MO	PLEGRIDY SUBCUTANEOUS SYRINGE 63 MCG/0.5 ML- 94 MCG/0.5 ML	5	PA; MO; QL (1 per 180 days)
LEUKINE INJECTION RECON SOLN	5	MO	PROCRIT INJECTION SOLUTION 10,000 UNIT/ML, 2,000 UNIT/ML, 20,000 UNIT/2 ML, 3,000 UNIT/ML, 4,000 UNIT/ML	3	PA; MO
MOZOBIL	5	B/D PA; MO	PROCRIT INJECTION SOLUTION 20,000 UNIT/ML, 40,000 UNIT/ML	5	PA; MO
NEULASTA	5	PA; MO	PROLEUKIN	5	B/D PA; MO
NEUPOGEN	5	PA; MO	REBIF (WITH ALBUMIN)	5	PA; MO; QL (6 per 28 days)
OMNITROPE	5	PA; MO	REBIF REBIDOSE SUBCUTANEOUS PEN INJECTOR 22 MCG/0.5 ML, 44 MCG/0.5 ML	5	PA; MO; QL (6 per 28 days)
PEGASYS PROCLICK SUBCUTANEOUS PEN INJECTOR 180 MCG/0.5 ML	5	MO; QL (2 per 28 days)	REBIF REBIDOSE SUBCUTANEOUS PEN INJECTOR 8.8MCG/0.2ML-22 MCG/0.5ML (6)	5	PA; MO; QL (4.2 per 180 days)
PEGASYS SUBCUTANEOUS SOLUTION	5	MO; QL (4 per 28 days)	REBIF TITRATION PACK	5	PA; MO; QL (4.2 per 180 days)
PEGASYS SUBCUTANEOUS SYRINGE	5	MO; QL (2 per 28 days)	RETACRIT INJECTION SOLUTION 10,000 UNIT/ML, 2,000 UNIT/ML, 3,000 UNIT/ML, 4,000 UNIT/ML	3	PA; MO
PEGINTRON SUBCUTANEOUS KIT 50 MCG/0.5 ML	5	MO; QL (4 per 28 days)			
PLEGRIDY SUBCUTANEOUS PEN INJECTOR 125 MCG/0.5 ML	5	PA; MO; QL (1 per 28 days)			
PLEGRIDY SUBCUTANEOUS PEN INJECTOR 63 MCG/0.5 ML- 94 MCG/0.5 ML	5	PA; MO; QL (1 per 180 days)			
PLEGRIDY SUBCUTANEOUS SYRINGE 125 MCG/0.5 ML	5	PA; MO; QL (1 per 28 days)			

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>	<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
RETACRIT INJECTION SOLUTION 40,000 UNIT/ML	5	PA; MO	HAVRIX (PF) INTRAMUSCULAR SYRINGE 720 ELISA UNIT/0.5 ML	3	
SYLATRON	5	MO	HIBERIX (PF)	3	MO
ZARXIO	5	PA; MO	HIZENTRA	5	B/D PA; MO
<b>VACCINES / MISCELLANEOUS IMMUNOLOGICALS</b>			HYPERHEP B S/D INTRAMUSCULAR SOLUTION 220 UNIT/ML	3	
ACTHIB (PF)	3	MO	HYPERHEP B S/D INTRAMUSCULAR SOLUTION 220 UNIT/ML (5 ML)	3	MO
ADACEL(TDAP ADOLESN/ADULT )(PF)	3	MO	HYPERHEP B S/D INTRAMUSCULAR SYRINGE	3	
BCG VACCINE, LIVE (PF)	3	MO	HYPERHEP B S-D NEONATAL	3	
BEXSERO	3	MO	HYQVIA	5	B/D PA; MO
BOOSTRIX TDAP	3	MO	IMOVAX RABIES VACCINE (PF)	3	MO
BOTOX	3	PA; MO	INFANRIX (DTAP) (PF)	3	MO
DAPTACEL (DTAP PEDIATRIC) (PF)	3	MO	IPOPOL	3	MO
ENGERIX-B (PF)	3	B/D PA; MO	IXIARO (PF)	3	MO
ENGERIX-B PEDIATRIC (PF) INTRAMUSCULAR SYRINGE	3	B/D PA; MO	KINRIX (PF) INTRAMUSCULAR SUSPENSION	3	
fomepizole	2		KINRIX (PF) INTRAMUSCULAR SYRINGE	3	MO
GAMASTAN	3	MO	MENACTRA (PF) INTRAMUSCULAR SOLUTION	3	MO
GAMASTAN S/D	3	MO	MENVEO A-C-Y-W-135-DIP (PF)	3	MO
GARDASIL 9 (PF)	3	MO			
HAVRIX (PF) INTRAMUSCULAR SUSPENSION	3	MO			
HAVRIX (PF) INTRAMUSCULAR SYRINGE 1,440 ELISA UNIT/ML	3	MO			

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
M-M-R II (PF)	3	MO
PEDIARIX (PF)	3	MO
PEDVAX HIB (PF)	3	MO
PENTACEL (PF)	3	MO
PRIVIGEN	5	PA; MO
PROQUAD (PF)	3	MO
QUADRACEL (PF)	3	MO
RABAVERT (PF)	3	MO
RAGWITEK	3	MO
RECOMBIVAX HB (PF) INTRAMUSCULAR SUSPENSION	3	B/D PA; MO
RECOMBIVAX HB (PF) INTRAMUSCULAR SYRINGE 10 MCG/ML	3	B/D PA; MO
RECOMBIVAX HB (PF) INTRAMUSCULAR SYRINGE 5 MCG/0.5 ML	3	B/D PA
ROTARIX	3	
ROTAQUE VACCINE	3	MO
SHINGRIX (PF)	3	MO
STAMARIL (PF)	3	
TDVAX	3	MO
TENIVAC (PF)	3	MO
TETANUS,DIPHTHERIA TOX PED(PF)	3	MO
TICE BCG	3	B/D PA; MO
TRUMENBA	3	MO

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
TWINRIX (PF) INTRAMUSCULAR SYRINGE	3	MO
TYPHIM VI INTRAMUSCULAR SOLUTION	3	
TYPHIM VI INTRAMUSCULAR SYRINGE	3	MO
VAQTA (PF)	3	MO
VARIVAX (PF)	3	MO
VARIZIG INTRAMUSCULAR SOLUTION	3	MO
YF-VAX (PF)	3	MO
ZOSTAVAX (PF)	3	MO
<b>MUSCULOSKELETAL / RHEUMATOLOGY</b>		
<b>GOUT THERAPY</b>		
<i>allopurinol</i>	1	MO
<i>allopurinol sodium</i>	2	
<i>aloprim</i>	2	
COLCRYS	4	ST; MO
<i>febuxostat</i>	2	MO
KRYSTEXXA	5	MO
MITIGARE	3	MO
<i>probencid</i>	2	MO
<i>probencid-colchicine</i>	2	MO
ULORIC	3	MO
<b>OSTEOPOROSIS THERAPY</b>		
<i>alendronate oral solution</i>	2	MO; QL (1286 per 30 days)
<i>alendronate oral tablet 10 mg, 5 mg</i>	1	MO; QL (30 per 30 days)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<i>alendronate oral tablet 35 mg, 70 mg</i>	1	MO; QL (4 per 28 days)
FORTEO	5	PA; MO; QL (2.4 per 28 days)
<i>ibandronate intravenous</i>	2	PA; MO
<i>ibandronate oral</i>	2	MO; QL (1 per 30 days)
PROLIA	3	PA; MO
raloxifene	2	MO
<i>risedronate oral tablet 150 mg</i>	2	MO; QL (1 per 30 days)
<i>risedronate oral tablet 35 mg, 35 mg (12 pack), 35 mg (4 pack)</i>	2	MO; QL (4 per 28 days)
<i>risedronate oral tablet 5 mg</i>	2	MO; QL (30 per 30 days)
<i>risedronate oral tablet, delayed release (dr/ec)</i>	2	MO; QL (4 per 28 days)
TYMLOS	5	PA; MO; QL (1.56 per 30 days)

<b>OTHER RHEUMATOLOGICALS</b>		
ACTEMRA	5	PA; MO
ACTEMRA ACTPEN	5	PA; MO; QL (4 per 28 days)
BENLYSTA	5	PA; MO
CUPRIMINE	5	MO
DEPEN TITRATABS	5	MO
ENBREL MINI	5	PA; MO; QL (8 per 28 days)

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
ENBREL SUBCUTANEOUS RECON SOLN	5	PA; MO; QL (16 per 28 days)
ENBREL SUBCUTANEOUS SYRINGE	5	PA; MO; QL (8 per 28 days)
ENBREL SURECLICK	5	PA; MO; QL (8 per 28 days)
HUMIRA PEDIATRIC CROHNS START SUBCUTANEOUS SYRINGE KIT 40 MG/0.8 ML	5	PA; MO; QL (3 per 180 days)
HUMIRA PEDIATRIC CROHNS START SUBCUTANEOUS SYRINGE KIT 40 MG/0.8 ML (6 PACK)	5	PA; MO; QL (6 per 180 days)
HUMIRA PEN	5	PA; MO; QL (4 per 28 days)
HUMIRA PEN CROHNS-UC-HS START	5	PA; MO; QL (6 per 180 days)
HUMIRA PEN PSOR-UVEITS-ADOL HS	5	PA; MO; QL (4 per 180 days)
HUMIRA SUBCUTANEOUS SYRINGE KIT 10 MG/0.2 ML, 20 MG/0.4 ML	5	PA; MO; QL (2 per 28 days)
HUMIRA SUBCUTANEOUS SYRINGE KIT 40 MG/0.8 ML	5	PA; MO; QL (4 per 28 days)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
HUMIRA(CF) PEDI CROHNS STARTER SUBCUTANEOUS SYRINGE KIT 80 MG/0.8 ML	5	PA; MO; QL (3 per 180 days)
HUMIRA(CF) PEDI CROHNS STARTER SUBCUTANEOUS SYRINGE KIT 80 MG/0.8 ML-40 MG/0.4 ML	5	PA; MO; QL (2 per 180 days)
HUMIRA(CF) PEN CROHNS-UC-HS	5	PA; MO; QL (3 per 180 days)
HUMIRA(CF) PEN PSOR-UV-ADOL HS	5	PA; MO; QL (3 per 180 days)
HUMIRA(CF) SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.4 ML	5	PA; MO; QL (4 per 28 days)
HUMIRA(CF) SUBCUTANEOUS SYRINGE KIT 10 MG/0.1 ML, 20 MG/0.2 ML	5	PA; MO; QL (2 per 28 days)
HUMIRA(CF) SUBCUTANEOUS SYRINGE KIT 40 MG/0.4 ML	5	PA; MO; QL (4 per 28 days)
<i>leflunomide</i>	2	MO; QL (30 per 30 days)
ORENCIA	5	PA; MO
ORENCIA (WITH MALTOSE)	5	PA; MO
ORENCIA CLICKJECT	5	PA; MO
OTEZLA	5	PA; MO

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
OTEZLA STARTER ORAL TABLETS,DOSE PACK 10 MG (4)-20 MG (4)-30 MG (47)	5	PA; MO
OTEZLA STARTER ORAL TABLETS,DOSE PACK 10 MG (4)-20 MG (4)-30 MG(19)	5	PA
<i>penicillamine</i>	5	MO
RIDAURA	5	MO
RINVOQ ER	5	PA; MO; QL (30 per 30 days)
<b>OBSTETRICS / GYNECOLOGY</b>		
<b>ESTROGENS / PROGESTINS</b>		
<i>camila</i>	2	MO
<i>deblitane</i>	2	MO
DEPO-PROVERA INTRAMUSCULAR SUSPENSION 400 MG/ML	3	MO
<i>dotti</i>	2	PA; MO; QL (8 per 28 days)
<i>errin</i>	2	MO
<i>estradiol oral</i>	4	PA; MO
<i>estradiol transdermal patch semiweekly</i>	2	PA; MO; QL (8 per 28 days)
<i>estradiol transdermal patch weekly</i>	2	PA; MO; QL (4 per 28 days)
<i>estradiol vaginal</i>	2	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<i>estradiol valerate intramuscular oil 20 mg/ml, 40 mg/ml</i>	2	MO
<i>estradiol-norethindrone acet</i>	2	PA; MO
<i>heather</i>	2	MO
<i>hydroxyprogesterone caproate</i>	5	MO
<i>incassia</i>	2	MO
<i>jencycla</i>	2	MO
<i>lyza</i>	2	MO
<i>medroxyprogesterone</i>	2	MO
<b>MENEST</b>	3	PA; MO
<i>nora-be</i>	2	MO
<i>norethindrone (contraceptive)</i>	2	MO
<i>norethindrone acetate</i>	2	MO
<i>norethindrone ac-eth estradiol oral tablet 0.5-2.5 mg-mcg, 1-5 mg-mcg</i>	4	PA; MO
<i>norlyda</i>	2	MO
<i>norlyroc</i>	2	
<i>progesterone</i>	2	MO
<i>progesterone micronized</i>	2	MO
<i>sharobel</i>	2	MO
<i>tulana</i>	2	MO
<i>yuvafem</i>	2	MO
<b>MISCELLANEOUS OB/GYN</b>		
<i>clindamycin phosphate vaginal</i>	2	MO

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<i>metronidazole vaginal</i>	2	MO
<i>miconazole-3 vaginal suppository</i>	2	MO
<i>mifepristone</i>	2	LA
<b>MIRENA</b>	3	MO; LA
<b>NEXPLANON</b>	3	MO
<i>terconazole</i>	2	MO
<i>tranexamic acid oral</i>	2	MO
<i>vandazole</i>	2	MO
<i>xulane</i>	2	MO
<b>ORAL CONTRACEPTIVES / RELATED AGENTS</b>		
<i>altavera (28)</i>	2	MO
<i>alyacen 1/35 (28)</i>	2	MO
<i>alyacen 7/7/7 (28)</i>	2	MO
<i>amethyst (28)</i>	2	MO
<i>apri</i>	2	MO
<i>aranelle (28)</i>	2	MO
<i>aubra</i>	2	MO
<i>aubra eq</i>	2	MO
<i>aviane</i>	2	MO
<i>azurette (28)</i>	2	MO
<i>bekyree (28)</i>	2	MO
<i>camrese</i>	2	MO
<i>caziant (28)</i>	2	MO
<i>chateal (28)</i>	2	
<i>cryselle (28)</i>	2	MO
<i>cyclafem 1/35 (28)</i>	2	MO
<i>cyclafem 7/7/7 (28)</i>	2	MO
<i>cyred</i>	2	MO
<i>cyred eq</i>	2	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<i>dasetta 1/35 (28)</i>	2	MO
<i>dasetta 7/7/7 (28)</i>	2	MO
<i>daysee</i>	2	MO
<i>delyla (28)</i>	2	
<i>desog-e.estriadiol/e.estriadiol</i>	2	MO
<i>desogestrel-ethynodiol estradiol</i>	2	MO
<i>drospirenone-e.estriadiol-lm.fa oral tablet 3-0.03-0.451 mg (21) (7)</i>	2	MO
<i>drospirenone-ethynodiol estradiol</i>	2	MO
<i>elinest</i>	2	MO
<i>emoquette</i>	2	MO
<i>enpresse</i>	2	MO
<i>enskyce</i>	2	MO
<i>estarrylla</i>	2	MO
<i>ethynodiol diac-eth estradiol</i>	2	
<i>falmina (28)</i>	2	MO
<i>fayosim</i>	2	MO
<i>femynor</i>	2	MO
<i>gianvi (28)</i>	2	MO
<i>introvale</i>	2	MO
<i>isibloom</i>	2	MO
<i>jasmiel (28)</i>	2	MO
<i>jolessa</i>	2	MO
<i>juleber</i>	2	MO
<i>kalliga</i>	2	
<i>kariva (28)</i>	2	MO
<i>kelnor 1/35 (28)</i>	2	MO

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<i>kelnor 1-50</i>	2	MO
<i>kurvelo (28)</i>	2	MO
<i>l norgest/e.estriadiol-e.estrad</i>	2	MO
<i>larin 1.5/30 (21)</i>	2	MO
<i>larin 1/20 (21)</i>	2	MO
<i>larin 24 fe</i>	2	MO
<i>larin fe 1.5/30 (28)</i>	2	MO
<i>larin fe 1/20 (28)</i>	2	MO
<i>larissia</i>	2	MO
<i>lessina</i>	2	MO
<i>levonest (28)</i>	2	MO
<i>levonorgestrel-ethynodiol estradiol</i>	2	MO
<i>levonorg-eth estrad triphasic</i>	2	MO
<i>levora-28</i>	2	MO
<i>lillow (28)</i>	2	MO
<i>loryna (28)</i>	2	MO
<i>low-ogestrel (28)</i>	2	MO
<i>lo-zumandimine (28)</i>	2	
<i>lutera (28)</i>	2	MO
<i>marlissa (28)</i>	2	MO
<i>microgestin 1.5/30 (21)</i>	2	MO
<i>microgestin 1/20 (21)</i>	2	MO
<i>microgestin fe 1.5/30 (28)</i>	2	MO
<i>microgestin fe 1/20 (28)</i>	2	MO
<i>mili</i>	2	MO
<i>mono-linyah</i>	2	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<i>nikki</i> (28)	2	MO
<i>norethindrone ac-eth estradiol oral tablet 1.5-30 mg-mcg</i>	2	
<i>norethindrone ac-eth estradiol oral tablet 1-20 mg-mcg</i>	2	MO
<i>norethindrone-e.estradiol-iron oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	2	MO
<i>norgestimate-ethinyl estradiol</i>	2	MO
<i>nortrel 0.5/35 (28)</i>	2	MO
<i>nortrel 1/35 (21)</i>	2	MO
<i>nortrel 1/35 (28)</i>	2	MO
<i>nortrel 7/7/7 (28)</i>	2	MO
<i>ogestrel (28)</i>	2	MO
<i>orsythia</i>	2	MO
<i>philith</i>	2	MO
<i>pimtrea (28)</i>	2	MO
<i>pirmella</i>	2	MO
<i>portia 28</i>	2	MO
<i>previfem</i>	2	MO
<i>reclipsen (28)</i>	2	MO
<i>setlakin</i>	2	MO
<i>sprintec (28)</i>	2	MO
<i>sronyx</i>	2	MO
<i>syeda</i>	2	MO
<i>tarina 24 fe</i>	2	
<i>tarina fe 1/20 (28)</i>	2	MO
<i>tarina fe 1-20 eq (28)</i>	2	MO
<i>tilia fe</i>	2	MO

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<i>tri-femynor</i>	2	MO
<i>tri-estarrylla</i>	2	MO
<i>tri-legest fe</i>	2	MO
<i>tri-linyah</i>	2	MO
<i>tri-lo-estarrylla</i>	2	MO
<i>tri-lo-marzia</i>	2	MO
<i>tri-lo-sprintec</i>	2	MO
<i>tri-previfem (28)</i>	2	MO
<i>tri-sprintec (28)</i>	2	MO
<i>trivora (28)</i>	2	MO
<i>velivet triphasic regimen (28)</i>	2	MO
<i>vienna</i>	2	MO
<i>viorele (28)</i>	2	MO
<i>wera (28)</i>	2	MO
<i>zarah</i>	2	MO
<i>zovia 1/35e (28)</i>	2	MO
<i>zumandimine (28)</i>	2	
<b>OXYTOCICS</b>		
<i>methergine</i>	2	
<i>methylergonovine injection</i>	2	
<i>methylergonovine oral</i>	2	MO
<i>oxytocin injection solution</i>	2	MO
<b>OPHTHALMOLOGY</b>		
<b>ANTIBIOTICS</b>		
<i>ak-poly-bac</i>	2	MO
<i>bacitracin ophthalmic (eye)</i>	2	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
bacitracin- polymyxin b ophthalmic (eye)	2	MO
ciprofloxacin hcl ophthalmic (eye)	2	MO
erythromycin ophthalmic (eye)	2	MO
gatifloxacin	2	MO
gentak ophthalmic (eye) ointment	2	MO
gentamicin ophthalmic (eye) drops	2	MO
levofloxacin ophthalmic (eye)	2	MO
moxifloxacin ophthalmic (eye)	2	MO
NATACYN	3	MO
neomycin- bacitracin- polymyxin	2	MO
neomycin- polymyxin- gramicidin	2	MO
neo-polycin	2	MO
ofloxacin ophthalmic (eye)	2	MO
polycin	2	MO
polymyxin b sulf- trimethoprim	2	MO
tobramycin	2	MO
<b>ANTIVIRALS</b>		
trifluridine	2	MO
ZIRGAN	4	MO
<b>BETA-BLOCKERS</b>		

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
betaxolol ophthalmic (eye)	2	MO
carteolol	2	MO
levobunolol ophthalmic (eye) drops 0.5 %	2	MO
timolol maleate ophthalmic (eye) drops	1	MO
timolol maleate ophthalmic (eye) drops, once daily	2	MO
timolol maleate ophthalmic (eye) gel forming solution	2	MO
<b>MISCELLANEOUS OPHTHALMOLOGICS</b>		
atropine ophthalmic (eye) drops	2	MO
azelastine ophthalmic (eye)	2	MO
balanced salt	2	
BLEPHAMIDE	4	MO
BLEPHAMIDE S.O.P.	4	MO
bss	2	MO
cromolyn ophthalmic (eye)	2	MO
CYSTARAN	5	MO
epinastine	2	MO
EYLEA	5	MO
JETREA (PF) INTRAVITREAL SOLUTION 0.125 MG/0.1 ML (1.25 MG/ML)	5	MO; LA
LUCENTIS	5	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements /Limits
<i>olopatadine ophthalmic (eye)</i>	2	MO
<b>OXERVATE</b>	5	PA; MO
<b>PHOSPHOLINE IODIDE</b>	4	MO
<i>pilocarpine hcl ophthalmic (eye) drops 1 %, 2 %, 4 %</i>	2	MO
<i>sulfacetamide sodium ophthalmic (eye)</i>	2	MO
<i>sulfacetamide-prednisolone</i>	2	MO
<b>XIIDRA</b>	3	MO; QL (60 per 30 days)

#### NON-STEROIDAL ANTI-INFLAMMATORY AGENTS

<i>bromfenac</i>	2	MO
<i>diclofenac sodium ophthalmic (eye)</i>	2	MO
<i>flurbiprofen sodium</i>	2	MO
<i>ketorolac ophthalmic (eye)</i>	2	MO

#### ORAL DRUGS FOR GLAUCOMA

<i>acetazolamide</i>	2	MO
<i>acetazolamide sodium</i>	2	MO
<i>methazolamide</i>	2	MO

#### OTHER GLAUCOMA DRUGS

<i>bimatoprost ophthalmic (eye)</i>	2	MO
<i>dorzolamide</i>	2	MO
<i>dorzolamide-timolol</i>	2	MO
<i>dorzolamide-timolol (pf) ophthalmic (eye) dropperette</i>	2	MO

Drug Name	Drug Tier	Requirements /Limits
<i>latanoprost</i>	2	MO
<i>miostat</i>	2	

#### STEROID-ANTIBIOTIC COMBINATIONS

<i>neomycin-bacitracin-poly-hc</i>	2	MO
<i>neomycin-polymyxin b-dexameth</i>	2	MO
<i>neomycin-polymyxin-hc ophthalmic (eye)</i>	2	MO
<i>neo-polycin hc</i>	2	MO
<i>tobramycin-dexamethasone</i>	2	MO

#### STEROIDS

<i>dexamethasone sodium phosphate ophthalmic (eye)</i>	2	MO
<i>fluorometholone</i>	2	MO
<i>loteprednol etabonate</i>	2	MO
<b>OZURDEX</b>	5	MO
<i>prednisolone acetate</i>	2	MO
<i>prednisolone sodium phosphate ophthalmic (eye)</i>	2	MO

#### SYMPATHOMIMETICS

<i>ALPHAGAN P OPHTHALMIC (EYE) DROPS 0.1 %</i>	3	MO
<i>apraclonidine</i>	2	MO
<i>brimonidine</i>	2	MO

#### RESPIRATORY AND ALLERGY

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<b>ANTIHISTAMINE / ANTIALLERGENIC AGENTS</b>		
<i>adrenalin injection</i>	2	MO
<i>cetirizine oral solution 1 mg/ml</i>	2	MO
<i>diphenhydramine hcl injection solution 50 mg/ml</i>	2	MO
<i>diphenhydramine hcl injection syringe</i>	2	MO
<i>diphenhydramine hcl oral elixir</i>	2	PA
<i>epinephrine injection auto-injector 0.15 mg/0.3 ml, 0.3 mg/0.3 ml (manufactured by mylan specialty)</i>	2	MO; QL (4 per 30 days)
EPIPEN	3	MO; QL (4 per 30 days)
EPIPEN 2-PAK	3	MO; QL (4 per 30 days)
EPIPEN JR	3	MO; QL (4 per 30 days)
EPIPEN JR 2-PAK	3	MO; QL (4 per 30 days)
<i>hydroxyzine hcl oral tablet</i>	2	PA; MO
<i>levocetirizine oral solution</i>	2	MO
<i>levocetirizine oral tablet</i>	2	MO; QL (30 per 30 days)
<i>promethazine injection solution</i>	4	MO
<i>promethazine oral</i>	4	PA; MO
SYMJEPI	4	MO
<b>PULMONARY AGENTS</b>		

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<i>acetylcysteine</i>	2	B/D PA; MO
ADEMPAS	5	PA; MO; LA
ADVAIR DISKUS	3	MO; QL (60 per 30 days)
<i>albuterol sulfate inhalation solution for nebulization</i>	2	B/D PA; MO
<i>albuterol sulfate oral syrup</i>	2	MO
<i>albuterol sulfate oral tablet</i>	4	MO
<i>albuterol sulfate oral tablet extended release 12 hr</i>	4	MO
alyq	5	PA; MO; QL (60 per 30 days)
ambrisentan	5	PA; MO; LA
<i>aminophylline intravenous solution 500 mg/20 ml</i>	2	
ARCAPTA NEOHALER	3	MO; QL (30 per 30 days)
ASMANEX HFA	3	MO; QL (13 per 30 days)
ASMANEX TWISTHALER INHALATION AEROSOL POWDR BREATH ACTIVATED 110 MCG/ ACTUATION (30), 220 MCG/ ACTUATION (30), 220 MCG/ ACTUATION (60)	3	MO; QL (1 per 30 days)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements /Limits	Drug Name	Drug Tier	Requirements /Limits
ASMANEX TWISTHALER INHALATION AEROSOL POWDR BREATH ACTIVATED 220 MCG/ ACTUATION (120)	3	MO; QL (2 per 30 days)	<i>flunisolide nasal spray,non-aerosol 25 mcg (0.025 %)</i>	2	MO; QL (50 per 30 days)
ASMANEX TWISTHALER INHALATION AEROSOL POWDR BREATH ACTIVATED 220 MCG/ ACTUATION (14)	3	QL (2 per 28 days)	<i>fluticasone propionate nasal</i>	2	MO; QL (16 per 30 days)
ATROVENT HFA	3	MO; QL (25.8 per 30 days)	HAEGARDA	5	PA; MO; LA
<i>bosentan</i>	5	PA; MO; LA	<i>icatibant</i>	5	PA; MO
<i>budesonide inhalation</i>	2	B/D PA; MO	INCRUSE ELLIPTA	3	MO; QL (30 per 30 days)
CINRYZE	5	PA; MO	<i>ipratropium bromide inhalation</i>	2	B/D PA; MO
COMBIVENT RESPIMAT	3	MO; QL (8 per 30 days)	<i>ipratropium-albuterol</i>	2	B/D PA; MO
<i>cromolyn inhalation</i>	2	B/D PA; MO	KALYDECO ORAL GRANULES IN PACKET 25 MG	5	PA; MO
DALIRESP	4	PA; MO	KALYDECO ORAL GRANULES IN PACKET 50 MG, 75 MG	5	PA; MO; QL (56 per 28 days)
DULERA	3	MO; QL (13 per 30 days)	KALYDECO ORAL TABLET	5	PA; MO; QL (60 per 30 days)
ESBRIET ORAL CAPSULE	5	PA; MO; QL (270 per 30 days)	LETAIRIS	5	PA; MO; LA
ESBRIET ORAL TABLET 267 MG	5	PA; MO; QL (270 per 30 days)	<i>levalbuterol hcl</i>	2	B/D PA; MO
ESBRIET ORAL TABLET 801 MG	5	PA; MO; QL (90 per 30 days)	<i>metaproterenol oral syrup</i>	2	MO
FASENRA	5	PA; MO	<i>mometasone nasal</i>	2	MO; QL (34 per 30 days)
FIRAZYR	5	PA; MO	<i>montelukast</i>	2	MO
			OFEV	5	PA; MO; QL (60 per 30 days)
			OPSUMIT	5	PA; MO; LA
			ORKAMBI ORAL GRANULES IN PACKET	5	PA; MO; QL (56 per 28 days)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements /Limits	Drug Name	Drug Tier	Requirements /Limits
ORKAMBI ORAL TABLET	5	PA; MO; QL (112 per 28 days)	SPIRIVA RESPIMAT	3	MO; QL (4 per 30 days)
PERFOROMIST	3	B/D PA; MO	SPIRIVA WITH HANIDHALER	3	MO; QL (90 per 90 days)
PROAIR HFA	3	MO; QL (17 per 30 days)	STIOLTO RESPIMAT	3	MO; QL (4 per 30 days)
PROAIR RESPICLICK	3	MO; QL (2 per 30 days)	STRIVERDI RESPIMAT	3	MO; QL (4 per 30 days)
PULMOZYME	5	B/D PA; MO	SYMBICORT	3	MO; QL (10.2 per 30 days)
QVAR REDIHALER INHALATION HFA AEROSOL BREATH ACTIVATED 40 MCG/ACTUATION	3	MO; QL (10.6 per 30 days)	SYMDEKO	5	PA; MO; QL (56 per 28 days)
QVAR REDIHALER INHALATION HFA AEROSOL BREATH ACTIVATED 80 MCG/ACTUATION	3	MO; QL (21.2 per 30 days)	<i>tadalafil (pulmonary arterial hypertension) oral tablet 20 mg</i>	5	PA; MO; QL (60 per 30 days)
SEREVENT DISKUS	3	MO; QL (60 per 30 days)	<i>terbutaline</i>	2	MO
<i>sildenafil (pulmonary arterial hypertension) intravenous solution 10 mg/12.5 ml</i>	5	PA	<i>THEO-24</i>	3	MO
<i>sildenafil (pulmonary arterial hypertension) oral suspension for reconstitution 10 mg/ml</i>	5	PA; MO; QL (224 per 30 days)	<i>theophylline in dextrose 5 % intravenous parenteral solution 400 mg/500 ml</i>	2	
<i>sildenafil (pulmonary arterial hypertension) oral tablet 20 mg</i>	2	PA; MO; QL (90 per 30 days)	<i>theophylline oral elixir</i>	2	
			<i>theophylline oral solution</i>	2	MO
			<i>theophylline oral tablet extended release 12 hr</i>	2	MO
			<i>theophylline oral tablet extended release 24 hr</i>	2	MO
			TRACLEER ORAL TABLET	5	PA; MO; LA
			TYVASO	5	B/D PA; MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements /Limits
TYVASO INSTITUTIONAL START KIT	5	B/D PA
TYVASO REFILL KIT	5	B/D PA; MO
TYVASO STARTER KIT	5	B/D PA; MO
XOLAIR SUBCUTANEOUS RECON SOLN	5	PA; MO; LA; QL (6 per 28 days)
XOLAIR SUBCUTANEOUS SYRINGE 150 MG/ML	5	PA; MO; LA; QL (6 per 28 days)
XOLAIR SUBCUTANEOUS SYRINGE 75 MG/0.5 ML	5	PA; MO; LA; QL (5 per 28 days)
zafirlukast	2	MO

## UROLOGICALS

### ANTICHOLINERGICS / ANTISPASMODICS

flavoxate	2	MO
MYRBETRIQ	3	MO
oxybutynin chloride	2	MO
solifenacain	2	MO
tolterodine	2	MO
trospium	2	MO

### BENIGN PROSTATIC HYPERPLASIA(BPH) THERAPY

alfuzosin	2	MO
dutasteride	2	MO
dutasteride-tamsulosin	2	MO
finasteride oral tablet 5 mg	2	MO

Drug Name	Drug Tier	Requirements /Limits
silodosin	2	MO
tamsulosin	1	MO

## MISCELLANEOUS UROLOGICALS

alprostadil	2	MO
bethanechol chloride	2	MO
CYSTAGON	3	MO; LA
ELMIRON	3	MO
glycine urologic	2	
glycine urologic solution	2	
K-PHOS NO 2	3	MO
K-PHOS ORIGINAL	3	MO
potassium citrate	2	MO
RENACIDIN IRRIGATION SOLUTION 1980.6 MG-59.4 MG-980.4MG/30ML	3	MO
tadalafil oral tablet 2.5 mg, 5 mg	2	PA; MO; QL (30 per 30 days)

## VITAMINS, HEMATINICS / ELECTROLYTES

### BLOOD DERIVATIVES

albumin, human 25 %	2	
albuminar 25 %	2	MO
alburx (human) 25 %	2	MO
alburx (human) 5 %	2	
albutein 25 %	2	
albutein 5 %	2	
buminate 5 %	2	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
plasbumin 25 %	2	MO
plasbumin 5 %	2	
<b>ELECTROLYTES</b>		
calcium acetate oral capsule	2	MO
calcium acetate oral tablet 667 mg	2	MO
calcium chloride	2	
calcium gluconate intravenous	2	MO
effer-k oral tablet, effervescent 25 meq	2	MO
klor-con	2	MO
klor-con 10	2	MO
klor-con 8	2	MO
klor-con m10	2	MO
klor-con m15	2	MO
klor-con m20	2	MO
klor-con sprinkle oral capsule, extended release 8 meq	2	MO
klor-con/ef	2	MO
k-tab oral tablet extended release 8 meq	2	MO
lactated ringers intravenous	2	MO
magnesium chloride injection	2	MO
MAGNESIUM SULFATE IN D5W INTRAVENOUS PIGGYBACK 1 GRAM/100 ML	3	

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
magnesium sulfate in water intravenous parenteral solution	2	
magnesium sulfate in water intravenous piggyback 2 gram/50 ml (4 %), 4 gram/50 ml (8 %)	2	
magnesium sulfate in water intravenous piggyback 4 gram/100 ml (4 %)	2	MO
magnesium sulfate injection solution	2	MO
magnesium sulfate injection syringe	2	
NORMOSOL-R	3	MO
NORMOSOL-R IN 5 % DEXTROSE	3	
potassium acetate intravenous solution 2 meq/ml	2	
potassium chlorid-d5-0.45%nacl intravenous parenteral solution 10 meq/l, 30 meq/l, 40 meq/l	2	
potassium chlorid-d5-0.45%nacl intravenous parenteral solution 20 meq/l	2	MO
potassium chloride in 0.9%nacl intravenous parenteral solution 20 meq/l, 40 meq/l	2	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>	<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<i>potassium chloride in 5 % dex intravenous parenteral solution 20 meq/l, 30 meq/l, 40 meq/l</i>	2		<i>potassium chloride- 0.45 % nacl</i>	2	
<i>potassium chloride in lr-d5 intravenous parenteral solution 20 meq/l</i>	2	MO	<i>potassium chloride- d5-0.2%nacl intravenous parenteral solution 20 meq/l</i>	2	MO
<i>potassium chloride in lr-d5 intravenous parenteral solution 40 meq/l</i>	2		<i>potassium chloride- d5-0.2%nacl intravenous parenteral solution 30 meq/l, 40 meq/l</i>	2	
<i>potassium chloride in water intravenous piggyback 10 meq/100 ml, 10 meq/50 ml</i>	2	MO	<i>potassium chloride- d5-0.3%nacl intravenous parenteral solution 20 meq/l</i>	2	
<i>potassium chloride in water intravenous piggyback 20 meq/100 ml, 20 meq/50 ml, 30 meq/100 ml, 40 meq/100 ml</i>	2		<i>potassium chloride- d5-0.9%nacl intravenous parenteral solution 20 meq/l</i>	2	MO
<i>potassium chloride intravenous</i>	2	MO	<i>potassium chloride- d5-0.9%nacl intravenous parenteral solution 40 meq/l</i>	2	
<i>potassium chloride oral capsule, extended release</i>	1	MO	<i>potassium phosphate m-d-basic</i>	2	
<i>potassium chloride oral liquid</i>	2	MO	<i>ringer's intravenous</i>	2	
<i>potassium chloride oral packet</i>	2	MO	<i>sodium acetate</i>	2	
<i>potassium chloride oral tablet extended release</i>	1	MO	<i>sodium bicarbonate intravenous solution 1 meq/ml (8.4 %)</i>	2	MO
<i>potassium chloride oral tablet,er particles/crystals</i>	1	MO	<i>sodium bicarbonate intravenous syringe 10 meq/10 ml (8.4 %), 7.5 % (0.9 meq/ml)</i>	2	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
sodium bicarbonate intravenous syringe 8.4 % (1 meq/ml)	2	
sodium chloride 0.45 % intravenous parenteral solution	2	MO
sodium chloride 0.45 % intravenous piggyback	2	
sodium chloride 3 %	2	MO
sodium chloride 5 %	2	MO
sodium chloride intravenous	2	MO
sodium lactate intravenous	2	
sodium phosphate	2	MO
<b>MISCELLANEOUS NUTRITION PRODUCTS</b>		
AMINOSYN 10 %	3	B/D PA
AMINOSYN 7 % WITH ELECTROLYTES	3	B/D PA
AMINOSYN 8.5 %	3	B/D PA
AMINOSYN 8.5 %-ELECTROLYTES	3	B/D PA
AMINOSYN II 10 %	3	B/D PA
AMINOSYN II 15 %	3	B/D PA
AMINOSYN II 8.5 %	3	B/D PA
AMINOSYN II 8.5 %-ELECTROLYTES	3	B/D PA
AMINOSYN M 3.5 %	3	B/D PA

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
AMINOSYN-HBC 7%	3	B/D PA
AMINOSYN-PF 10 %	3	B/D PA
AMINOSYN-PF 7 % (SULFITE-FREE)	3	B/D PA
AMINOSYN-RF 5.2 %	3	B/D PA
CLINIMIX 5%/D15W SULFITE FREE	3	B/D PA
CLINIMIX 5%/D25W SULFITE-FREE	3	B/D PA
CLINIMIX 4.25%/D10W SULF FREE	3	B/D PA
CLINIMIX 4.25%-D25W SULF-FREE	3	B/D PA
CLINIMIX 5%-D20W(SULFITE-FREE)	3	B/D PA
cysteine ( <i>l</i> -cysteine) intravenous solution	2	B/D PA
electrolyte-48 in d5w	2	
freamine iii 10 %	2	B/D PA
HEPATAMINE 8%	3	B/D PA
intralipid intravenous emulsion 20 %	2	B/D PA
IONOSOL-MB IN D5W	3	
ISOLYTE S PH 7.4	3	
ISOLYTE-P IN 5 % DEXTROSE	3	
ISOLYTE-S	3	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
NEPHRAMINE 5.4 %	3	B/D PA
NORMOSOL-R PH 7.4	3	
PLASMA-LYTE 148	3	
PLASMA-LYTE A	3	
<i>plasmanate</i>	2	
<i>plenamine</i>	2	B/D PA
<i>premasol 10 %</i>	2	B/D PA; MO
PREMASOL 6 %	3	B/D PA
<i>travasol 10 %</i>	4	B/D PA; MO

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
TROPHAMINE 10 %	3	B/D PA; MO
TROPHAMINE 6%	3	B/D PA
<b>VITAMINS / HEMATINICS</b>		
<i>fluoride (sodium) oral tablet</i>	2	MO
<i>fluoride (sodium) oral tablet, chewable 1 mg (2.2 mg sod. fluoride)</i>	2	MO
<i>prenatal vitamin oral tablet</i>	2	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

# Index

## A

abacavir	9
abacavir-lamivudine	9
abacavir-lamivudine-zidovudine	9
ABELCET	9
ABILIFY MAINTENA	37
abiraterone	19
ABRAXANE	19
acamprosate	53
acarbose	57
acebutolol	42
acetaminophen-caff-dihydrocod	32
acetaminophen-codeine	32
acetazolamide	76
acetazolamide sodium	76
acetic acid	53, 55
acetylcysteine	53, 77
acitretin	49
ACTEMRA	70
ACTEMRA ACTPEN	70
ACTHIB (PF)	68
ACTIMMUNE	66
acyclovir	9, 52
acyclovir sodium	9
ADACEL(TDAP ADOLESN/ADULT)(PF)	68
ADASUVE	37
adefovir	9
ADEMPAS	77
adenosine	42
adrenalin	77
adriamycin	19
adrucil	19
ADVAIR DISKUS	77
AFINITOR	19
AFINITOR DISPERZ	19
ak-poly-bac	74
ala-cort	52
albendazole	14
ALBENZA	14
albumin, human 25 %	80
albuminar 25 %	80
alburx (human)	25 %

alburx (human) 5 %	80
albutein 25 %	80
albutein 5 %	80
albuterol sulfate	77
alclometasone	52
ALCOHOL PADS	57
ALDURAZYME	61
ALECENSA	19
alendronate	53, 69, 70
alfuzosin	80
ALIMTA	19
ALINIA	14
ALIQOPA	19
aliskiren	42
allopurinol	69
allopurinol sodium	69
aloprim	69
alosetron	63
ALPHAGAN P	76
alprostadiol	80
altavera (28)	72
ALUNBRIG	19
alyacen 1/35 (28)	72
alyacen 7/7/7 (28)	72
alyq	77
amantadine hcl	9
AMBISOME	9
ambrisentan	77
amethyst (28)	72
AMICAR	46
amikacin	14
amiloride	42
amiloride-hydrochlorothiazide	42
aminocaproic acid	46
aminophylline	77
AMINOSYN 10 %	83
AMINOSYN 7 % WITH ELECTROLYTES	83
AMINOSYN 8.5 %	83
AMINOSYN 8.5 % - ELECTROLYTES	83
AMINOSYN II 10 %	83
AMINOSYN II 15 %	83
AMINOSYN II 8.5 %	83
AMINOSYN II 8.5 % - ELECTROLYTES	83
AMINOSYN M 3.5 %	83
AMINOSYN-HBC 7%	83
AMINOSYN-PF 10 %	83
AMINOSYN-PF 7 % (SULFITE-FREE)	83
AMINOSYN-RF 5.2 %	83
amiodarone	42
amitriptyline	37
amlodipine	42
amlodipine-atorvastatin	47
amlodipine-benazepril	43
amlodipine-olmesartan	43
amlodipine-valsartan	43
amlodipine-valsartan-hcthiazid	43
ammonium lactate	49
amnesteem	50
amoxapine	37
amoxicil-clarithromy-lansopraz	65
amoxicillin	16
amoxicillin-pot clavulanate	16
amphotericin b	9
ampicillin	16
ampicillin sodium	16
ampicillin-sulbactam	16
AMPYRA	31
anagrelide	53
anastrozole	19
ANDROGEL	61
APOKYN	30
apraclonidine	76
aprepitant	63
apri	72
APTIOM	27
APTIVUS	9
ARALAST NP	53
aranelle (28)	72
ARCALYST	66
ARCAPTA NEOHALER	77
ARIKAYCE	14
aripiprazole	37
ARISTADA	37

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

ARISTADA INITIO	37	bekyree (28)	72	buprenorphine	33
armodafinil	37	BELEODAQ	19	buprenorphine hcl	32
ARRANON	19	benazepril	43	buprenorphine-naloxone	35
arsenic trioxide	19	benazepril-hydrochlorothiazide	43	bupropion hcl	37
ARSENIC TRIOXIDE	19			bupropion hcl (smoking deter)	
ARZERRA	19	BENDEKA	19		55
ASMANEX HFA	77	BENLYSTA	70	buspirone	37
ASMANEX TWISTHALER	77, 78	BENZNIDAZOLE	14	busulfan	20
aspirin-dipyridamole	46	benztropine	30	butorphanol tartrate	35
atazanavir	9	BESPONSA	19	BYDUREON	57
atenolol	43	betamethasone acet,sod phos	56	BYDUREON BCISE	57
atenolol-chlorthalidone	43	betamethasone dipropionate	52	BYETTA	57
atomoxetine	37	betamethasone valerate	52	C	
atorvastatin	47	betamethasone, augmented	52	cabergoline	61
atovaquone	14	BETASERON	66	CABLIVI	46
atovaquone-proguanil	14	betaxolol	43, 75	CABOMETYX	20
ATRIPLA	9	bethanechol chloride	80	caffeine citrate	53
atropine	63, 75	BETHKIS	14	calcipotriene	49
ATROVENT HFA	78	bexarotene	19	calcipotriene-betamethasone	49
aubra	72	BEXSERO	68	calcitonin (salmon)	61
aubra eq	72	bicalutamide	19	calcitriol	49, 61
AUGMENTIN	16	BICILLIN C-R	16	calcium acetate	81
AVASTIN	19	BICILLIN L-A	16	calcium chloride	81
aviane	72	BICNU	19	calcium gluconate	81
AVONEX	66	BIKTARVY	10	CALQUENCE	20
AVONEX (WITH ALBUMIN)	66	bimatoprost	76	camila	71
azacitidine	19	bisoprolol fumarate	43	camrese	72
azathioprine	19	bisoprolol-hydrochlorothiazide	43	candesartan	43
azathioprine sodium	19	bleomycin	19	candesartan-hydrochlorothiazid	
azelaic acid	50	BLEPHAMIDE	75		43
azelastine	55, 75	BLEPHAMIDE S.O.P.	75	CAPASTAT	14
azithromycin	13, 14	BLINCYTO	19	CAPRELSA	20
aztreonam	14	BOOSTRIX TDAP	68	captopril	43
azurette (28)	72	BORTEZOMIB	19	captopril-hydrochlorothiazide	
<b>B</b>		bosentan	78		43
bacitracin	14, 74	BOSULIF	19	CARBAGLU	53
bacitracin-polymyxin b	75	BOTOX	68	carbamazepine	27, 28
baclofen	32	BRAFTOVI	20	carbidopa	30
balanced salt	75	BRILINTA	46	carbidopa-levodopa	30
balsalazide	63	brimonidine	76	carbidopa-levodopa-	
BALVERSA	19	BRIVIACT	27	entacapone	30
BANZEL	27	bromfenac	76	carbocaine (pf)	49
BAQSIMI	57	bromocriptine	30	carboplatin	20
BARACLUDE	10	bss	75	cardioplegic soln	48
BAVENCIO	19	budesonide	63, 78	carmustine	20
BCG VACCINE, LIVE (PF)	68	bumetanide	43	carteolol	75
		buminate 5 %	80	cartia xt	43
				carvedilol	43

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

carvedilol phosphate.....	43	chlorothiazide .....	43	clofarabine .....	20
caspofungin .....	9	chlorothiazide sodium .....	43	clomiphene citrate .....	61
CAYSTON .....	14	chlorpromazine .....	37	clomipramine .....	37
caziant (28).....	72	chlorthalidone .....	43	clonazepam .....	28
cefaclor.....	12	CHOLBAM .....	63	clonidine .....	43
cefadroxil.....	12	cholestyramine (with sugar) .47		clonidine (pf) .....	36, 43
cefazolin .....	12	cholestyramine light .....	47	clonidine hcl .....	37, 43
cefazolin in dextrose (iso-os)12		cyclodan .....	51	clopidogrel .....	46
cefdinir .....	12	ciclopirox .....	51	clorazepate dipotassium.....	37
cefepime .....	13	cidofovir .....	10	clotrimazole .....	9, 51
cefepime in dextrose,iso-osm		cilostazol.....	46	clotrimazole-betamethasone .51	
.....12, 13		CIMDUO.....	10	clozapine.....	37
cefixime.....	13	cimetidine .....	65	COARTEM.....	15
cefotaxime .....	13	cimetidine hcl .....	65	COLCRYS.....	69
cefotetan .....	13	cinacalcet .....	61	colesevelam .....	47
cefoxitin.....	13	CINRYZE.....	78	colestipol.....	47
cefoxitin in dextrose, iso-osm		CINVANTI.....	63	colistin (colistimethate na) ...15	
.....13		CIPRODEX.....	56	cocolort .....	63
cefpodoxime .....	13	ciprofloxacin.....	17	COMBIVENT RESPIMAT..	78
cefprozil.....	13	ciprofloxacin hcl.....	17, 55, 75	COMETRIQ .....	20
ceftazidime .....	13	ciprofloxacin in 5 % dextrose		COMPLERA .....	10
ceftriaxone .....	13	.....17		compro .....	63
ceftriaxone in dextrose,iso-os		cisplatin .....	20	constulose .....	63
.....13		citalopram.....	37	COPIKTRA .....	20
cefuroxime axetil.....	13	cladribine .....	20	CORLANOR .....	48
cefuroxime sodium.....	13	claravis.....	51	CORTIFOAM.....	63
celecoxib.....	36	clarithromycin .....	14	cortisone .....	56
CELONTIN .....	28	clindamycin hcl .....	14	COSMEGEN .....	20
cephalexin.....	13	clindamycin in 5 % dextrose	14	COTELLIC .....	20
CEPROTIN (BLUE BAR) ...46		clindamycin palmitate hcl ....	14	CREON.....	63
CEPROTIN (GREEN BAR) 46		clindamycin pediatric .....	14	CRESEMBA.....	9
CERDELGA.....	61	clindamycin phosphate ..	14, 15,	CRIXIVAN.....	10
CEREZYME .....	61	.....51, 72		cromolyn.....	63, 75, 78
cetirizine .....	77	CLINIMIX 5%/D15W		crotan .....	53
cevimeline .....	53	SULFITE FREE .....	83	cryselle (28) .....	72
CHANTIX .....	55	CLINIMIX 5%/D25W		CRYSVITA .....	61
CHANTIX CONTINUING		SULFITE-FREE.....	83	CUPRIMINE .....	70
MONTH BOX.....	55	CLINIMIX 4.25%/D10W		cyclafem 1/35 (28).....	72
CHANTIX STARTING		SULF FREE .....	83	cyclafem 7/7/7 (28).....	72
MONTH BOX.....	55	CLINIMIX 4.25%/D5W		cyclobenzaprine .....	32
chateal (28).....	72	SULFIT FREE.....	53	cyclophosphamide .....	20
CHEMET .....	53	CLINIMIX 4.25%-D25W		CYCLOSET .....	57
CHENODAL.....	63	SULF-FREE .....	83	cyclosporine .....	20
chloramphenicol sod succinate		CLINIMIX 5% -		cyclosporine modified .....	20
.....14		D20W(SULFITE-FREE)..	83	CYRAMZA .....	20
chlorhexidine gluconate .....	55	clobazam.....	28	cyred .....	72
chlorprocaine (pf).....	49	clobetasol.....	52	cyred eq .....	72
chloroquine phosphate.....	14	clobetasol-emollient .....	52	CYSTADANE .....	63

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

CYSTAGON .....	80	desipramine .....	37	dicyclomine .....	63
CYSTARAN .....	75	desmopressin .....	61	didanosine .....	10
cysteine (l-cysteine).....	83	desog-e.estradiol/e.estradiol	.73	diflunisal .....	36
cytarabine .....	20	desogestrel-ethinyl estradiol	.73	digitek .....	48
cytarabine (pf) .....	20	desonide.....	52	digox .....	48
<b>D</b>		desvenlafaxine succinate .....	37	digoxin .....	48
d10 %-0.45 % sodium chloride .....	53	dexamethasone .....	56	dihydroergotamine .....	30, 31
d2.5 %-0.45 % sodium chloride .....	53	dexamethasone intensol.....	56	DILANTIN 30 MG.....	28
d5 % and 0.9 % sodium chloride .....	53	dexamethasone sodium phos	(pf) .....	diltiazem hcl .....	43
d5 %-0.45 % sodium chloride .....	53	dexame	thasone sodium	dilt-xr .....	43
dacarbazine.....	20	phosphate.....	56, 76	dimenhydrinate .....	63
dactinomycin .....	20	dexrazoxane hcl .....	18	DIPENTUM .....	63
dalfampridine .....	31	dextroamphetamine .....	37	diphenhydramine hcl .....	77
DALIRESP.....	78	dextroamphetamine-		diphenoxylate-atropine .....	63
danazol .....	61	amphetamine .....	37	dipyridamole .....	46
dantrolene .....	32	dextrose 10 % and 0.2 % nacl	.....	disulfiram.....	54
dapsone.....	15, 51	.....	54	divalproex .....	28
<b>DAPTACEL (DTAP PEDIATRIC) (PF)</b> .....	68	dextrose 10 % in water (d10w)	.....	dobutamine .....	48
daptomycin .....	15	.....	54	dobutamine in d5w .....	48
<b>DAPTO MYCIN</b> .....	15	dextrose 20 % in water (d20w)	.....	docetaxel.....	20
<b>DARAPRIM</b> .....	15	.....	54	DOCETAXEL .....	20
<b>DARZALEX</b> .....	20	dextrose 25 % in water (d25w)	.....	dofetilide .....	42
dasetta 1/35 (28).....	73	.....	54	donepezil.....	31
dasetta 7/7/7 (28).....	73	dextrose 30 % in water (d30w)	.....	dopamine .....	48
daunorubicin.....	20	.....	54	dopamine in 5 % dextrose .....	48
<b>DAURISMO</b> .....	20	dextrose 40 % in water (d40w)	.....	<b>DOPTELET (10 TAB PACK)</b>	.....
daysee .....	73	.....	54	.....	46
<b>DDAVP</b> .....	61	dextrose 5 % in water (d5w).....	54	<b>DOPTELET (15 TAB PACK)</b>	.....
deblitane .....	71	dextrose 5 %-lactated ringers	54	.....	46
decadron .....	56	dextrose 5%-0.2 % sod		<b>DOPTELET (30 TAB PACK)</b>	.....
decitabine .....	20	chloride .....	54	.....	46
deferasirox .....	53	dextrose 5%-0.3 %		dorzolamide .....	76
deferoxamine .....	53	sod.chloride .....	54	dorzolamide-timolol .....	76
<b>DELSTRIGO</b> .....	10	dextrose 50 % in water (d50w)	.....	dorzolamide-timolol (pf) .....	76
delyla (28) .....	73	.....	54	dotti.....	71
demeclocycline.....	17	dextrose 70 % in water (d70w)	.....	<b>DOVATO</b> .....	10
<b>DEM SER</b> .....	43	.....	54	doxazosin .....	43
<b>DENAVIR</b> .....	52	dextrose with sodium chloride	.....	doxepin .....	38, 49
denta 5000 plus.....	55	.....	54	doxercalciferol .....	61
dentagel .....	55	<b>DIAS TAT</b> .....	28	doxorubicin .....	21
<b>DEPEN TITRATABS</b> .....	70	<b>DIAS TAT ACUDIAL</b> .....	28	doxorubicin, peg-liposomal .....	21
<b>DEPO-PROVERA</b> .....	71	diazepam.....	28, 37, 38	doxy-100 .....	17
<b>DESCOVY</b> .....	10	diazepam intensol .....	37	doxycycline hyclate .....	18
		diclofenac potassium .....	36	doxycycline monohydrate .....	18
		diclofenac sodium.....	36, 49, 76	doxylamine-pyridoxine (vit b6)	
		diclofenac-misoprostol .....	36	.....	64
		dicloxacillin .....	16	dronabinol .....	64
				droperidol .....	64

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

drospirenone-e.estradiol-lm.fa	ENTRESTO.....	48
.....73	ENTYVIO.....	64
drospirenone-ethinyl estradiol	enulose.....	64
.....73	EPCLUSA.....	10
DROXIA.....21	EPIDIOLEX.....	28
DULERA.....78	epinastine.....	75
duloxetine.....38	epinephrine.....	77
DUPIXENT.....49	EPIPEN.....	77
duramorph (pf).....33	EPIPEN 2-PAK.....	77
dutasteride.....80	EPIPEN JR.....	77
dutasteride-tamsulosin.....80	EPIPEN JR 2-PAK.....	77
<b>E</b>	epirubicin.....	21
e.e.s. 400.....14	epitol.....	28
ec-naproxen.....36	EPIVIR HBV.....	10
econazole.....51	eplerenone.....	43
EDURANT.....10	epoprostenol (glycine).....	43
efavirenz.....10	eprosartan.....	43
effer-k.....81	ERBITUX.....	21
ELAPRASE.....61	ergoloid.....	38
electrolyte-48 in d5w.....83	ergotamine-caffeine.....	31
eletriptan.....31	ERIVEDGE.....	21
elinest.....73	ERLEADA.....	21
ELIQUIS.....46	erlotinib.....	21
ELITEK.....18	errin.....	71
ELMIRON.....80	ertapenem.....	15
EMCYT.....21	ERWINAZE.....	21
EMEND.....64	ery-tab.....	14
emoquette.....73	ERY-TAB.....	14
EMPLICITI.....21	ERYTHROCIN.....	14
EMSAM.....38	erythrocin (as stearate).....	14
EMTRIVA.....10	erythromycin.....	14, 75
EMVERM.....15	erythromycin ethylsuccinate.....	14
enalapril maleate.....43	erythromycin with ethanol....	51
enalaprilat.....43	ESBRIET.....	78
enalapril-hydrochlorothiazide	escitalopram oxalate.....	38
.....43	esmolol.....	44
ENBREL.....70	esomeprazole magnesium.....	65
ENBREL MINI.....70	esomeprazole sodium.....	65
ENBREL SURECLICK.....70	estarrylla.....	73
endocet.....33	estradiol.....	71
ENGERIX-B (PF).....68	estradiol valerate.....	72
ENGERIX-B PEDIATRIC	estradiol-norethindrone acet.	72
(PF).....68	eszopiclone.....	38
enoxaparin.....46	ethacrynat e sodium.....	44
enpresse.....73	ethacrylic acid.....	44
enskyce.....73	ethambutol.....	15
entacapone.....30	ethosuximide .....	28
entecavir.....10	ethynodiol diac-eth estradiol	73
	etidronate disodium .....	54
	etodolac.....	36
	ETOPOPHOS.....	21
	etoposide.....	21
	EVOTAZ.....	10
	exemestane.....	21
	EXJADE.....	54
	EYLEA.....	75
	ezetimibe.....	47
	ezetimibe-simvastatin .....	47
	<b>F</b>	
	FABRAZYME .....	61
	falmina (28) .....	73
	famciclovir.....	10
	famotidine.....	66
	famotidine (pf).....	65
	famotidine (pf)-nacl (iso-os)	65
	FANAPT.....	38
	FARESTON.....	21
	FARYDAK.....	21
	FASENRA.....	78
	FASLODEX.....	21
	fayosim .....	73
	FAZACLO.....	38
	febuxostat .....	69
	felbamate .....	28
	felodipine .....	44
	femynor.....	73
	fenofibrate.....	47
	fenofibrate micronized.....	47
	fenofibrate nanocrystallized	.47
	fenofibric acid.....	47
	fenofibric acid (choline) .....	47
	fenoprofen.....	36
	fentanyl .....	33
	fentanyl citrate .....	33
	fentanyl citrate (pf) .....	33
	FENTANYL CITRATE (PF)	
	.....	33
	FERRIPROX.....	54
	FETZIMA.....	38
	finasteride .....	80
	FIRAZYR.....	78
	FIRDAPSE .....	31
	FIRMAGON KIT W	
	DILUENT SYRINGE .....	21
	flavoxate .....	80
	flecainide .....	42

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

floxuridine .....	21
fluconazole .....	9
fluconazole in nacl (iso-osm) .....	9
flucytosine .....	9
fludarabine.....	21
fludrocortisone .....	56
flumazenil.....	38
flunisolide.....	78
fluocinolone.....	52
fluocinolone acetonide oil .....	55
fluocinolone and shower cap .....	52
fluocinonide.....	52
fluocinonide-e.....	52
fluocinonide-emollient .....	52
fluoride (sodium).....	55, 84
fluorometholone .....	76
fluorouracil .....	21, 50
fluoxetine.....	38
fluphenazine decanoate .....	38
fluphenazine hcl .....	38
flurbiprofen.....	36
flurbiprofen sodium.....	76
flutamide.....	21
fluticasone propionate .....	78
fluvastatin.....	47
fluvoxamine.....	38
FOLOTYN .....	21
fomepizole .....	68
fondaparinux.....	46
FORTEO .....	70
fosamprenavir.....	10
fosaprepitant .....	64
flosinopril .....	44
flosinopril-hydrochlorothiazide .....	44
fosphenytoin .....	28
freamine iii 10 % .....	83
FREESTYLE FREEDOM .....	57
FREESTYLE FREEDOM LITE .....	57
FREESTYLE INSULINX .....	57
FREESTYLE INSULINX TEST STRIPS .....	57
FREESTYLE LITE METER .....	57
FREESTYLE LITE STRIPS .....	57
FREESTYLE PRECISION NEO STRIPS.....	57
FREESTYLE TEST .....	57
FULPHILA.....	66
fulvestrant.....	21
furosemide .....	44
FUZEON .....	10
FYCOMPA.....	28
<b>G</b>	
gabapentin .....	28
galantamine .....	31
GAMASTAN .....	68
GAMASTAN S/D .....	68
ganciclovir sodium .....	10
GARDASIL 9 (PF).....	68
gatifloxacin.....	75
GATTEX 30-VIAL .....	64
GATTEX ONE-VIAL .....	64
GAUZE PAD .....	57
gavilyte-c .....	64
gavilyte-g .....	64
gavilyte-n .....	64
GAZYVA .....	21
gemcitabine .....	21, 22
GEMCITABINE .....	21
gemfibrozil .....	47
generlac .....	64
gengraf .....	22
gentak .....	75
gentamicin .....	15, 51, 75
gentamicin in nacl (iso-osm) .....	15
gentamicin sulfate (ped) (pf) .....	15
GENVOYA .....	10
GEODON .....	39
gianvi (28) .....	73
GILENYA .....	31
GIOTRIF.....	22
glatiramer.....	31
glatopa .....	31
GLEOSTINE .....	22
glimepiride.....	57
glipizide .....	57
glipizide-metformin.....	57
GLUCAGEN HYPOKIT .....	57
GLUCAGON EMERGENCY KIT (HUMAN).....	58
glycine urologic .....	80
glycine urologic solution .....	80
glycopyrrolate .....	63
glycopyrrolate (pf) in water .....	63
glydo .....	50
granisetron (pf) .....	64
granisetron hcl .....	64
GRANIX.....	66
griseofulvin microsize .....	9
griseofulvin ultramicrosize .....	9
guanidine .....	39
<b>H</b>	
HAEGARDA.....	78
HALAVEN .....	22
halobetasol propionate .....	52
haloperidol .....	39
haloperidol decanoate .....	39
haloperidol lactate .....	39
HARVONI.....	10
HAVRIX (PF) .....	68
heather .....	72
heparin (porcine) .....	46
heparin (porcine) in 5 % dex .....	46
heparin (porcine) in nacl (pf) .....	46
heparin(porcine) in 0.45% nacl .....	47
<b>HEPARIN(PORCINE) IN</b>	
0.45% NACL.....	46
heparin, porcine (pf) .....	47
<b>HEPARIN, PORCINE (PF)</b> .....	47
HEPATAMINE 8% .....	83
HERCEPTIN .....	22
HERCEPTIN HYLECTA .....	22
HETLIOZ .....	39
HIBERIX (PF) .....	68
HIZENTRA .....	68
<b>HUMALOG JUNIOR</b>	
<b>KWIKPEN U-100</b> .....	58
<b>HUMALOG KWIKPEN</b>	
<b>INSULIN</b> .....	58
<b>HUMALOG MIX 50-50</b>	
<b>INSULN U-100</b> .....	58
<b>HUMALOG MIX 50-50</b>	
<b>KWIKPEN</b> .....	58
<b>HUMALOG MIX 75-25</b>	
<b>KWIKPEN</b> .....	58
<b>HUMALOG MIX 75-25(U-</b>	
<b>100)INSULN</b> .....	58
<b>HUMALOG U-100 INSULIN</b> .....	58
<b>HUMIRA</b> .....	70
<b>HUMIRA PEDIATRIC</b>	
<b>CROHNS START</b> .....	70

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

HUMIRA PEN .....	70	IBRANCE .....	22
HUMIRA PEN CROHNS-UC- HS START .....	70	ibu.....	36
HUMIRA PEN PSOR- UVEITS-ADOL HS .....	70	ibuprofen .....	36
HUMIRA(CF) .....	71	ibuprofen-oxycodone.....	34
HUMIRA(CF) PEDI CROHNS STARTER.....	71	ibutilide fumarate .....	42
HUMIRA(CF) PEN.....	71	icatibant .....	78
HUMIRA(CF) PEN CROHNS-UC-HS .....	71	ICLUSIG .....	22
HUMIRA(CF) PEN PSOR- UV-ADOL HS.....	71	idarubicin.....	22
HUMULIN 70/30 U-100 INSULIN .....	58	IDHIFA .....	22
HUMULIN 70/30 U-100 KWIKPEN .....	58	ifosfamide .....	22
HUMULIN N NPH INSULIN KWIKPEN .....	58	ILARIS (PF) .....	66
HUMULIN N NPH U-100 INSULIN .....	58	imatinib.....	22
HUMULIN R REGULAR U- 100 INSULN .....	58	IMBRUVICA .....	22
HUMULIN R U-500 (CONC) INSULIN.....	58	IMFINZI.....	22
HUMULIN R U-500 (CONC) KWIKPEN .....	58	imipenem-cilastatin .....	15
hydralazine .....	44	imipramine hcl.....	39
hydrochlorothiazide.....	44	imipramine pamoate .....	39
hydrocodone-acetaminophen	33	imiquimod .....	50
hydrocodone-ibuprofen .....	33	IMOVAX RABIES VACCINE (PF) .....	68
hydrocortisone....	52, 53, 56, 64	IMPAVIDO .....	15
hydrocortisone butyrate.....	52	incassia .....	72
hydrocortisone-acetic acid....	55	INCRELEX .....	54
hydrocortisone-pramoxine ...	64	INCRUSE ELLIPTA.....	78
hydromorphone .....	33, 34	indapamide .....	44
hydromorphone (pf) .....	33	INFANRIX (DTAP) (PF)....	68
hydroxychloroquine .....	15	INFUGEM.....	22
hydroxyprogesterone caproate .....	72	INLYTA .....	22
hydroxyurea.....	22	INREBIC .....	22
hydroxyzine hcl.....	77	INSULIN PEN NEEDLE....	58
HYPERHEP B S/D .....	68	INSULIN SYRINGE (DISP) U-100.....	58
HYPERHEP B S-D NEONATAL .....	68	INTELENCE .....	10
HYQVIA .....	68	intralipid .....	83
I		INTRON A .....	66, 67
ibandronate .....	70	introvale.....	73
		INVANZ.....	15
		INVEGA SUSTENNA.....	39
		INVEGA TRINZA .....	39
		INVIRASE .....	10
		INVOKAMET .....	58
		INVOKAMET XR .....	58
		INVOKANA .....	58
		IONOSOL-MB IN D5W .....	83
		IPOL .....	68
		ipratropium bromide.....	55, 78
		ipratropium-albuterol.....	78
		irbesartan .....	44
		irbesartan-hydrochlorothiazide .....	44
		IRESSA .....	22
		irinotecan .....	22, 23
		ISENTRESS .....	10
		ISENTRESS HD .....	10
		isibloom .....	73
		ISOLYTE S PH 7.4 .....	83
		ISOLYTE-P IN 5 % DEXTROSE .....	83
		ISOLYTE-S .....	83
		isoniazid.....	15
		isosorbide dinitrate .....	49
		isosorbide mononitrate .....	49
		isotretinoin .....	51
		isradipine .....	44
		ISTODAX.....	23
		itraconazole.....	9
		ivermectin .....	15, 51
		IXEMPRA .....	23
		IXIARO (PF) .....	68
		J	
		JAKAFI .....	23
		jantoven .....	47
		JANUMET .....	58
		JANUMET XR .....	58
		JANUVIA .....	58
		JARDIANCE .....	59
		jasmiel (28).....	73
		jencycla .....	72
		JENTADUETO .....	59
		JENTADUETO XR .....	59
		JETREA (PF).....	75
		JEVTANA .....	23
		jolessa .....	73
		juleber .....	73
		JULUCA .....	10
		JUXTAPIID .....	47
		K	
		KADCYLA.....	23
		KALETRA .....	10
		kalliga .....	73
		KALYDECO .....	78
		KANJINTI .....	23
		KANUMA .....	61
		kariva (28) .....	73
		kelnor 1/35 (28) .....	73
		kelnor 1-50.....	73

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

KEPIVANCE .....	18	latanoprost .....	76	LIORESAL.....	32
ketoconazole.....	9, 51	LATUDA.....	39	liothyronine.....	63
ketoprofen.....	36	leflunomide.....	71	lisinopril.....	44
ketorolac .....	76	LEMTRADA.....	31	lisinopril-hydrochlorothiazide .....	44
KEYTRUDA.....	23	LENVIMA.....	23	lithium carbonate .....	39
KHAPZORY .....	18	LETAIRIS .....	78	lithium citrate.....	39
KHEDEZLA.....	39	letrozole .....	23	LOKELMA.....	54
KINRIX (PF).....	68	leucovorin calcium .....	18	LONSURF.....	23
kionex (with sorbitol) .....	54	LEUKERAN .....	23	loperamide .....	63
KISQALI.....	23	LEUKINE.....	67	lopinavir-ritonavir.....	11
KISQALI FEMARA CO- PACK .....	23	leuprolide.....	23	lorazepam .....	39
klor-con .....	81	levalbuterol hcl .....	78	lorazepam intensol.....	39
klor-con 10 .....	81	levetiracetam .....	29	LORBRENA.....	23
klor-con 8 .....	81	levetiracetam in nacl (iso-os) .....	29	loracet (hydrocodone) .....	34
klor-con m10 .....	81	levobunolol .....	75	loracet hd .....	34
klor-con m15 .....	81	levocarnitine .....	54	loracet plus .....	34
klor-con m20 .....	81	levocarnitine (with sugar).....	54	loryna (28) .....	73
klor-con sprinkle .....	81	levocetirizine .....	77	losartan .....	44
klor-con/ef .....	81	levofloxacin .....	17, 75	losartan-hydrochlorothiazide .....	44
KORLYM.....	61	levofloxacin in d5w .....	17	loteprednol etabonate.....	76
K-PHOS NO 2.....	80	levoleucovorin calcium .....	18	lovastatin.....	47
K-PHOS ORIGINAL .....	80	levonest (28) .....	73	low-ogestrel (28) .....	73
KRYSTEXXA.....	69	levonorgestrel-ethinyl estrad .....	73	loxapine succinate .....	39
k-tab.....	81	levonorg-eth estrad triphasic .....	73	lo-zumandimine (28) .....	73
kurvelo (28) .....	73	levora-28.....	73	LUCENTIS .....	75
KUVAN .....	61	levorphanol tartrate.....	34	LUMIZYME.....	61
KYPROLIS .....	23	levothyroxine.....	63	LUMOXITI .....	23
<b>L</b>		levoxyl .....	63	LUPRON DEPOT .....	23
1 norgest/e.estriadiol-e.estrad.	73	LEXIVA .....	11	LUPRON DEPOT (3 MONTH) .....	23
labetalol .....	44	LIBTAYO .....	23	LUPRON DEPOT (4 MONTH) .....	23
lactated ringers .....	53, 81	lidocaine .....	50	LUPRON DEPOT (6 MONTH) .....	23
lactulose.....	64	lidocaine (pf) in d7.5w .....	42	LUPRON DEPOT-PED .....	23
lamivudine .....	10	lidocaine (pf) .....	42, 50	LUPRON DEPOT-PED (3 MONTH) .....	23
lamivudine-zidovudine .....	11	lidocaine hcl .....	50	lidocaine viscous .....	50
lamotrigine .....	28, 29	lidocaine in 5 % dextrose (pf)	42	lidocaine-epinephrine .....	50
LANOXIN.....	48	.....	42	lidocaine-prilocaine .....	50
lansoprazole.....	66	lillow (28) .....	73	LYNPARZA .....	23
lanthanum .....	54	lincomycin .....	15	LYRICA .....	29
LANTUS SOLOSTAR U-100 INSULIN .....	59	lindane .....	53	LYSODREN .....	23
LANTUS U-100 INSULIN .....	59	linezolid .....	15	lyza .....	72
larin 1.5/30 (21).....	73	linezolid in dextrose 5% .....	15	<b>M</b>	
larin 1/20 (21).....	73	linezolid-0.9% sodium chloride .....	15	mafenide acetate .....	51
larin 24 fe .....	73	.....	15	magnesium chloride.....	81
larin fe 1.5/30 (28).....	73	LINZESS .....	64	magnesium sulfate .....	81
larin fe 1/20 (28).....	73				
larissia.....	73				

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

MAGNESIUM SULFATE IN D5W .....	81		M-M-R II (PF) .....	69
magnesium sulfate in water..	81		modafinil.....	40
malathion .....	53		moexipril.....	44
mannitol 20 % .....	44		molindone .....	40
mannitol 25 % .....	44		mometasone .....	53, 78
maprotiline .....	39		mondoxyne nl .....	18
marlissa (28).....	73		mono-linyah.....	73
MARPLAN .....	39		montelukast.....	78
MARQIBO .....	23		morgidox.....	18
MATULANE .....	23		morphine .....	34, 35
matzim la .....	44		morphine (pf).....	34
meclizine .....	64		morphine concentrate .....	34
meclofenamate .....	36		MOVANTIK .....	64
medroxyprogesterone .....	72		moxifloxacin.....	17, 75
mefenamic acid .....	36		moxifloxacin-sod.chloride(iso)	
mefloquine.....	15		.....	17
megestrol .....	23		MOZOBIL .....	67
MEKINIST .....	23		MULPLETA .....	47
MEKTOVI .....	23		mupirocin.....	51
meloxicam .....	36		mupirocin calcium .....	51
melphalan .....	23		MVASI .....	24
melphalan hcl .....	23		MYALEPT .....	61
memantine .....	31		MYCAMINE .....	9
MENACTRA (PF) .....	68		mycophenolate mofetil .....	24
MENEST .....	72		mycophenolate mofetil hcl .....	24
MENVEO A-C-Y-W-135-DIP (PF).....	68		mycophenolate sodium .....	24
MEPSEVII .....	61		MYLOTARG .....	24
mercaptopurine.....	23		myorisan .....	51
meropenem .....	15		MYRBETRIQ.....	80
mesalamine .....	64		N	
mesalamine with cleansing wipe .....	64		nabumetone.....	36
mesna.....	18		nadolol .....	44
MESNEX .....	18		nadolol-bendroflumethiazide	44
MESTINON .....	32		nafcillin.....	17
metadate er .....	39		nafcillin in dextrose iso-osm	16,
metaproterenol.....	78		17	
metformin .....	59		naftifine.....	52
methadone .....	34		NAGLAZYME.....	61
methadone intensol.....	34		nalbuphine .....	36
methadose.....	34		naloxone .....	36
methazolamide .....	76		naltrexone .....	36
methenamine hippurate .....	18		NAMZARIC .....	31
methenamine mandelate.....	18		naproxen .....	36
methergine .....	74		naproxen sodium .....	36
methimazole .....	57		naratriptan .....	31

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

NATPARA .....	61
NEBUPENT .....	15
NEEDLES, INSULIN	
DISP.,SAFETY .....	59
nefazodone .....	40
neomycin .....	15
neomycin-bacitracin-poly-hc	76
neomycin-bacitracin-	
polymyxin.....	75
neomycin-polymyxin b gu ...	53
neomycin-polymyxin b-	
dexameth .....	76
neomycin-polymyxin-	
gramicidin.....	75
neomycin-polymyxin-hc	56, 76
neo-polycin.....	75
neo-polycin hc .....	76
neostigmine methylsulfate....	32
NEPHRAMINE 5.4 % .....	84
NERLYNX.....	24
NEULASTA.....	67
NEUPOGEN .....	67
NEUPRO.....	30
nevirapine .....	11
NEXAVAR .....	24
NEXPLANON .....	72
niacin .....	47
nicardipine .....	44
NICOTROL.....	55
NICOTROL NS.....	55
nifedipine.....	44
nikki (28).....	74
nilutamide .....	24
nimodipine.....	44
NINLARO .....	24
nisoldipine .....	44
nitisinone .....	54
nitro-bid.....	49
nitrofurantoin.....	18
nitrofurantoin macrocrystal ..	18
nitrofurantoin monohyd/m-	
cryst .....	18
nitroglycerin .....	49
nitroglycerin in 5 % dextrose	49
nizatidine .....	66
nolix.....	53
nora-be.....	72
norepinephrine bitartrate .....	49
norethindrone (contraceptive)	
.....	72
norethindrone acetate .....	72
norethindrone ac-eth estradiol	
.....	72, 74
norethindrone-e.estriadiol-iron	
.....	74
norgestimate-ethynodiol estradiol	
.....	74
norlyda.....	72
norlyroc .....	72
NORMOSOL-R.....	81
NORMOSOL-R IN 5 %	
DEXTROSE .....	81
NORMOSOL-R PH 7.4 .....	84
NORTHERA .....	54
nortrel 0.5/35 (28).....	74
nortrel 1/35 (21).....	74
nortrel 1/35 (28).....	74
nortrel 7/7/7 (28) .....	74
nortriptyline .....	40
NORVIR.....	11
NOVOFINE 32.....	59
NOXAFILE.....	9
NPLATE.....	47
NUBEQA .....	24
NUDEEXTA .....	31
NULOJIX .....	24
NUPLAZID .....	40
nyamyc .....	52
nystatin .....	9, 52
nystatin-triamcinolone.....	52
nystop .....	52
<b>O</b>	
OCALIVA .....	64
OCREVUS .....	31
octreotide acetate .....	24
ODEFSEY .....	11
ODOMZO .....	24
OFEV .....	78
ofloxacin.....	17, 55, 75
ogestrel (28).....	74
okebo .....	18
olanzapine.....	40
olanzapine-fluoxetine .....	40
olmesartan .....	45
olmesartanamlodipin-	
hcثiazid .....	45
olmesartan-	
hydrochlorothiazide .....	45
olopatadine .....	55, 76
omeprazole .....	66
OMNIPOD DASH INSULIN	
POD .....	59
OMNIPOD INSULIN	
MANAGEMENT .....	59
OMNIPOD INSULIN REFILL	
.....	59
OMNITROPE.....	67
ONCASPAR.....	24
ondansetron.....	64
ondansetron hcl.....	64
ondansetron hcl (pf).....	64
ONETOUCH ULTRA BLUE	
TEST STRIP.....	59
ONETOUCH ULTRA2	
METER.....	59
ONETOUCH ULTRAMINI	59
ONETOUCH VERIO .....	59
ONETOUCH VERIO IQ	
METER.....	59
ONETOUCH VERIO	
SYSTEM .....	59
ONFI.....	29
ONIVYDE .....	24
OPDIVO .....	24
opium tincture.....	63
OPSUMIT .....	78
oralone .....	55
ORENCIA .....	71
ORENCIA (WITH	
MALTOSE).....	71
ORENCIA CLICKJECT .....	71
ORFADIN .....	54
ORKAMBI .....	78, 79
orsythia .....	74
oseltamivir .....	11
osmitrol 15 % .....	45
osmitrol 20 % .....	45
OTEZLA.....	71
OTEZLA STARTER.....	71
oxacillin .....	17
oxacillin in dextrose(iso-osm)	
.....	17
oxaliplatin .....	24
oxandrolone .....	61

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

oxaprozin .....	36
oxcarbazepine .....	29
OXERVATE .....	76
oxiconazole .....	52
oxybutynin chloride .....	80
oxycodone .....	35
oxycodone-acetaminophen .....	35
oxycodone-aspirin .....	35
oxymorphone .....	35
oxytocin .....	74
OZEMPIC .....	59
OZURDEX .....	76
<b>P</b>	
pacerone .....	42
paclitaxel .....	24
paliperidone .....	40
palonosetron .....	64
PALYNZIQ .....	61, 62
pamidronate .....	62
PANRETIN .....	50
pantoprazole .....	66
paregoric .....	63
paricalcitol .....	62
paroex oral rinse .....	55
paromomycin .....	15
paroxetine hcl .....	40
paroxetine mesylate(menop.sym) .....	40
PASER .....	15
PAXIL .....	40
PEDIARIX (PF) .....	69
PEDVAX HIB (PF) .....	69
peg 3350-electrolytes .....	65
PEGANONE .....	29
PEGASYS .....	67
PEGASYS PROCLICK .....	67
peg-electrolyte .....	65
PEGINTRON .....	67
penicillamine .....	71
penicillin g potassium .....	17
penicillin g procaine .....	17
penicillin g sodium .....	17
penicillin v potassium .....	17
PENTACEL (PF) .....	69
PENTAM .....	15
pentamidine .....	15
PENTASA .....	65
pentoxifylline .....	47
PERFOROMIST .....	79
perindopril erbumine .....	45
periogard .....	55
PERJETA .....	24
permethrin .....	53
perphenazine .....	40
PERSERIS .....	40
pfizerpen-g .....	17
phenelzine .....	40
phenobarbital .....	29
phenobarbital sodium .....	29
phenoxybenzamine .....	45
phentolamine .....	45
phenytoin .....	29
phenytoin sodium .....	29
phenytoin sodium extended .....	29
philith .....	74
PHOSPHOLINE IODIDE .....	76
PIFELTRO .....	11
pilocarpine hcl .....	54, 76
pimecrolimus .....	50
pimozide .....	40
pimtrea (28) .....	74
pindolol .....	45
pioglitazone .....	59
pioglitazone-glimepiride .....	59
pioglitazone-metformin .....	60
piperacillin-tazobactam .....	17
PIQRAY .....	24
pirmella .....	74
piroxicam .....	36
plasbumin 25 % .....	81
plasbumin 5 % .....	81
PLASMA-LYTE 148 .....	84
PLASMA-LYTE A .....	84
plasmanate .....	84
PLEGRIDY .....	67
plenamine .....	84
podofilox .....	50
POLIVY .....	24
polocaine .....	50
polocaine-mpf .....	50
polycin .....	75
polyethylene glycol 3350 .....	65
polymyxin b sulfate .....	15
polymyxin b sulf-trimethoprim .....	75
POMALYST .....	25
portia 28 .....	74
PORTRAZZA .....	25
posaconazole .....	9
potassium acetate .....	81
potassium chlorid-d5- 0.45%nacl .....	81
potassium chloride .....	82
potassium chloride in 0.9%nacl .....	81
potassium chloride in 5 % dex .....	82
potassium chloride in lr-d5 .....	82
potassium chloride in water .....	82
potassium chloride-0.45 % nacl .....	82
potassium chloride-d5- 0.2%nacl .....	82
potassium chloride-d5- 0.3%nacl .....	82
potassium chloride-d5- 0.9%nacl .....	82
potassium citrate .....	80
potassium phosphate m-/d- basic .....	82
POTELIGEO .....	25
PRADAXA .....	47
PRALUENT PEN .....	48
pramipexole .....	30
prasugrel .....	47
pravastatin .....	48
praziquantel .....	15
prazosin .....	45
PRECISION PCX PLUS TEST .....	60
PRECISION PCX TEST .....	60
PRECISION POINT OF CARE TEST .....	60
PRECISION Q-I-D TEST .....	60
PRECISION XTRA MONITOR .....	60
prednicarbate .....	53
prednisolone .....	56
prednisolone acetate .....	76
prednisolone sodium phosphate .....	56, 76
prednisone .....	56
prednisone intensol .....	56
pregabalin .....	29, 30

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

premasol 10 % .....	84
PREMASOL 6 % .....	84
prenatal vitamin oral tablet...	84
prevalite .....	48
previfem .....	74
PREVYMIS.....	11
PREZCOBIX.....	11
PREZISTA .....	11
PRIFTIN.....	15
PRIMAQUINE.....	15
primidone .....	30
PRIVIGEN .....	69
PROAIR HFA .....	79
PROAIR RESPICLICK .....	79
probenecid .....	69
probenecid-colchicine .....	69
procainamide .....	42
procentra.....	40
prochlorperazine.....	65
prochlorperazine edisylate....	65
prochlorperazine maleate oral .....	65
PROCRT .....	67
procto-med hc.....	65
procto-pak.....	65
proctosol hc .....	65
protozone-hc .....	65
progesterone .....	72
progesterone micronized .....	72
PROGLYCEM .....	60
PROGRAF .....	25
PROLASTIN-C.....	54
PROLEUKIN .....	67
PROLIA .....	70
PROMACTA.....	47
promethazine .....	77
propafenone .....	42
propranolol .....	45
propranolol-hydrochlorothiazid .....	45
propylthiouracil .....	57
PROQUAD (PF) .....	69
protamine.....	47
protriptyline .....	40
prudoxin .....	50
PULMOZYME.....	79
PURIXAN .....	25
pyrazinamide .....	15
pyridostigmine bromide .....	32
<b>Q</b>	
QUADRACEL (PF) .....	69
quetiapine .....	40
quinapril.....	45
quinapril-hydrochlorothiazide .....	45
quinidine gluconate .....	42
quinidine sulfate .....	42
quinine sulfate .....	15
QVAR REDIHALER .....	79
<b>R</b>	
RABAVERT (PF) .....	69
RADICAVA.....	32
RAGWITEK.....	69
raloxifene.....	70
ramelteon .....	40
ramipril .....	45
RANEXA .....	49
ranitidine hcl.....	66
ranolazine .....	49
RAPAMUNE.....	25
rasagiline .....	30
RAVICTI.....	54
REBIF (WITH ALBUMIN).67	
REBIF REBIDOSE .....	67
REBIF TITRATION PACK.67	
reclipsen (28).....	74
RECOMBIVAX HB (PF) .....	69
RECTIV.....	65
regonol.....	32
REGRANEX .....	50
RELENZA DISKHALER ...	11
RELISTOR .....	65
REMICADE .....	65
REMODULIN .....	45
RENACIDIN .....	80
repaglinide .....	60
repaglinide-metformin.....	60
REPATHA.....	48
REPATHA PUSHTRONEX	48
REPATHA SURECLICK .....	48
SCRIPTOR .....	11
RETACRIT .....	67, 68
RETROVIR .....	11
REVCORI .....	54
REVCLIMID .....	25
revonto.....	32
<b>REXULTI .....</b>	<b>40</b>
REYATAZ .....	11
ribasphere .....	11
ribasphere ribapak .....	11
ribavirin .....	11
RIDAURA .....	71
rifabutin .....	15
rifampin .....	15
riluzole.....	54
rimantadine .....	11
ringer's .....	53, 82
RINVOQ ER .....	71
RIOMET .....	60
risedronate .....	54, 70
RISPERDAL CONSTA .....	41
risperidone .....	41
ritonavir .....	11
RITUXAN .....	25
RITUXAN HYCELA .....	25
rivastigmine .....	32
rivastigmine tartrate .....	32
rizatriptan.....	31
ROMIDEPSIN.....	25
ropinirole .....	30
rosadan.....	51
rosuvastatin .....	48
ROTARIX .....	69
ROTATEQ VACCINE.....	69
roweepra .....	30
roweepra xr .....	30
ROZEREM .....	41
ROZLYTREK .....	25
RUBRACA .....	25
RYDAPT .....	25
<b>S</b>	
SABRIL .....	30
salsalate.....	36
SAMSCA .....	62
SANDIMMUNE.....	25
SANDOSTATIN LAR DEPOT .....	25
SANTYL .....	50
SAPHRIS .....	41
scopolamine base.....	65
selegiline hcl .....	30
selenium sulfide.....	49
SELZENTRY .....	11
SENSIPAR .....	62

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

SEREVENT DISKUS .....	79
sertraline .....	41
setlakin .....	74
sevelamer carbonate .....	54
sevelamer hcl.....	54
sf 55	
sf 5000 plus .....	55
sharobel .....	72
SHINGRIX (PF).....	69
SIGNIFOR .....	25
SIKLOS .....	25
sildenafil (pulmonary arterial hypertension).....	79
silodosin .....	80
silver sulfadiazine.....	50
SIMULECT .....	25
simvastatin.....	48
sirolimus.....	25
SIRTURO.....	15
SKYRIZI .....	49
sodium acetate .....	82
sodium benzoate-sod phenylacet.....	54
sodium bicarbonate .....	82, 83
sodium chloride .....	54, 83
sodium chloride 0.45 %.....	83
sodium chloride 0.9 %.....	54
sodium chloride 3 %.....	83
sodium chloride 5 %.....	83
sodium fluoride 5000 plus....	55
sodium lactate intravenous ...	83
sodium nitroprusside .....	49
sodium phenylbutyrate .....	54
sodium phosphate.....	83
sodium polystyrene sulfonate .....	55
solifenacin .....	80
SOLIRIS.....	55
SOLTAMOX.....	25
SOMATULINE DEPOT .....	25
SOMAVERT .....	62
sorine .....	42
sotalol .....	42
sotalol af .....	42
SOTYLIZE .....	42
SPIRIVA RESPIMAT .....	79
SPIRIVA WITH HANDIHALER.....	79
spironolactone .....	45
spironolacton-hydrochlorothiaz .....	45
SPORANOX .....	9
sprintec (28).....	74
SPRITAM.....	30
SPRYCEL .....	25
sps (with sorbitol).....	55
sronyx .....	74
ssd.....	50
STAMARIL (PF) .....	69
stavudine.....	11
STIMATE.....	62
STIOLTO RESPIMAT .....	79
STIVARGA.....	25
STRENSIQ.....	62
STREPTOMYCIN .....	16
STRIBILD .....	11
STRIVERDI RESPIMAT .....	79
SUBOXONE .....	36
subvenite.....	30
subvenite starter (blue) kit....	30
subvenite starter (green) kit..	30
subvenite starter (orange) kit	30
SUCRAID .....	65
sucralfate .....	66
sulfacetamide sodium .....	76
sulfacetamide sodium (acne)	51
sulfacetamide-prednisolone..	76
sulfadiazine.....	17
sulfamethoxazole-trimethoprim .....	17
SULFAMYLYON.....	51
sulfasalazine .....	65
sulfatrim.....	17
sulindac.....	36
sumatriptan .....	31
sumatriptan succinate .....	31
sumatriptan-naproxen.....	31
SUPRAX .....	13
SUTENT .....	25
syeda.....	74
SYLATRON.....	68
SYLVANT .....	25
SYMBICORT .....	79
SYMDEKO .....	79
SYMFI.....	11
SYMFI LO .....	11
SYMJEPI .....	77
SYMLINPEN 120 .....	60
SYMLINPEN 60 .....	60
SYMPAZAN .....	30
SYMTUZA .....	11
SYNAGIS .....	11
SYNAREL.....	62
SYNERCID .....	16
SYNJARDY .....	60
SYNJARDY XR.....	60
SYNRIBO.....	25
T	
TABLOID.....	25
tacrolimus .....	25, 50
tadalafil .....	80
tadalafil (pulmonary arterial hypertension) oral tablet 20 mg .....	79
TAFINLAR .....	26
TAGRISSO.....	26
TALZENNA .....	26
tamoxifen.....	26
tamsulosin.....	80
TARCEVA .....	26
TARGETIN .....	26
tarina 24 fe .....	74
tarina fe 1/20 (28) .....	74
tarina fe 1-20 eq (28) .....	74
TASIGNA.....	26
tazarotene .....	51
tazicef .....	13
TAZORAC .....	51
taztia xt .....	45
TDVAX .....	69
TECENTRIQ .....	26
TECFIDERA .....	32
TECHLITE INSULIN SYR HALF UNIT .....	60
TECHLITE INSULIN SYRINGE .....	60
TEFLARO .....	13
TEKTURNA.....	45
TEKTURNA HCT .....	45
telmisartan .....	45
telmisartan-amlodipine .....	45
telmisartan-hydrochlorothiazid .....	45
TEMIXYS .....	11

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

TEMODAR .....	26
temsirolimus .....	26
TENIVAC (PF) .....	69
tenofovir disoproxil fumarate .....	11
terazosin .....	45
terbinafine hcl.....	9
terbutaline.....	79
terconazole .....	72
testosterone.....	62
testosterone cypionate .....	62
testosterone enanthate .....	62
TETANUS,DIPHTHERIA TOX PED(PF) .....	69
tetrabenazine.....	32
tetracycline .....	18
THALOMID.....	26
THEO-24.....	79
theophylline .....	79
theophylline in dextrose 5 %	79
THIOLA .....	55
THIOLA EC .....	55
thioridazine .....	41
thiotepa .....	26
thiothixene .....	41
tiagabine .....	30
TIBSOVO.....	26
TICE BCG.....	69
tigecycline .....	16
tilia fe.....	74
timolol maleate.....	45, 75
tinidazole .....	16
TIVICAY .....	12
tizanidine .....	32
tobramycin.....	75
tobramycin in 0.225 % nacl .	16
tobramycin sulfate .....	16
tobramycin-dexamethasone..	76
tolazamide .....	60
tolbutamide.....	60
tolcapone .....	30
tolmetin.....	37
tolterodine.....	80
topiramate.....	30
toposar .....	26
topotecan .....	26
toremifene.....	26
TORISEL .....	26
torsemide .....	45
TOUJEON MAX U-300 SOLOSTAR .....	60
TOUJEON SOLOSTAR U-300 INSULIN .....	60
TRACLEER .....	79
TRADJENTA .....	60
tramadol.....	37
tramadol-acetaminophen .....	37
trandolapril .....	45
trandolapril-verapamil .....	45
tranexamic acid.....	72
TRANSDERM-SCOP .....	65
tranylcypromine.....	41
travasol 10 % .....	84
trazodone .....	41
TREANDA .....	26
TRECATOR.....	16
TRELSTAR.....	26
treprostinil sodium.....	45
tretinoin (chemotherapy) .....	26
tretinoin topical.....	51
tri femynor .....	74
triamcinolone acetonide 53, 55,	56
triamterene .....	45
triamterene-hydrochlorothiazid .....	45
trianex .....	53
triderm .....	53
trientine.....	55
tri-estarrylla.....	74
trifluoperazine .....	41
trifluridine.....	75
tri-legest fe.....	74
tri-linyah .....	74
tri-lo-estarrylla .....	74
tri-lo-marzia.....	74
tri-lo-sprintec .....	74
trilyte with flavor packets....	65
trimethoprim.....	18
trimipramine .....	41
TRINTELLIX .....	41
tri-previfem (28) .....	74
TRISENOX .....	26
tri-sprintec (28).....	74
TRIUMEQ.....	12
trivora (28).....	74
TROGARZO .....	12
TROPHAMINE 10 % .....	84
TROPHAMINE 6% .....	84
trospium .....	80
TRULICITY .....	60
TRUMENBA.....	69
TRUVADA.....	12
tulana .....	72
TWINRIX (PF).....	69
TYKERB .....	26
TYMLOS .....	70
TYPHIM VI.....	69
TYSABRI .....	32
TYVASO .....	79
TYVASO INSTITUTIONAL START KIT .....	80
TYVASO REFILL KIT.....	80
TYVASO STARTER KIT .....	80
<b>U</b>	
ULORIC .....	69
unithroid .....	63
UNITUXIN.....	26
UPTRAVI.....	45
ursodiol .....	65
UVADEX .....	50
<b>V</b>	
valacyclovir .....	12
VALCHLOR .....	50
valganciclovir .....	12
valproate sodium .....	30
valproic acid .....	30
valproic acid (as sodium salt)	30
valrubicin .....	26
valsartan .....	45
valsartan-hydrochlorothiazide .....	45
VALSTAR.....	26
vancomycin .....	16
VANCOMYCIN IN 0.9 % SODIUM CHL .....	16
vandazole .....	72
VANTAS .....	26
VAQTA (PF) .....	69
VARIVAX (PF).....	69
VARIZIG .....	69
VARUBI .....	65
VASCEPA .....	48

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

VECAMYL .....	49	viorele (28) .....	74	YF-VAX (PF) .....	69
VECTIBIX .....	26	VIRACEPT .....	12	YONDELIS .....	27
VELCADE .....	26	VIRAMUNE .....	12	YONSA .....	27
veletri.....	45	VIREAD .....	12	yuvafem .....	72
velivet triphasic regimen (28)		VISTOGARD .....	18	<b>Z</b>	
.....	74	VITRAKVI.....	27	zafirlukast .....	80
VELTASSA .....	55	VIVITROL .....	37	zaleplon.....	41
VEMLIDY .....	12	VIZIMPRO.....	27	ZALTRAP .....	27
VENCLEXTA.....	26	voriconazole .....	9	ZANOSAR .....	27
VENCLEXTA STARTING		VOTRIENT .....	27	zarah .....	74
PACK .....	26	VRAYLAR.....	41	ZARXIO .....	68
venlafaxine .....	41	VYNDAQEL.....	49	ZEJULA .....	27
verapamil.....	45, 46	VYXEOS.....	27	ZELBORAF .....	27
VERSACLOZ .....	41	<b>W</b>		zenatane .....	51
VERZENIO.....	26	warfarin .....	47	zidovudine .....	12
V-GO 20.....	60	water for irrigation, sterile....	55	ziprasidone hcl.....	42
V-GO 30.....	60	wera (28).....	74	ZIRGAN .....	75
V-GO 40.....	60	<b>X</b>		ZOLADEX .....	27
VIBERZI .....	65	XALKORI.....	27	zoledronic acid.....	62
vicodin es.....	35	XARELTO .....	47	zoledronic acid-mannitol-water	
vicodin hp.....	35	XATMEP.....	27	.....	55, 62
VICTOZA 2-PAK .....	60	XERMELO.....	27	ZOLINZA.....	27
VICTOZA 3-PAK .....	60	XGEVA .....	18	zolmitriptan.....	31
VIDEX 2 GRAM PEDIATRIC		XIAFLEX .....	55	zolpidem .....	42
.....	12	XIFAXAN .....	16	zonisamide .....	30
VIDEX EC .....	12	XIIDRA .....	76	ZORTRESS .....	27
vienna .....	74	XOFLUZA .....	12	ZOSTAVAX (PF) .....	69
vigabatrin.....	30	XOLAIR .....	80	zovia 1/35e (28).....	74
vigadrone.....	30	XOSPATA.....	27	ZOVIRAX .....	52
VIIBRYD .....	41	XPOVIO .....	27	zumandimine (28).....	74
VIMIZIM .....	62	XTANDI.....	27	ZYDELIG .....	27
VIMPAT.....	30	xulane .....	72	ZYKADIA .....	27
vinblastine .....	27	XURIDEN .....	55	ZYPREXA RELPREVV .....	42
vincristine .....	27	XYREM.....	41	ZYTIGA .....	27
vinorelbine.....	27	<b>Y</b>			
VIOKACE .....	65	YERVOY .....	27		

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This formulary was updated on 11/26/2019. For more recent information or other questions, please contact CHRISTUS Health Plan Generations (HMO) / CHRISTUS Health Plan Generations Plus (HMO) Member Services, at 1-844-282-3026 or, for TTY users, 711, 8 a.m. – 8 p.m. local time, seven days a week, from October 1 – March 31, and 8 a.m. – 8 p.m. local time, Monday – Friday, from April 1- September 30, or visit [christushealthplan.org](http://christushealthplan.org).

