

CHRISTUS Health Plan Generations (HMO)

CHRISTUS Health Plan Generations Plus (HMO)

2020 Formulary

List of Covered Drugs

**PLEASE READ: THIS DOCUMENT CONTAINS INFORMATION ABOUT SOME OF THE DRUGS
WE COVER IN THIS PLAN**

HPMS Approved Formulary File Submission ID 00020074, Version Number 8.

This formulary was updated on 01/30/2020. This is not a complete list of drugs covered by our plan. For a complete listing or other questions, please contact CHRISTUS Health Plan Generations (HMO) / CHRISTUS Health Plan Generations Plus (HMO) Member Services, at 1-844-282-3026 or, for TTY users, 711, 8 a.m. – 8 p.m. local time, seven days a week, from October 1 – March 31, and 8 a.m. – 8 p.m. local time, Monday – Friday, from April 1- September 30, or visit christushealthplan.org.

Note to existing members: This formulary has changed since last year. Please review this document to make sure that it still contains the drugs you take.

When this drug list (formulary) refers to “we,” “us”, or “our,” it means CHRISTUS Health Plan Generations (HMO)/CHRISTUS Health Plan Generations Plus (HMO). When it refers to “plan” or “our plan,” it means CHRISTUS Health Plan Generations (HMO)/CHRISTUS Health Plan Generations Plus (HMO).

This document includes a partial list of the drugs (formulary) for our plan which is current as of 02/01/2020. For a complete updated formulary, please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

You must generally use network pharmacies to use your prescription drug benefit. Benefits, formulary, pharmacy network, and/or copayments/coinsurance may change on January 1, 2021, and from time to time during the year.

What is the CHRISTUS Health Plan Generations (HMO) / CHRISTUS Health Plan Generations Plus (HMO) Formulary?

A formulary is a list of covered drugs selected by CHRISTUS Health Plan Generations (HMO) / CHRISTUS Health Plan Generations Plus (HMO) in consultation with a team of health care providers, which represents the prescription therapies believed to be a necessary part of a quality treatment program. We will generally cover the drugs listed in our formulary as long as the drug is medically necessary, the prescription is filled at a CHRISTUS Health Plan Generations (HMO) / CHRISTUS Health Plan Generations Plus (HMO) network pharmacy, and other plan rules are followed. For more information on how to fill your prescriptions, please review your Evidence of Coverage.

Can the Formulary (drug list) change?

Most changes in drug coverage happen on January 1, but CHRISTUS Health Plan Generations (HMO) / CHRISTUS Health Plan Generations Plus (HMO) may add or remove drugs on the Drug List during the year, move them to different cost-sharing tiers, or add new restrictions.

Changes that can affect you this year: In the below cases, you will be affected by coverage changes during the year:

- **New generic drugs.** We may immediately remove a brand name drug on our Drug List if we are replacing it with a new generic drug that will appear on the same or lower cost sharing tier and with the same or fewer restrictions. Also, when adding the new generic drug, we may decide to keep the brand name drug on our Drug List, but immediately move it to a different cost-sharing tier or add new restrictions. If you are currently taking that brand name drug, we may not tell you in advance before we make that change, but we will later provide you with information about the specific change(s) we have made.
 - If we make such a change, you or your prescriber can ask us to make an exception and continue to cover the brand name drug for you. The notice we provide you will also include information on how to request an exception, and you can also find information in the section below entitled “How do I request an exception to the CHRISTUS Health Plan Generations (HMO) / CHRISTUS Health Plan Generations Plus (HMO) Formulary?”

- **Drugs removed from the market.** If the Food and Drug Administration deems a drug on our formulary to be unsafe or the drug's manufacturer removes the drug from the market, we will immediately remove the drug from our formulary and provide notice to members who take the drug.
- **Other changes.** We may make other changes that affect members currently taking a drug. For instance, we may add a new generic drug to replace a brand name drug currently on the formulary or add new restrictions to the brand name drug or move it to a different cost-sharing tier. Or we may make changes based on new clinical guidelines. If we remove drugs from our formulary, add prior authorization, quantity limits and/or step therapy restrictions on a drug, or move a drug to a higher cost-sharing tier, we must notify affected members of the change at least 30 days before the change becomes effective, or at the time the member requests a refill of the drug, at which time the member will receive a 60-day supply of the drug.
 - If we make other changes, you or your prescriber can ask us to make an exception and continue to cover the brand name drug for you. The notice we provide you will also include information on how to request an exception, and you can also find information in the section below entitled "How do I request an exception to the CHRISTUS Health Plan Generations (HMO) / CHRISTUS Health Plan Generations Plus (HMO) Formulary?"

Changes that will not affect you if you are currently taking the drug. Generally, if you are taking a drug on our 2020 formulary that was covered at the beginning of the year, we will not discontinue or reduce coverage of the drug during the 2020 coverage year except as described above. This means these drugs will remain available at the same cost-sharing and with no new restrictions for those members taking them for the remainder of the coverage year.

The enclosed formulary is current as of 02/01/2020. To get updated information about the drugs covered by CHRISTUS Health Plan Generations (HMO) / CHRISTUS Health Plan Generations Plus (HMO), please contact us. Our contact information appears on the front and back cover pages.

How do I use the Formulary?

There are two ways to find your drug within the formulary:

Medical Condition

The formulary begins on page 9. The drugs in this formulary are grouped into categories depending on the type of medical conditions that they are used to treat. For example, drugs used to treat a heart condition are listed under the category, "antihypertensive therapy". If you know what your drug is used for, look for the category name in the list that begins on page number 9. Then look under the category name for your drug.

Alphabetical Listing

If you are not sure what category to look under, you should look for your drug in the Index that begins on page 83. The Index provides an alphabetical list of all of the drugs included in this document. Both brand name drugs and generic drugs are listed in the Index. Look in the Index and find your drug. Next to your drug, you will see the page number where you can find coverage information. Turn to the page listed in the Index and find the name of your drug in the first column of the list.

What are generic drugs?

CHRISTUS Health Plan Generations (HMO) / CHRISTUS Health Plan Generations Plus (HMO) covers both brand name drugs and generic drugs. A generic drug is approved by the FDA as having the same active ingredient as the brand name drug. Generally, generic drugs cost less than brand name drugs.

Are there any restrictions on my coverage?

Some covered drugs may have additional requirements or limits on coverage. These requirements and limits may include:

- **Prior Authorization:** CHRISTUS Health Plan Generations (HMO) / CHRISTUS Health Plan Generations Plus (HMO) requires you or your physician to get prior authorization for certain drugs. This means that you will need to get approval from us before you fill your prescriptions. If you don't get approval, CHRISTUS Health Plan Generations (HMO) / CHRISTUS Health Plan Generations Plus (HMO) may not cover the drug.
- **Quantity Limits:** For certain drugs, CHRISTUS Health Plan Generations (HMO) / CHRISTUS Health Plan Generations Plus (HMO) limits the amount of the drug that we will cover. For example, we provide 31 tablets per prescription for AFINITOR. This may be in addition to a standard one-month or three-month supply.
- **Step Therapy:** In some cases, CHRISTUS Health Plan Generations (HMO) / CHRISTUS Health Plan Generations Plus (HMO) requires you to first try certain drugs to treat your medical condition before we will cover another drug for that condition. For example, if Drug A and Drug B both treat your medical condition, we may not cover Drug B unless you try Drug A first. If Drug A does not work for you, we will then cover Drug B.

You can find out if your drug has any additional requirements or limits by looking in the formulary that begins on page 9. You can also get more information about the restrictions applied to specific covered drugs by visiting our Web site. We have posted on line a document that explains our prior authorization and step therapy restrictions. You may also ask us to send you a copy. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

You can ask CHRISTUS Health Plan Generations (HMO) / CHRISTUS Health Plan Generations Plus (HMO) to make an exception to these restrictions or limits or for a list of other, similar drugs that may treat your health condition. See the section, "How do I request an exception to the CHRISTUS Health Plan Generations (HMO) / CHRISTUS Health Plan Generations Plus (HMO) formulary?" on page 5 for information about how to request an exception.

What if my drug is not on the Formulary?

If your drug is not included in this formulary (list of covered drugs), you should first contact Member Services and ask if your drug is covered. For more information, please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

If you learn that we do not cover your drug, you have two options:

- You can ask Member Services for a list of similar drugs that are covered by CHRISTUS Health Plan Generations (HMO) / CHRISTUS Health Plan Generations Plus (HMO). When you receive the list, show it to your doctor and ask him or her to prescribe a similar drug that is covered by us.
- You can ask CHRISTUS Health Plan Generations (HMO) / CHRISTUS Health Plan Generations Plus (HMO) to make an exception and cover your drug. See below for information about how to request an exception

How do I request an exception to the CHRISTUS Health Plan Generations (HMO) / CHRISTUS Health Plan Generations Plus (HMO) Formulary?

You can ask CHRISTUS Health Plan Generations (HMO) / CHRISTUS Health Plan Generations Plus (HMO) to make an exception to our coverage rules. There are several types of exceptions that you can ask us to make.

- You can ask us to cover a drug even if it is not on our formulary. If approved, this drug will be covered at a pre-determined cost-sharing level, and you would not be able to ask us to provide the drug at a lower cost-sharing level.
- You can ask us to cover a formulary drug at a lower cost-sharing level if this drug is not on the specialty tier. If approved, this would lower the amount you must pay for your drug.
- You can ask us to waive coverage restrictions or limits on your drug. For example, for certain drugs we limit the amount of the drug that we will cover. If your drug has a quantity limit, you can ask us to waive the limit and cover a greater amount.

Generally, we will only approve your request for an exception if the alternative drugs included on the plan's formulary, the lower cost-sharing drug or additional utilization restrictions would not be as effective in treating your condition and/or would cause you to have adverse medical effects.

You should contact us to ask us for an initial coverage decision for a formulary, or utilization restriction exception. **When you request a formulary or utilization restriction exception you should submit a statement from your prescriber or physician supporting your request.** Generally, we must make our decision within 72 hours of getting your prescriber's supporting statement. You can request an expedited (fast) exception if you or your doctor believe that your health could be seriously harmed by waiting up to 72 hours for a decision. If your request to expedite is granted, we must give you a decision no later than 24 hours after we get a supporting statement from your doctor or other prescriber.

What do I do before I can talk to my doctor about changing my drugs or requesting an exception?

As a new or continuing member in our plan you may be taking drugs that are not on our formulary. Or, you may be taking a drug that is on our formulary but your ability to get it is limited. For example, you may need a prior authorization from us before you can fill your prescription. You should talk to your doctor to decide if you should switch to an appropriate drug that we cover or request a formulary exception so that we will cover the drug you take. While you talk to your doctor to determine the right course of action for you, we may cover your drug in certain cases during the first 90 days you are a member of our plan.

For each of your drugs that is not on our formulary or if your ability to get your drugs is limited, we will cover a temporary 30-day supply. If your prescription is written for fewer days, we'll allow refills to provide up to a maximum 30-day supply of medication. After your first 30-day supply, we will not pay for these drugs, even if you have been a member of the plan less than 90 days.

If you are a resident of a long-term care facility and you need a drug that is not on our formulary or if your ability to get your drugs is limited, but you are past the first 90 days of membership in our plan, we will cover a 31-day emergency supply of that drug while you pursue a formulary exception.

Enrollees whose transition window has expired and are either being admitted to a LTC setting or being discharged from a long term care setting are provided an additional transition fill due to that level of care change. While the claim will initially reject as the member is no longer transition eligible according to plan enrollment dates, the pharmacist is instructed to enter an override code to allow the transition supply to process accordingly. Early refill edits are not applied in a long term care setting.

For more information

For more detailed information about your CHRISTUS Health Plan Generations (HMO) / CHRISTUS Health Plan Generations Plus (HMO) prescription drug coverage, please review your Evidence of Coverage and other plan materials.

If you have questions about CHRISTUS Health Plan Generations (HMO) / CHRISTUS Health Plan Generations Plus (HMO), please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

If you have general questions about Medicare prescription drug coverage, please call Medicare at 1-800-MEDICARE (1-800-633-4227) 24 hours a day/7 days a week. TTY users should call 1-877-486-2048. Or, visit <http://www.medicare.gov>.

CHRISTUS Health Plan Generations (HMO) / CHRISTUS Health Plan Generations Plus (HMO) Formulary

The formulary that begins on the next page provides coverage information about some of the drugs covered by CHRISTUS Health Plan Generations (HMO) / CHRISTUS Health Plan Generations Plus (HMO). If you have trouble finding your drug in the list, turn to the Index that begins on page 83.

The first column of the chart lists the drug name. Brand name drugs are capitalized (e.g., AFINITOR) and generic drugs are listed in lower-case italics (e.g., *atorvastatin*).

The information in the Requirements/Limits column tells you if CHRISTUS Health Plan Generations (HMO) / CHRISTUS Health Plan Generations Plus (HMO) have any special requirements for coverage of your drug.

Below is a list of abbreviations that may appear on the following pages in the Requirements/Limits column that tells you if there are any special requirements for coverage of your drug.

List of Abbreviations

B/D PA: This prescription drug may be covered under Medicare Part B or D depending upon the circumstances. Information may need to be submitted describing the use and setting of the drug to make the determination.

LA: Limited Availability. This prescription may be available only at certain pharmacies. For more information, please call Customer Service.

MO: Mail-Order Drug. This prescription drug is available through our mail-order service, as well as through our retail network pharmacies. Consider using mail order for your long-term (maintenance) medications (such as high blood pressure medications). Retail network pharmacies may be more appropriate for short-term prescriptions (such as antibiotics).

PA: Prior Authorization. The Plan requires you or your physician to get prior authorization for certain drugs. This means that you will need to get approval before you fill your prescriptions. If you don't get approval, we may not cover the drug.

QL: Quantity Limit. For certain drugs, the Plan limits the amount of the drug that we will cover.

ST: Step Therapy. In some cases, the Plan requires you to first try certain drugs to treat your medical condition before we will cover another drug for that condition. For example, if Drug A and Drug B both treat your medical condition, we may not cover Drug B unless you try Drug A first. If Drug A does not work for you, we will then cover Drug B.

Tier Number	Tier Name	Copay for a one-month supply filled at a network pharmacy with standard cost-sharing
1	Preferred Generic	\$4
2	Generic	\$10
3	Preferred Brand	\$35
4	Non-Preferred Brand	\$90
5	Specialty Drug Tier	You pay 29% of the total cost

Drug Name	Drug Tier	Requirements /Limits
ANTI - INFECTIVES		
ANTIFUNGAL AGENTS		
ABELCET	5	B/D PA; MO
AMBISOME	5	B/D PA; MO
<i>amphotericin b</i>	4	B/D PA; MO
<i>caspofungin</i>	5	B/D PA
<i>clotrimazole mucous membrane</i>	2	MO
CRESEMBIA INTRAVENOUS	5	PA
CRESEMBIA ORAL	5	MO
<i>fluconazole</i>	2	MO
<i>fluconazole in nacl (iso-osm) intravenous piggyback 200 mg/100 ml</i>	2	PA; MO
<i>fluconazole in nacl (iso-osm) intravenous piggyback 400 mg/200 ml</i>	2	PA
<i>flucytosine</i>	5	MO
<i>griseofulvin microsize</i>	2	MO
<i>griseofulvin ultramicrosize</i>	2	MO
<i>itraconazole</i>	2	MO
<i>ketoconazole oral</i>	2	MO
MYCAMINE	5	MO
NOXAFIL ORAL	5	MO
<i>nystatin oral suspension</i>	2	MO
<i>nystatin oral tablet</i>	2	MO

Drug Name	Drug Tier	Requirements /Limits
<i>posaconazole oral tablet, delayed release (dr/ec)</i>	5	MO
<i>terbinafine hcl oral</i>	2	MO
<i>voriconazole intravenous</i>	2	PA; MO
<i>voriconazole oral</i>	5	MO
ANTIVIRALS		
<i>abacavir</i>	2	MO
<i>abacavir-lamivudine</i>	2	MO
<i>abacavir-lamivudine-zidovudine</i>	5	MO
<i>acyclovir oral capsule</i>	2	MO
<i>acyclovir oral suspension 200 mg/5 ml</i>	2	MO
<i>acyclovir oral tablet</i>	2	MO
<i>acyclovir sodium intravenous solution</i>	4	B/D PA; MO
<i>adefovir</i>	5	MO
<i>amantadine hcl</i>	2	MO
APТИVUS	5	MO
APТИVUS (WITH VITAMIN E)	5	
<i>atazanavir oral capsule 150 mg, 200 mg</i>	2	MO
<i>atazanavir oral capsule 300 mg</i>	5	MO
ATRIPLA	5	MO
BARACLUDE ORAL SOLUTION	5	MO
BIKTARVY	5	MO
<i>cidofovir</i>	5	B/D PA; MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements /Limits	Drug Name	Drug Tier	Requirements /Limits
CIMDUO	5	MO	HARVONI ORAL TABLET 90-400 MG	5	PA; MO; QL (28 per 28 days)
COMPLERA	5	MO	INTELENCE ORAL TABLET 100 MG, 200 MG	5	MO
CRIXIVAN ORAL CAPSULE 200 MG, 400 MG	3	MO	INTELENCE ORAL TABLET 25 MG	3	MO
DELSTRIGO	5	MO	INVIRASE ORAL TABLET	5	MO
DESCOVY	5	MO	ISENTRESS HD	5	MO
<i>didanosine oral capsule, delayed release(dr/ec) 250 mg, 400 mg</i>	2	MO	ISENTRESS ORAL POWDER IN PACKET	5	MO
DOVATO	5	MO	ISENTRESS ORAL TABLET	5	MO
EDURANT	5	MO	ISENTRESS ORAL TABLET,CHEWABLE 100 MG	5	MO
<i>efavirenz oral capsule 200 mg</i>	5	MO	ISENTRESS ORAL TABLET,CHEWABLE 25 MG	3	MO
<i>efavirenz oral capsule 50 mg</i>	2	MO	JULUCA	5	MO
<i>efavirenz oral tablet</i>	5	MO	KALETRA ORAL TABLET 100-25 MG	3	MO
EMTRIVA	3	MO	KALETRA ORAL TABLET 200-50 MG	5	MO
<i>entecavir</i>	2	MO	<i>lamivudine</i>	2	MO
EPCLUSA	5	PA; MO; QL (28 per 28 days)	<i>lamivudine-zidovudine</i>	2	MO
EPIVIR HBV ORAL SOLUTION	3	MO	LEXIVA ORAL SUSPENSION	3	MO
EVOTAZ	5	MO	<i>lopinavir-ritonavir</i>	2	MO
<i>famciclovir</i>	2	MO	<i>nevirapine oral suspension</i>	2	
<i>fosamprenavir</i>	5	MO			
FUZEON SUBCUTANEOUS RECON SOLN	5	MO			
<i>ganciclovir sodium</i>	2	B/D PA; MO			
GENVOYA	5	MO			
HARVONI ORAL TABLET 45-200 MG	5	PA; MO; QL (56 per 28 days)			

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements /Limits	Drug Name	Drug Tier	Requirements /Limits
<i>nevirapine oral tablet</i>	2	MO	<i>ribasphere oral tablet 600 mg</i>	5	MO
<i>nevirapine oral tablet extended release 24 hr</i>	2	MO	<i>ribasphere ribapak oral tablets, dose pack 600 mg (7)-400 mg (7), 600 mg (7)- 600 mg (7)</i>	5	
NORVIR ORAL POWDER IN PACKET	3	MO	<i>ribasphere ribapak oral tablets, dose pack 600-400 mg (28)-mg (28), 600-600 mg (28)-mg (28)</i>	5	MO
NORVIR ORAL SOLUTION	3	MO	<i>ribavirin oral capsule</i>	2	MO
ODEFSEY	5	MO	<i>ribavirin oral tablet 200 mg</i>	2	MO
<i>oseltamivir</i>	2	MO	<i>rimantadine</i>	2	MO
PIFELTRO	5	MO	<i>ritonavir</i>	2	MO
PREVYMIS INTRAVENOUS	5		SELZENTRY ORAL SOLUTION	3	MO
PREVYMIS ORAL	5	MO; QL (30 per 30 days)	SELZENTRY ORAL TABLET 150 MG, 300 MG	5	MO
PREZCOBIX	5	MO	SELZENTRY ORAL TABLET 25 MG, 75 MG	3	MO
PREZISTA ORAL SUSPENSION	5	MO	<i>stavudine oral capsule</i>	2	MO
PREZISTA ORAL TABLET 150 MG, 75 MG	3	MO	STRIBILD	5	MO
PREZISTA ORAL TABLET 600 MG, 800 MG	5	MO	SYMFI	5	MO
RELENZA DISKHALER	3	MO	SYMFI LO	5	MO
RESCRIPTOR ORAL TABLET	3	MO	SYMTUZA	5	MO
RETROVIR INTRAVENOUS	3	MO	SYNAGIS	5	MO; LA
REYATAZ ORAL POWDER IN PACKET	5	MO	TEMIXYS	5	MO
<i>ribasphere oral capsule</i>	2	MO	<i>tenofovir disoproxil fumarate</i>	2	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements /Limits	Drug Name	Drug Tier	Requirements /Limits
TIVICAY ORAL TABLET 10 MG	3	MO	<i>cefaclor oral suspension for reconstitution 125 mg/5 ml</i>	2	MO
TIVICAY ORAL TABLET 25 MG, 50 MG	5	MO	<i>cefaclor oral suspension for reconstitution 250 mg/5 ml, 375 mg/5 ml</i>	2	
TRIUMEQ	5	MO	<i>cefaclor oral tablet extended release 12 hr</i>	2	MO
TROGARZO	5	MO; LA	<i>cefadroxil oral capsule</i>	2	MO
TRUVADA	5	MO	<i>cefadroxil oral suspension for reconstitution 250 mg/5 ml, 500 mg/5 ml</i>	2	MO
<i>valacyclovir oral tablet 1 gram</i>	2	MO; QL (120 per 30 days)	<i>cefadroxil oral tablet</i>	2	MO
<i>valacyclovir oral tablet 500 mg</i>	2	MO; QL (60 per 30 days)	<i>cefaezolin in dextrose (iso-osm) intravenous piggyback 1 gram/50 ml, 2 gram/50 ml</i>	2	MO
valganciclovir	5	MO	<i>cefaezolin injection recon soln 1 gram, 500 mg</i>	2	MO
VEMLIDY	5	MO	<i>cefaezolin injection recon soln 10 gram, 100 gram, 20 gram, 300 g</i>	2	
VIDEX 2 GRAM PEDIATRIC	3	MO	<i>cefazolin intravenous</i>	2	
VIDEX EC ORAL CAPSULE,DELAY ED RELEASE(DR/EC) 125 MG	4	MO	<i>cefdinir</i>	2	MO
VIDEX EC ORAL CAPSULE,DELAY ED RELEASE(DR/EC) 200 MG	3	MO	<i>cefepime in dextrose,iso-osm intravenous piggyback 1 gram/50 ml</i>	2	
VIRACEPT ORAL TABLET	5	MO			
VIREAD ORAL POWDER	5	MO			
VIREAD ORAL TABLET 150 MG, 200 MG, 250 MG	5	MO			
XOFLUZA	3	MO			
<i>zidovudine</i>	2	MO			
CEPHALOSPORINS					
<i>cefaclor oral capsule</i>	2	MO			

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements /Limits
<i>cefepime in dextrose,iso-osm intravenous piggyback 2 gram/100 ml</i>	2	MO
<i>cefepime injection</i>	2	MO
<i>cefixime</i>	2	MO
<i>cefotaxime injection recon soln 1 gram</i>	2	
<i>cefotetan</i>	2	
<i>cefoxitin in dextrose, iso-osm</i>	2	
<i>cefoxitin intravenous recon soln 1 gram, 2 gram</i>	2	MO
<i>cefoxitin intravenous recon soln 10 gram</i>	2	
<i>cefodoxime</i>	2	MO
<i>cefprozil</i>	2	MO
<i>ceftazidime injection recon soln 1 gram, 2 gram</i>	2	MO
<i>ceftazidime injection recon soln 6 gram</i>	2	
<i>ceftriaxone in dextrose,iso-os</i>	2	MO
<i>ceftriaxone injection recon soln 1 gram, 2 gram, 250 mg, 500 mg</i>	2	MO
<i>ceftriaxone injection recon soln 10 gram</i>	2	
<i>ceftriaxone intravenous</i>	2	MO
<i>cefuroxime axetil oral tablet</i>	2	MO

Drug Name	Drug Tier	Requirements /Limits
<i>cefuroxime sodium injection recon soln 750 mg</i>	2	MO
<i>cefuroxime sodium intravenous recon soln 1.5 gram</i>	2	MO
<i>cefuroxime sodium intravenous recon soln 7.5 gram</i>	2	
<i>cephalexin</i>	2	MO
<i>SUPRAX ORAL CAPSULE</i>	4	MO
<i>SUPRAX ORAL SUSPENSION FOR RECONSTITUTION 500 MG/5 ML</i>	4	
<i>SUPRAX ORAL TABLET,CHEWABLE</i>	4	MO
<i>tazicef injection recon soln 1 gram</i>	2	
<i>tazicef injection recon soln 2 gram, 6 gram</i>	2	MO
<i>tazicef intravenous</i>	2	
<i>TEFLARO</i>	5	MO
ERYTHROMYCINS / OTHER MACROLIDES		
<i>azithromycin</i>	2	MO
<i>clarithromycin</i>	2	MO
<i>e.e.s. 400 oral tablet</i>	2	MO
<i>ery-tab oral tablet,delayed release (dr/ec) 250 mg, 333 mg</i>	2	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements /Limits
ERY-TAB ORAL TABLET,DELAYE D RELEASE (DR/EC) 500 MG	3	MO
<i>erythrocin (as stearate) oral tablet 250 mg</i>	2	MO
ERYTHROCIN INTRAVENOUS RECON SOLN 500 MG	3	MO
<i>erythromycin ethylsuccinate oral suspension for reconstitution</i>	2	MO
<i>erythromycin ethylsuccinate oral tablet</i>	2	MO
<i>erythromycin oral</i>	2	MO
MISCELLANEOUS ANTIINFECTIVES		
<i>albendazole</i>	5	MO
ALINIA ORAL SUSPENSION FOR RECONSTITUTION	3	MO
ALINIA ORAL TABLET	5	MO
<i>amikacin injection solution 1,000 mg/4 ml, 500 mg/2 ml</i>	2	MO
ARIKAYCE	5	PA; MO; LA
<i>atovaquone</i>	5	MO
<i>atovaquone-proguanil</i>	2	MO
<i>aztreonam</i>	2	MO
<i>bacitracin intramuscular</i>	2	MO

Drug Name	Drug Tier	Requirements /Limits
BENZNIDAZOLE	3	
BETHKIS	5	B/D PA; MO; QL (224 per 28 days)
CAPASTAT	4	
CAYSTON	5	PA; MO; LA; QL (84 per 28 days)
<i>chloramphenicol sod succinate</i>	2	
<i>chloroquine phosphate</i>	2	MO
<i>clindamycin hcl</i>	2	MO
<i>clindamycin in 5 % dextrose</i>	2	MO
<i>clindamycin palmitate hcl</i>	2	MO
<i>clindamycin pediatric</i>	2	MO
<i>clindamycin phosphate injection</i>	2	MO
<i>clindamycin phosphate intravenous solution 600 mg/4 ml</i>	2	MO
COARTEM	3	MO
<i>colistin (colistimethate na)</i>	2	MO
<i>dapsone oral</i>	2	MO
DAPTOMYCIN INTRAVENOUS RECON SOLN 350 MG	3	MO
<i>daptomycin intravenous recon soln 500 mg</i>	5	MO
DARAPRIM	5	PA

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements /Limits
EMVERM	5	MO
<i>ertapenem</i>	2	MO
<i>ethambutol</i>	2	MO
<i>gentamicin in nacl (iso-osm) intravenous piggyback 100 mg/100 ml, 60 mg/50 ml, 80 mg/50 ml</i>	2	MO
<i>gentamicin in nacl (iso-osm) intravenous piggyback 80 mg/100 ml</i>	2	
<i>gentamicin injection solution 40 mg/ml</i>	2	MO
<i>gentamicin sulfate (ped) (pf)</i>	2	MO
<i>hydroxychloroquine</i>	2	MO
<i>imipenem-cilastatin</i>	2	MO
IMPAVIDO	5	PA; MO
<i>isoniazid injection</i>	2	
<i>isoniazid oral</i>	2	MO
<i>ivermectin oral</i>	2	MO
<i>lincomycin</i>	2	
<i>linezolid in dextrose 5%</i>	5	
<i>linezolid oral suspension for reconstitution</i>	5	MO
<i>linezolid oral tablet</i>	2	MO
<i>linezolid-0.9% sodium chloride</i>	5	
<i>mefloquine</i>	2	MO
<i>meropenem</i>	2	MO
<i>metro i.v.</i>	2	MO

Drug Name	Drug Tier	Requirements /Limits
<i>metronidazole in nacl (iso-osm)</i>	2	MO
<i>metronidazole oral</i>	2	MO
NEBUPENT	3	B/D PA; MO; QL (1 per 28 days)
<i>neomycin</i>	2	MO
<i>paromomycin</i>	4	MO
PASER	3	MO
PENTAM	4	MO
<i>pentamidine injection</i>	2	MO
<i>polymyxin b sulfate</i>	2	MO
<i>praziquantel</i>	2	MO
PRIFTIN	3	MO
PRIMAQUINE	3	MO
<i>pyrazinamide</i>	2	MO
<i>quinine sulfate</i>	2	MO
<i>rifabutin</i>	2	MO
<i>rifampin</i>	2	MO
SIRTURO	5	MO; LA
STREPTOMYCIN	3	MO
SYNERCID	5	PA
<i>tigecycline</i>	5	
<i>tinidazole</i>	2	MO
<i>tobramycin in 0.225 % nacl</i>	5	B/D PA; MO; QL (280 per 28 days)
<i>tobramycin sulfate injection recon soln</i>	2	
<i>tobramycin sulfate injection solution</i>	2	MO
TRECATOR	3	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements /Limits
VANCOMYCIN IN 0.9 % SODIUM CHL INTRAVENOUS PIGGYBACK	3	
<i>vancomycin</i> <i>intravenous recon soln 1,000 mg, 10 gram, 5 gram, 500 mg, 750 mg</i>	2	MO
<i>vancomycin oral capsule 125 mg</i>	2	MO
<i>vancomycin oral capsule 250 mg</i>	5	MO
XIFAXAN ORAL TABLET 200 MG	5	MO; QL (9 per 30 days)
XIFAXAN ORAL TABLET 550 MG	5	MO; QL (90 per 30 days)
PENICILLINS		
<i>amoxicillin oral capsule</i>	2	MO
<i>amoxicillin oral suspension for reconstitution</i>	2	MO
<i>amoxicillin oral tablet</i>	2	MO
<i>amoxicillin oral tablet, chewable 125 mg, 250 mg</i>	2	MO
<i>amoxicillin-pot clavulanate</i>	2	MO
<i>ampicillin oral capsule 500 mg</i>	2	MO
<i>ampicillin sodium injection</i>	2	MO
<i>ampicillin sodium intravenous</i>	2	

Drug Name	Drug Tier	Requirements /Limits
<i>ampicillin-sulbactam injection recon soln 1.5 gram, 3 gram</i>	2	MO
<i>ampicillin-sulbactam injection recon soln 15 gram</i>	2	
<i>ampicillin-sulbactam intravenous recon soln 1.5 gram</i>	2	
<i>ampicillin-sulbactam intravenous recon soln 3 gram</i>	2	MO
AUGMENTIN ORAL SUSPENSION FOR RECONSTITUTION 125-31.25 MG/5 ML	3	MO
BICILLIN C-R	3	MO
BICILLIN L-A	3	MO
<i>dicloxacillin</i>	2	MO
<i>nafcillin in dextrose iso-osm intravenous piggyback 1 gram/50 ml</i>	2	
<i>nafcillin in dextrose iso-osm intravenous piggyback 2 gram/100 ml</i>	2	MO
<i>nafcillin injection recon soln 1 gram, 2 gram</i>	2	MO
<i>nafcillin injection recon soln 10 gram</i>	5	MO
<i>nafcillin intravenous</i>	2	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements /Limits
<i>oxacillin in dextrose(iso-osm) intravenous piggyback 1 gram/50 ml</i>	2	
<i>oxacillin in dextrose(iso-osm) intravenous piggyback 2 gram/50 ml</i>	2	MO
<i>oxacillin injection recon soln 1 gram</i>	2	
<i>oxacillin injection recon soln 10 gram</i>	5	
<i>oxacillin injection recon soln 2 gram</i>	2	MO
<i>penicillin g potassium</i>	2	MO
<i>penicillin g procaine intramuscular syringe 1.2 million unit/2 ml</i>	2	MO
<i>penicillin g procaine intramuscular syringe 600,000 unit/ml</i>	2	
<i>penicillin g sodium</i>	2	MO
<i>penicillin v potassium</i>	2	MO
<i>pfizerpen-g</i>	2	
<i>piperacillin-tazobactam</i>	2	MO
QUINOLONES		
<i>ciprofloxacin</i>	2	
<i>ciprofloxacin hcl oral</i>	2	MO
<i>ciprofloxacin in 5 % dextrose</i>	2	MO

Drug Name	Drug Tier	Requirements /Limits
<i>levofloxacin in d5w intravenous piggyback 250 mg/50 ml</i>	2	
<i>levofloxacin in d5w intravenous piggyback 500 mg/100 ml, 750 mg/150 ml</i>	2	MO
<i>levofloxacin intravenous</i>	2	MO
<i>levofloxacin oral</i>	2	MO
<i>moxifloxacin oral</i>	2	MO
<i>moxifloxacin-sod.chloride(iso)</i>	2	
<i>ofloxacin oral tablet 300 mg</i>	2	
<i>ofloxacin oral tablet 400 mg</i>	2	MO
SULFA'S / RELATED AGENTS		
<i>sulfadiazine</i>	4	MO
<i>sulfamethoxazole-trimethoprim</i>	2	MO
<i>sulfatrim</i>	2	MO
TETRACYCLINES		
<i>demeclacycline</i>	4	MO
<i>doxy-100</i>	2	MO
<i>doxycycline hyclate intravenous</i>	2	
<i>doxycycline hyclate oral capsule</i>	2	MO
<i>doxycycline hyclate oral tablet</i>	2	MO
<i>doxycycline monohydrate oral capsule</i>	2	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements /Limits
<i>doxycycline monohydrate oral suspension for reconstitution</i>	2	MO
<i>doxycycline monohydrate oral tablet</i>	2	MO
<i>minocycline oral capsule</i>	2	MO
<i>minocycline oral tablet</i>	2	MO
<i>monodoxine nl oral capsule 100 mg, 75 mg</i>	2	MO
<i>morgidox</i>	2	MO
<i>okebo oral capsule 75 mg</i>	2	MO
<i>tetracycline</i>	2	MO

URINARY TRACT AGENTS

<i>methenamine hippurate</i>	2	MO
<i>methenamine mandelate</i>	2	MO
<i>nitrofurantoin</i>	2	MO
<i>nitrofurantoin macrocrystal</i>	2	MO
<i>nitrofurantoin monohyd/m-cryst</i>	2	MO
<i>trimethoprim</i>	2	MO

ANTINEOPLASTIC / IMMUNOSUPPRESSANT DRUGS

ADJUNCTIVE AGENTS

<i>dexrazoxane hcl intravenous recon soln 250 mg</i>	5	B/D PA
--	---	--------

Drug Name	Drug Tier	Requirements /Limits
<i>dexrazoxane hcl intravenous recon soln 500 mg</i>	5	B/D PA; MO
ELITEK	5	MO
KEPIVANCE	5	MO
KHAPZORY	5	B/D PA
<i>leucovorin calcium injection recon soln 100 mg, 200 mg, 350 mg, 50 mg</i>	2	B/D PA; MO
<i>leucovorin calcium injection recon soln 500 mg</i>	2	B/D PA
<i>leucovorin calcium oral</i>	2	MO
<i>levoleucovorin calcium intravenous recon soln 50 mg</i>	5	B/D PA
<i>levoleucovorin calcium intravenous solution</i>	5	B/D PA
<i>mesna</i>	2	B/D PA; MO
MESNEX ORAL	5	MO
VISTOGARD	5	PA; MO
XGEVA	5	B/D PA; MO
ANTINEOPLASTIC / IMMUNOSUPPRESSANT DRUGS		
<i>abiraterone</i>	5	PA; MO; QL (120 per 30 days)
ABRAXANE	5	B/D PA; MO
ADCETRIS	5	B/D PA; MO
<i>adriamycin intravenous recon soln 10 mg</i>	2	B/D PA; MO
<i>adriamycin intravenous solution</i>	2	B/D PA

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements /Limits
<i>adrucil intravenous solution 2.5 gram/50 ml</i>	2	B/D PA
<i>adrucil intravenous solution 5 gram/100 ml, 500 mg/10 ml</i>	2	B/D PA; MO
AFINITOR	5	PA; MO; QL (30 per 30 days)
AFINITOR DISPERZ	5	PA; MO
ALECENSA	5	PA; MO; QL (240 per 30 days)
ALIMTA	5	B/D PA; MO
ALIQOPA	5	B/D PA; MO; LA
ALUNBRIG ORAL TABLET 180 MG, 90 MG	5	PA; MO; QL (30 per 30 days)
ALUNBRIG ORAL TABLET 30 MG	5	PA; MO; QL (60 per 30 days)
ALUNBRIG ORAL TABLETS,DOSE PACK	5	PA; MO; QL (30 per 30 days)
<i>anastrozole</i>	2	MO
ARRANON	5	B/D PA
ARSENIC TRIOXIDE INTRAVENOUS SOLUTION 1 MG/ML	5	B/D PA
<i>arsenic trioxide intravenous solution 2 mg/ml</i>	5	B/D PA
ARZERRA	5	B/D PA; MO
AVASTIN	5	B/D PA; MO

Drug Name	Drug Tier	Requirements /Limits
<i>azacitidine</i>	5	B/D PA; MO
<i>azathioprine</i>	2	B/D PA; MO
<i>azathioprine sodium</i>	2	B/D PA
BALVERSA	5	PA; MO; LA
BAVENCIO	5	B/D PA; MO; LA
BELEODAQ	5	B/D PA; MO
BENDEKA	5	B/D PA; MO
BESPONSA	5	B/D PA; MO; LA
<i>bexarotene</i>	5	PA; MO
<i>bicalutamide</i>	2	MO
BICNU	5	B/D PA; MO
<i>bleomycin</i>	2	B/D PA; MO
BLINCYTO INTRAVENOUS KIT	5	B/D PA; MO
BORTEZOMIB	5	B/D PA; MO
BOSULIF ORAL TABLET 100 MG	5	PA; MO; QL (90 per 30 days)
BOSULIF ORAL TABLET 400 MG, 500 MG	5	PA; MO; QL (30 per 30 days)
BRAFTOVI ORAL CAPSULE 50 MG	5	PA; MO; LA; QL (120 per 30 days)
BRAFTOVI ORAL CAPSULE 75 MG	5	PA; MO; LA; QL (180 per 30 days)
<i>busulfan</i>	5	B/D PA
CABOMETYX	5	PA; MO; LA
CALQUENCE	5	PA; MO; LA; QL (60 per 30 days)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements /Limits	Drug Name	Drug Tier	Requirements /Limits
CAPRELSA ORAL TABLET 100 MG	5	PA; LA; QL (60 per 30 days)	<i>cytarabine (pf) injection solution 100 mg/5 ml (20 mg/ml), 2 gram/20 ml (100 mg/ml)</i>	2	B/D PA; MO
CAPRELSA ORAL TABLET 300 MG	5	PA; MO; LA; QL (30 per 30 days)	<i>cytarabine (pf) injection solution 20 mg/ml</i>	2	B/D PA
<i>carboplatin intravenous solution</i>	2	B/D PA; MO	<i>dacarbazine</i>	2	B/D PA; MO
<i>carmustine</i>	5	B/D PA; MO	<i>dactinomycin</i>	2	B/D PA
<i>cisplatin intravenous solution</i>	2	B/D PA; MO	DARZALEX	5	B/D PA; MO; LA
<i>cladribine</i>	5	B/D PA; MO	<i>daunorubicin intravenous solution</i>	2	B/D PA
<i>clofarabine</i>	5	B/D PA	DAURISMO ORAL TABLET 100 MG	5	PA; MO; QL (30 per 30 days)
COMETRIQ	5	PA; MO	DAURISMO ORAL TABLET 25 MG	5	PA; MO; QL (60 per 30 days)
COPIKTRA	5	PA; MO; LA; QL (60 per 30 days)	<i>decitabine</i>	5	B/D PA; MO
COSMEGEN	5	B/D PA; MO	<i>docetaxel intravenous solution 160 mg/16 ml (10 mg/ml), 20 mg/2 ml (10 mg/ml)</i>	5	B/D PA
COTELLIC	5	PA; MO; LA; QL (63 per 28 days)	<i>docetaxel intravenous solution 160 mg/8 ml (20 mg/ml), 20 mg/ml (1 ml), 80 mg/4 ml (20 mg/ml), 80 mg/8 ml (10 mg/ml)</i>	5	B/D PA; MO
<i>cyclophosphamide intravenous</i>	2	B/D PA; MO	DOCETAXEL INTRAVENOUS SOLUTION 20 MG/ML	5	B/D PA
<i>cyclophosphamide oral capsule</i>	2	B/D PA; MO	<i>doxorubicin intravenous recon soln 50 mg</i>	2	B/D PA; MO
<i>cyclosporine intravenous</i>	2	B/D PA			
<i>cyclosporine modified</i>	2	B/D PA; MO			
<i>cyclosporine oral capsule</i>	2	B/D PA; MO			
CYRAMZA	5	B/D PA; MO			
<i>cytarabine</i>	2	B/D PA; MO			

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements /Limits
<i>doxorubicin intravenous solution</i>	2	B/D PA; MO
<i>doxorubicin, peg-liposomal</i>	5	B/D PA; MO
DROXIA	3	MO
EMCYT	5	MO
EMPLICITI	5	B/D PA; MO
<i>epirubicin intravenous solution</i>	2	B/D PA; MO
ERBITUX	5	B/D PA; MO
ERIVEDGE	5	PA; MO; QL (30 per 30 days)
ERLEADA	5	PA; MO
<i>erlotinib oral tablet 100 mg, 150 mg</i>	5	PA; MO; QL (30 per 30 days)
<i>erlotinib oral tablet 25 mg</i>	5	PA; MO; QL (60 per 30 days)
ERWINAZE	5	B/D PA; MO
ETOPOPHOS	4	B/D PA; MO
<i>etoposide intravenous</i>	2	B/D PA; MO
<i>everolimus (antineoplastic)</i>	5	PA; MO; QL (30 per 30 days)
<i>exemestane</i>	2	MO
FARYDAK	5	PA; MO; QL (6 per 21 days)
FASLODEX	5	B/D PA; MO
FIRMAGON KIT W DILUENT SYRINGE SUBCUTANEOUS RECON SOLN 120 MG	5	B/D PA; MO

Drug Name	Drug Tier	Requirements /Limits
FIRMAGON KIT W DILUENT SYRINGE SUBCUTANEOUS RECON SOLN 80 MG	3	B/D PA; MO
<i>flouxuridine</i>	2	B/D PA
<i>fludarabine intravenous recon soln</i>	2	B/D PA; MO
<i>fludarabine intravenous solution</i>	2	B/D PA
<i>fluorouracil intravenous</i>	2	B/D PA; MO
<i>flutamide</i>	2	MO
FOLOTYN	5	B/D PA; MO
<i>fulvestrant</i>	5	B/D PA; MO
GAZYVA	5	B/D PA; MO
<i>gemcitabine intravenous recon soln 1 gram, 200 mg</i>	2	B/D PA; MO
<i>gemcitabine intravenous recon soln 2 gram</i>	2	B/D PA
<i>gemcitabine intravenous solution 1 gram/26.3 ml (38 mg/ml), 200 mg/5.26 ml (38 mg/ml)</i>	2	B/D PA; MO
GEMCITABINE INTRAVENOUS SOLUTION 100 MG/ML	3	B/D PA
<i>gemcitabine intravenous solution 2 gram/52.6 ml (38 mg/ml)</i>	2	B/D PA
<i>genograf oral capsule 100 mg, 25 mg</i>	2	B/D PA; MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements /Limits
<i>genograf oral solution</i>	2	B/D PA; MO
GILOTRIF	5	PA; MO; QL (30 per 30 days)
GLEOSTINE ORAL CAPSULE 10 MG, 100 MG, 40 MG	3	MO
HALAVEN	5	B/D PA; MO
HERCEPTIN HYLECTA	5	B/D PA; MO
HERCEPTIN INTRAVENOUS RECON SOLN 150 MG	5	B/D PA; MO
hydroxyurea	2	MO
IBRANCE	5	PA; MO; QL (21 per 28 days)
ICLUSIG ORAL TABLET 15 MG	5	PA; QL (60 per 30 days)
ICLUSIG ORAL TABLET 45 MG	5	PA; QL (30 per 30 days)
<i>idarubicin</i>	2	B/D PA
IDHIFA	5	PA; MO; LA; QL (30 per 30 days)
<i>ifosfamide intravenous recon soln</i>	2	B/D PA; MO
<i>ifosfamide intravenous solution 1 gram/20 ml</i>	2	B/D PA; MO
<i>ifosfamide intravenous solution 3 gram/60 ml</i>	2	B/D PA
<i>imatinib oral tablet 100 mg</i>	5	PA; MO; QL (180 per 30 days)

Drug Name	Drug Tier	Requirements /Limits
<i>imatinib oral tablet 400 mg</i>	5	PA; MO; QL (60 per 30 days)
IMBRUVICA ORAL CAPSULE 140 MG	5	PA; MO; QL (120 per 30 days)
IMBRUVICA ORAL CAPSULE 70 MG	5	PA; MO; QL (30 per 30 days)
IMBRUVICA ORAL TABLET	5	PA; MO; QL (30 per 30 days)
IMFINZI	5	B/D PA; MO; LA
INFUGEM	5	B/D PA
INLYTA ORAL TABLET 1 MG	5	PA; MO; QL (180 per 30 days)
INLYTA ORAL TABLET 5 MG	5	PA; MO; QL (120 per 30 days)
INREBIC	5	PA; MO; LA; QL (120 per 30 days)
IRESSA	5	PA; MO; QL (30 per 30 days)
<i>irinotecan intravenous solution 100 mg/5 ml</i>	2	B/D PA; MO
<i>irinotecan intravenous solution 40 mg/2 ml</i>	5	B/D PA; MO
<i>irinotecan intravenous solution 500 mg/25 ml</i>	5	B/D PA
ISTODAX	5	B/D PA; MO
IXEMPRA	5	B/D PA; MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements /Limits
JAKAFI	5	PA; MO; QL (60 per 30 days)
JEVTANA	5	B/D PA; MO
KADCYLA	5	PA; MO
KANJINTI	5	B/D PA; MO
KEYTRUDA INTRAVENOUS SOLUTION	5	PA; MO
KISQALI	5	PA; MO
KISQALI FEMARA CO-PACK	5	PA; MO
KYPROLIS	5	B/D PA; MO
LENVIMA	5	PA; MO
<i>letrozole</i>	2	MO
LEUKERAN	3	MO
<i>leuprolide subcutaneous kit</i>	5	PA; MO
LIBTAYO	5	PA; MO; LA
LONSURF	5	PA; MO
LORBRENA ORAL TABLET 100 MG	5	PA; MO; QL (30 per 30 days)
LORBRENA ORAL TABLET 25 MG	5	PA; MO; QL (90 per 30 days)
LUMOXITI	5	PA; MO; LA
LUPRON DEPOT	5	PA; MO
LUPRON DEPOT (3 MONTH)	5	PA; MO
LUPRON DEPOT (4 MONTH)	5	PA; MO
LUPRON DEPOT (6 MONTH)	5	PA; MO
LUPRON DEPOT- PED	5	PA; MO

Drug Name	Drug Tier	Requirements /Limits
LUPRON DEPOT- PED (3 MONTH)	5	PA; MO
LYNPARZA ORAL TABLET	5	PA; MO; QL (120 per 30 days)
LYSODREN	3	MO
MARQIBO	3	B/D PA; MO
MATULANE	5	MO
<i>megestrol oral suspension 400 mg/10 ml (10 ml)</i>	2	PA
<i>megestrol oral suspension 400 mg/10 ml (40 mg/ml), 625 mg/5 ml</i>	2	PA; MO
<i>megestrol oral tablet</i>	2	PA; MO
MEKINIST ORAL TABLET 0.5 MG	5	PA; MO; QL (90 per 30 days)
MEKINIST ORAL TABLET 2 MG	5	PA; MO; QL (30 per 30 days)
MEKTOVI	5	PA; MO; LA; QL (180 per 30 days)
<i>melphalan</i>	2	B/D PA; MO
<i>melphalan hcl</i>	5	B/D PA
<i>mercaptopurine</i>	2	MO
<i>methotrexate sodium</i>	2	B/D PA; MO
<i>methotrexate sodium (pf) injection recon soln</i>	2	B/D PA
<i>methotrexate sodium (pf) injection solution</i>	2	B/D PA; MO
<i>mitomycin intravenous recon soln 20 mg, 5 mg</i>	2	B/D PA; MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements /Limits	Drug Name	Drug Tier	Requirements /Limits
<i>mitomycin intravenous recon soln 40 mg</i>	5	B/D PA; MO	<i>octreotide acetate injection syringe 100 mcg/ml (1 ml), 50 mcg/ml (1 ml)</i>	2	MO
<i>mitoxantrone</i>	2	B/D PA; MO	<i>octreotide acetate injection syringe 500 mcg/ml (1 ml)</i>	5	MO
<i>MVASI</i>	5	B/D PA; MO	<i>ODOMZO</i>	5	PA; MO; LA; QL (30 per 30 days)
<i>mycophenolate mofetil (hcl)</i>	2	B/D PA	<i>ONCASPAR</i>	5	B/D PA; MO
<i>mycophenolate mofetil oral capsule</i>	2	B/D PA; MO	<i>ONIVYDE</i>	5	B/D PA; MO
<i>mycophenolate mofetil oral suspension for reconstitution</i>	5	B/D PA; MO	<i>OPDIVO</i>	5	PA; MO
<i>mycophenolate mofetil oral tablet</i>	2	B/D PA; MO	<i>oxaliplatin intravenous recon soln 100 mg</i>	2	B/D PA; MO
<i>mycophenolate sodium</i>	2	B/D PA; MO	<i>oxaliplatin intravenous recon soln 50 mg</i>	2	B/D PA
<i>MYLOTARG</i>	5	B/D PA; MO; LA	<i>oxaliplatin intravenous solution</i>	2	B/D PA; MO
<i>NERLYNX</i>	5	PA; MO; LA	<i>paclitaxel</i>	2	B/D PA; MO
<i>NEXAVAR</i>	5	PA; MO; LA; QL (120 per 30 days)	<i>PERJETA</i>	5	B/D PA; MO
<i>nilutamide</i>	5	MO	<i>PIQRAY</i>	5	PA; MO
<i>NINLARO</i>	5	PA; MO; QL (3 per 28 days)	<i>POLIVY</i>	5	PA; MO
<i>NUBEQA</i>	5	PA; MO; LA	<i>POMALYST</i>	5	PA; MO; LA
<i>NULOJIX</i>	5	B/D PA; MO	<i>PORTRAZZA</i>	5	B/D PA; MO
<i>octreotide acetate injection solution 1,000 mcg/ml, 500 mcg/ml</i>	5	MO	<i>POTELIGEO</i>	5	PA; MO
<i>octreotide acetate injection solution 100 mcg/ml, 200 mcg/ml, 50 mcg/ml</i>	2	MO	<i>PROGRAF INTRAVENOUS</i>	3	B/D PA; MO
			<i>PROGRAF ORAL GRANULES IN PACKET</i>	3	B/D PA; MO
			<i>PURIXAN</i>	5	
			<i>REVLIMID</i>	5	PA; MO; LA; QL (28 per 28 days)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements /Limits
RITUXAN	5	PA; MO
RITUXAN HYCELA	5	PA; MO
ROMIDEPSIN	5	B/D PA; MO
ROZLYTREK ORAL CAPSULE 100 MG	5	PA; MO; QL (30 per 30 days)
ROZLYTREK ORAL CAPSULE 200 MG	5	PA; MO; QL (90 per 30 days)
RUBRACA	5	PA; MO; LA; QL (120 per 30 days)
RYDAPT	5	PA; MO
SANDIMMUNE ORAL SOLUTION	3	B/D PA; MO
SANDOSTATIN LAR DEPOT INTRAMUSCULAR SUSPENSION,EXT ENDED REL RECON	5	MO
SIGNIFOR	5	MO
SIKLOS	5	MO
SIMULECT INTRAVENOUS RECON SOLN 10 MG	3	B/D PA
SIMULECT INTRAVENOUS RECON SOLN 20 MG	3	B/D PA; MO
<i>sirolimus oral solution</i>	5	B/D PA; MO
<i>sirolimus oral tablet 0.5 mg, 1 mg</i>	2	B/D PA; MO
<i>sirolimus oral tablet 2 mg</i>	5	B/D PA; MO

Drug Name	Drug Tier	Requirements /Limits
SOLTAMOX	3	MO
SOMATULINE DEPOT	5	MO
SPRYCEL ORAL TABLET 100 MG, 140 MG, 50 MG, 80 MG	5	PA; MO; QL (30 per 30 days)
SPRYCEL ORAL TABLET 20 MG, 70 MG	5	PA; MO; QL (60 per 30 days)
STIVARGA	5	PA; MO; QL (84 per 28 days)
SUTENT	5	PA; MO; QL (30 per 30 days)
SYLVANT	5	B/D PA; MO
SYNRIBO	5	B/D PA; MO
TABLOID	4	MO
<i>tacrolimus oral</i>	2	B/D PA; MO
TAFINLAR	5	PA; MO; QL (120 per 30 days)
TAGRISSO	5	PA; MO; LA; QL (30 per 30 days)
TALZENNA ORAL CAPSULE 0.25 MG	5	PA; MO; QL (90 per 30 days)
TALZENNA ORAL CAPSULE 1 MG	5	PA; MO; QL (30 per 30 days)
<i>tamoxifen</i>	2	MO
TARGETIN TOPICAL	5	PA; MO
TASIGNA ORAL CAPSULE 150 MG, 200 MG	5	PA; MO; QL (112 per 28 days)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements /Limits
TASIGNA ORAL CAPSULE 50 MG	5	PA; MO; QL (120 per 30 days)
TECENTRIQ	5	B/D PA; MO; LA
TEMODAR INTRAVENOUS	5	B/D PA; MO
<i>temsirolimus</i>	5	B/D PA; MO
THALOMID	5	PA; MO
<i>thiotepa</i>	5	B/D PA; MO
TIBSOVO	5	PA; MO
<i>toposar</i>	2	B/D PA; MO
<i>topotecan intravenous recon soln</i>	5	B/D PA
<i>topotecan intravenous solution</i>	5	B/D PA; MO
<i>toremifene</i>	5	MO
TORISEL	5	B/D PA; MO
TREANDA INTRAVENOUS RECON SOLN	5	B/D PA; MO
TRELSTAR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION	5	B/D PA; MO
<i>tretinoin (chemotherapy)</i>	5	MO
TRISENOX INTRAVENOUS SOLUTION 2 MG/ML	5	B/D PA; MO
TYKERB	5	PA; MO; LA; QL (180 per 30 days)
UNITUXIN	5	B/D PA; MO

Drug Name	Drug Tier	Requirements /Limits
<i>valrubicin</i>	5	B/D PA; MO
VALSTAR	5	B/D PA; MO
VANTAS	4	PA; MO
VECTIBIX	5	B/D PA; MO
VELCADE	5	B/D PA; MO
VENCLEXTA ORAL TABLET 10 MG, 50 MG	3	PA; MO; LA
VENCLEXTA ORAL TABLET 100 MG	5	PA; MO; LA
VENCLEXTA STARTING PACK	5	PA; MO; LA; QL (42 per 30 days)
VERZENIO	5	PA; MO; LA; QL (60 per 30 days)
<i>vinblastine intravenous solution</i>	2	B/D PA; MO
<i>vincristine</i>	2	B/D PA; MO
<i>vinorelbine</i>	2	B/D PA; MO
VITRAKVI ORAL CAPSULE 100 MG	5	PA; MO; LA; QL (60 per 30 days)
VITRAKVI ORAL CAPSULE 25 MG	5	PA; MO; LA; QL (180 per 30 days)
VITRAKVI ORAL SOLUTION	5	PA; MO; LA; QL (300 per 30 days)
VIZIMPRO	5	PA; MO; QL (30 per 30 days)
VOTRIENT	5	PA; MO; QL (120 per 30 days)
VYXEOS	5	B/D PA; MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements /Limits
XALKORI	5	PA; MO; QL (60 per 30 days)
XATMEP	4	B/D PA; MO
XERMELO	5	PA; MO; LA; QL (90 per 30 days)
XOSPATA	5	PA; MO; LA
XPOVIO	5	PA; MO; LA
XTANDI	5	PA; MO; QL (120 per 30 days)
YERVOY	5	B/D PA; MO
YONDELIS	5	B/D PA; MO
YONSA	5	PA; MO; QL (120 per 30 days)
ZALTRAP	5	B/D PA; MO
ZANOSAR	4	B/D PA; MO
ZEJULA	5	PA; MO; LA; QL (90 per 30 days)
ZELBORAF	5	PA; MO; QL (240 per 30 days)
ZOLADEX	4	PA; MO
ZOLINZA	5	MO
ZORTRESS	5	B/D PA; MO
ZYDELIG	5	PA; MO; QL (60 per 30 days)
ZYKADIA ORAL TABLET	5	PA; MO; QL (90 per 30 days)
ZYTIGA ORAL TABLET 500 MG	5	PA; MO; QL (60 per 30 days)

Drug Name	Drug Tier	Requirements /Limits
AUTONOMIC / CNS DRUGS, NEUROLOGY / PSYCH		
ANTICONVULSANTS		
APTIOM ORAL TABLET 200 MG, 400 MG, 800 MG	4	MO
APTIOM ORAL TABLET 600 MG	5	MO
BANZEL	5	MO
BRIVIACT INTRAVENOUS	4	
BRIVIACT ORAL	5	MO
<i>carbamazepine oral capsule, er multiphase 12 hr</i>	2	MO
<i>carbamazepine oral suspension 100 mg/5 ml</i>	2	MO
<i>carbamazepine oral tablet</i>	1	MO
<i>carbamazepine oral tablet extended release 12 hr</i>	2	MO
<i>carbamazepine oral tablet, chewable</i>	1	MO
CELONTIN ORAL CAPSULE 300 MG	3	MO
<i>clobazam oral suspension</i>	2	PA; MO; QL (480 per 30 days)
<i>clobazam oral tablet 10 mg</i>	2	PA; MO; QL (60 per 30 days)
<i>clobazam oral tablet 20 mg</i>	5	PA; MO; QL (60 per 30 days)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements /Limits
<i>clonazepam oral tablet 0.5 mg, 1 mg</i>	2	MO; QL (90 per 30 days)
<i>clonazepam oral tablet 2 mg</i>	2	MO; QL (300 per 30 days)
<i>clonazepam oral tablet,disintegrating 0.125 mg, 0.25 mg, 0.5 mg, 1 mg</i>	2	MO; QL (90 per 30 days)
<i>clonazepam oral tablet,disintegrating 2 mg</i>	2	MO; QL (300 per 30 days)
DIASTAT	4	MO
DIASTAT ACUDIAL	4	MO
<i>diazepam rectal</i>	2	MO
DILANTIN 30 MG	3	MO
<i>divalproex oral capsule, delayed rel sprinkle</i>	2	MO
<i>divalproex oral tablet extended release 24 hr</i>	2	MO
<i>divalproex oral tablet,delayed release (dr/ec)</i>	1	MO
EPIDIOLEX	5	PA; MO; LA
<i>epitol</i>	2	MO
<i>ethosuximide</i>	2	MO
<i>felbamate oral suspension</i>	5	MO
<i>felbamate oral tablet</i>	2	MO
<i>fosphenytoin</i>	2	MO
FYCOMPA ORAL SUSPENSION	5	MO
FYCOMPA ORAL TABLET	3	MO

Drug Name	Drug Tier	Requirements /Limits
<i>gabapentin oral capsule 100 mg, 400 mg</i>	1	MO; QL (270 per 30 days)
<i>gabapentin oral capsule 300 mg</i>	1	MO; QL (360 per 30 days)
<i>gabapentin oral solution 250 mg/5 ml</i>	2	MO; QL (2160 per 30 days)
<i>gabapentin oral solution 250 mg/5 ml (5 ml), 300 mg/6 ml (6 ml)</i>	2	QL (2160 per 30 days)
<i>gabapentin oral tablet 600 mg</i>	1	MO; QL (180 per 30 days)
<i>gabapentin oral tablet 800 mg</i>	1	MO; QL (120 per 30 days)
<i>lamotrigine oral tablet</i>	1	MO
<i>lamotrigine oral tablet disintegrating, dose pk</i>	2	MO
<i>lamotrigine oral tablet extended release 24hr</i>	4	MO
<i>lamotrigine oral tablet, chewable dispersible</i>	2	MO
<i>lamotrigine oral tablet,disintegrating</i>	4	MO
<i>lamotrigine oral tablets,dose pack</i>	2	MO
<i>levetiracetam in nacl (iso-os) intravenous piggyback 1,000 mg/100 ml, 1,500 mg/100 ml</i>	2	
<i>levetiracetam in nacl (iso-os) intravenous piggyback 500 mg/100 ml</i>	2	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements /Limits
<i>levetiracetam intravenous</i>	2	MO
<i>levetiracetam oral solution 100 mg/ml</i>	2	MO
<i>levetiracetam oral solution 500 mg/5 ml (5 ml)</i>	2	
<i>levetiracetam oral tablet</i>	2	MO
<i>levetiracetam oral tablet extended release 24 hr</i>	2	MO
LYRICA ORAL CAPSULE 100 MG, 150 MG, 200 MG, 25 MG, 50 MG, 75 MG	3	MO; QL (90 per 30 days)
LYRICA ORAL CAPSULE 225 MG, 300 MG	3	MO; QL (60 per 30 days)
LYRICA ORAL SOLUTION	3	MO; QL (900 per 30 days)
NAYZILAM	5	PA; MO; QL (10 per 30 days)
<i>oxcarbazepine</i>	2	MO
PEGANONE	3	MO
<i>phenobarbital</i>	2	PA; MO
<i>phenobarbital sodium injection solution 130 mg/ml</i>	2	MO
<i>phenobarbital sodium injection solution 65 mg/ml</i>	2	
<i>phenytoin oral suspension 100 mg/4 ml</i>	2	

Drug Name	Drug Tier	Requirements /Limits
<i>phenytoin oral suspension 125 mg/5 ml</i>	2	MO
<i>phenytoin oral tablet, chewable</i>	2	MO
<i>phenytoin sodium extended</i>	2	MO
<i>phenytoin sodium intravenous solution</i>	2	MO
<i>pregabalin oral capsule 100 mg, 150 mg, 200 mg, 25 mg, 50 mg, 75 mg</i>	2	MO; QL (90 per 30 days)
<i>pregabalin oral capsule 225 mg, 300 mg</i>	2	MO; QL (60 per 30 days)
<i>pregabalin oral solution</i>	2	MO; QL (900 per 30 days)
<i>primidone</i>	2	MO
<i>roweepra</i>	2	MO
<i>roweepra xr</i>	2	MO
SPRITAM	4	MO
<i>subvenite</i>	2	MO
<i>subvenite starter (blue) kit</i>	2	MO
<i>subvenite starter (green) kit</i>	2	MO
<i>subvenite starter (orange) kit</i>	2	MO
SYMPAZAN ORAL FILM 10 MG, 20 MG	5	PA; MO; QL (60 per 30 days)
SYMPAZAN ORAL FILM 5 MG	4	PA; MO; QL (60 per 30 days)
<i>tiagabine</i>	4	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements /Limits
<i>topiramate oral capsule, sprinkle</i>	2	PA; MO
<i>topiramate oral tablet</i>	1	PA; MO
<i>valproate sodium</i>	2	MO
<i>valproic acid</i>	2	MO
<i>valproic acid (as sodium salt) oral solution 250 mg/5 ml</i>	2	MO
<i>valproic acid (as sodium salt) oral solution 250 mg/5 ml (5 ml), 500 mg/10 ml (10 ml)</i>	2	
<i>vigabatrin</i>	5	MO; LA
<i>vigadron</i>	5	MO; LA
VIMPAT INTRAVENOUS	3	MO
VIMPAT ORAL SOLUTION	3	MO
VIMPAT ORAL TABLET	3	MO
<i>zonisamide</i>	2	PA; MO
ANTIPARKINSONISM AGENTS		
<i>APOKYN</i>	5	MO; LA
<i>benztropine injection</i>	2	MO
<i>benztropine oral</i>	2	PA; MO
<i>bromocriptine</i>	4	MO
<i>carbidopa</i>	2	MO
<i>carbidopa-levodopa</i>	2	MO
<i>carbidopa-levodopa-entacapone</i>	4	MO
<i>entacapone</i>	2	MO
NEUPRO	4	MO
<i>pramipexole</i>	2	MO

Drug Name	Drug Tier	Requirements /Limits
<i>rasagiline</i>	2	MO
<i>ropinirole</i>	2	MO
<i>selegiline hcl</i>	2	MO
<i>tolcapone</i>	5	MO
MIGRAINE / CLUSTER HEADACHE THERAPY		
<i>dihydroergotamine injection</i>	2	MO
<i>dihydroergotamine nasal</i>	2	MO; QL (8 per 28 days)
<i>eletriptan</i>	2	MO; QL (18 per 28 days)
<i>ergotamine-caffeine</i>	2	MO
<i>migergot</i>	2	MO
<i>naratriptan</i>	2	MO; QL (18 per 28 days)
<i>rizatriptan</i>	2	MO; QL (36 per 28 days)
<i>sumatriptan nasal spray,non-aerosol 20 mg/actuation</i>	2	MO; QL (18 per 28 days)
<i>sumatriptan nasal spray,non-aerosol 5 mg/actuation</i>	2	MO; QL (36 per 28 days)
<i>sumatriptan succinate oral</i>	2	MO; QL (18 per 28 days)
<i>sumatriptan succinate subcutaneous cartridge</i>	2	MO; QL (8 per 28 days)
<i>sumatriptan succinate subcutaneous pen injector</i>	2	MO; QL (8 per 28 days)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements /Limits
<i>sumatriptan succinate subcutaneous solution</i>	2	MO; QL (8 per 28 days)
<i>sumatriptan succinate subcutaneous syringe 6 mg/0.5 ml</i>	2	MO; QL (8 per 28 days)
<i>sumatriptan-naproxen</i>	2	MO; QL (18 per 28 days)
<i>zolmitriptan</i>	2	MO; QL (18 per 28 days)

MISCELLANEOUS NEUROLOGICAL THERAPY

<i>dalfampridine</i>	5	PA; MO
<i>donepezil oral tablet 10 mg, 5 mg</i>	1	MO
<i>donepezil oral tablet 23 mg</i>	4	MO
<i>donepezil oral tablet,disintegrating</i>	1	MO
<i>FIRDAPSE</i>	5	PA; MO; LA
<i>galantamine</i>	2	MO
<i>GILENYA ORAL CAPSULE 0.5 MG</i>	5	PA; MO
<i>glatiramer subcutaneous syringe 20 mg/ml</i>	5	PA; MO; QL (30 per 30 days)
<i>glatiramer subcutaneous syringe 40 mg/ml</i>	5	PA; MO; QL (12 per 28 days)
<i>glatopa subcutaneous syringe 20 mg/ml</i>	5	PA; MO; QL (30 per 30 days)
<i>glatopa subcutaneous syringe 40 mg/ml</i>	5	PA; MO; QL (12 per 28 days)
<i>LEMTRADA</i>	5	PA; MO

Drug Name	Drug Tier	Requirements /Limits
<i>memantine oral capsule,sprinkle,er 24hr</i>	2	PA; MO
<i>memantine oral solution</i>	2	PA; MO
<i>memantine oral tablet</i>	2	PA; MO
<i>NAMZARIC</i>	3	PA; MO
<i>NUEDEXTA</i>	5	PA; MO
<i>OCREVUS</i>	5	PA; MO; LA
<i>RADICAVA</i>	5	PA; MO
<i>rivastigmine</i>	2	MO
<i>rivastigmine tartrate</i>	2	MO
<i>TECFIDERA</i>	5	PA; MO; LA
<i>tetrabenazine oral tablet 12.5 mg</i>	5	PA; MO; QL (240 per 30 days)
<i>tetrabenazine oral tablet 25 mg</i>	5	PA; MO; QL (120 per 30 days)

MUSCLE RELAXANTS / ANTISPASMODIC THERAPY

<i>baclofen oral tablet 10 mg, 20 mg</i>	2	MO
<i>cyclobenzaprine oral tablet</i>	4	PA; MO
<i>dantrolene intravenous</i>	2	
<i>dantrolene oral</i>	2	MO
<i>LIORESAL INTRATHECAL SOLUTION 2,000 MCG/ML, 500 MCG/ML</i>	3	B/D PA; MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements /Limits
LIORESAL INTRATHECAL SOLUTION 50 MCG/ML	3	B/D PA
<i>neostigmine methylsulfate intravenous solution 0.5 mg/ml</i>	2	MO
<i>neostigmine methylsulfate intravenous solution 1 mg/ml</i>	2	
<i>pyridostigmine bromide oral syrup</i>	5	MO
<i>pyridostigmine bromide oral tablet 60 mg</i>	2	MO
<i>pyridostigmine bromide oral tablet extended release</i>	2	MO
<i>regonol</i>	2	
<i>revonto</i>	2	
<i>tizanidine</i>	2	MO
NARCOTIC ANALGESICS		
<i>acetaminophen-caff- dihydrocod oral capsule</i>	2	MO; QL (300 per 30 days)
<i>acetaminophen- codeine oral solution 120 mg-12 mg /5 ml (5 ml), 300 mg-30 mg /12.5 ml</i>	2	QL (4500 per 30 days)
<i>acetaminophen- codeine oral solution 120-12 mg/5 ml</i>	2	MO; QL (4500 per 30 days)
<i>acetaminophen- codeine oral tablet 300-15 mg, 300-30 mg</i>	2	MO; QL (360 per 30 days)

Drug Name	Drug Tier	Requirements /Limits
<i>acetaminophen- codeine oral tablet 300-60 mg</i>	2	MO; QL (180 per 30 days)
<i>buprenorphine hcl injection solution</i>	2	MO
<i>buprenorphine hcl injection syringe</i>	2	
<i>buprenorphine hcl sublingual</i>	2	MO
<i>buprenorphine transdermal patch weekly 10 mcg/hour, 15 mcg/hour, 20 mcg/hour, 5 mcg/hour</i>	2	PA; MO; QL (4 per 28 days)
<i>duramorph (pf) injection solution 0.5 mg/ml</i>	2	MO; QL (4000 per 30 days)
<i>duramorph (pf) injection solution 1 mg/ml</i>	2	QL (2000 per 30 days)
<i>endocet oral tablet 10-325 mg, 2.5-325 mg, 5-325 mg, 7.5- 325 mg</i>	2	MO; QL (360 per 30 days)
<i>fentanyl citrate (pf) injection solution</i>	2	MO; QL (400 per 30 days)
<i>fentanyl citrate (pf) intravenous syringe 100 mcg/2 ml (50 mcg/ml)</i>	2	QL (400 per 30 days)
<i>fentanyl citrate buccal lozenge on a handle</i>	5	PA; MO; QL (120 per 30 days)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements /Limits	Drug Name	Drug Tier	Requirements /Limits
fentanyl transdermal patch 72 hour 100 mcg/hr, 12 mcg/hr, 25 mcg/hr, 37.5 mcg/hour, 50 mcg/hr, 62.5 mcg/hour, 75 mcg/hr	2	PA; MO; QL (10 per 30 days)	hydromorphone injection solution 2 mg/ml	2	MO; QL (1200 per 30 days)
fentanyl transdermal patch 72 hour 87.5 mcg/hour	5	PA; MO; QL (10 per 30 days)	hydromorphone injection solution 4 mg/ml	2	MO; QL (600 per 30 days)
hydrocodone-acetaminophen oral solution 10-325 mg/15 ml(15 ml)	2	QL (5550 per 30 days)	hydromorphone injection syringe 1 mg/ml	2	MO; QL (2400 per 30 days)
hydrocodone-acetaminophen oral solution 7.5-325 mg/15 ml	2	MO; QL (5550 per 30 days)	hydromorphone injection syringe 2 mg/ml	2	QL (150 per 30 days)
hydrocodone-acetaminophen oral tablet 10-300 mg, 5-300 mg, 7.5-300 mg	2	MO; QL (390 per 30 days)	hydromorphone injection syringe 4 mg/ml	2	MO; QL (600 per 30 days)
hydrocodone-acetaminophen oral tablet 10-325 mg, 5-325 mg, 7.5-325 mg	2	MO; QL (360 per 30 days)	hydromorphone oral liquid	2	MO; QL (2400 per 30 days)
hydrocodone-ibuprofen oral tablet 10-200 mg, 5-200 mg, 7.5-200 mg	2	MO; QL (50 per 30 days)	hydromorphone oral tablet	2	MO; QL (180 per 30 days)
hydromorphone (pf) injection solution 10 (mg/ml) (5 ml), 10 mg/ml	2	MO; QL (240 per 30 days)	hydromorphone oral tablet extended release 24 hr 12 mg, 16 mg, 8 mg	2	PA; MO; QL (60 per 30 days)
hydromorphone (pf) injection solution 2 mg/ml	2	QL (1200 per 30 days)	hydromorphone oral tablet extended release 24 hr 32 mg	5	PA; MO; QL (60 per 30 days)
hydromorphone injection solution 1 mg/ml	2	QL (2400 per 30 days)	ibuprofen-oxycodone	2	MO; QL (28 per 30 days)
			levorphanol tartrate oral tablet 2 mg	2	MO; QL (120 per 30 days)
			loracet (hydrocodone)	2	MO; QL (360 per 30 days)
			loracet hd	2	MO; QL (360 per 30 days)
			loracet plus oral tablet 7.5-325 mg	2	MO; QL (360 per 30 days)
			methadone injection solution	2	QL (150 per 30 days)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements /Limits	Drug Name	Drug Tier	Requirements /Limits
<i>methadone intensol</i>	2	PA; MO; QL (90 per 30 days)	<i>morphine injection syringe 10 mg/ml</i>	2	MO; QL (200 per 30 days)
<i>methadone oral concentrate</i>	2	PA; MO; QL (90 per 30 days)	<i>morphine injection syringe 2 mg/ml</i>	2	MO; QL (1000 per 30 days)
<i>methadone oral solution 10 mg/5 ml</i>	2	PA; MO; QL (600 per 30 days)	<i>morphine injection syringe 4 mg/ml</i>	2	MO; QL (500 per 30 days)
<i>methadone oral solution 5 mg/5 ml</i>	2	PA; MO; QL (1200 per 30 days)	<i>morphine injection syringe 5 mg/ml</i>	2	QL (400 per 30 days)
<i>methadone oral tablet 10 mg</i>	2	PA; MO; QL (120 per 30 days)	<i>morphine injection syringe 8 mg/ml</i>	2	QL (250 per 30 days)
<i>methadone oral tablet 5 mg</i>	2	PA; MO; QL (240 per 30 days)	<i>morphine intravenous solution 10 mg/ml</i>	2	MO; QL (200 per 30 days)
<i>methadose oral concentrate</i>	2	PA; MO; QL (90 per 30 days)	<i>morphine intravenous solution 4 mg/ml</i>	2	MO; QL (500 per 30 days)
<i>morphine (pf) injection solution 0.5 mg/ml</i>	2	QL (4000 per 30 days)	<i>morphine intravenous syringe 10 mg/ml</i>	2	QL (200 per 30 days)
<i>morphine (pf) injection solution 1 mg/ml</i>	2	MO; QL (2000 per 30 days)	<i>morphine intravenous syringe 2 mg/ml</i>	2	QL (1000 per 30 days)
<i>morphine (pf) intravenous patient control.analgesia soln 150 mg/30 ml</i>	2	B/D PA; MO; QL (400 per 30 days)	<i>morphine intravenous syringe 4 mg/ml</i>	2	QL (500 per 30 days)
<i>morphine (pf) intravenous patient control.analgesia soln 30 mg/30 ml</i>	2	B/D PA; QL (2000 per 30 days)	<i>morphine oral capsule, er multiphase 24 hr</i>	2	PA; MO; QL (60 per 30 days)
<i>morphine concentrate oral solution</i>	2	MO; QL (900 per 30 days)	<i>morphine oral capsule, extend.release pellets</i>	2	PA; MO; QL (90 per 30 days)
<i>morphine injection solution 8 mg/ml</i>	2	QL (250 per 30 days)	<i>morphine oral solution</i>	2	MO; QL (900 per 30 days)
			<i>morphine oral tablet</i>	2	MO; QL (180 per 30 days)
			<i>morphine oral tablet extended release</i>	2	PA; MO; QL (120 per 30 days)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements /Limits
<i>oxycodone oral capsule</i>	2	MO; QL (360 per 30 days)
<i>oxycodone oral concentrate</i>	2	MO; QL (180 per 30 days)
<i>oxycodone oral solution</i>	2	MO; QL (1200 per 30 days)
<i>oxycodone oral tablet 10 mg, 15 mg, 20 mg, 30 mg</i>	2	MO; QL (180 per 30 days)
<i>oxycodone oral tablet 5 mg</i>	2	MO; QL (360 per 30 days)
<i>oxycodone-acetaminophen oral tablet 10-325 mg, 2.5-325 mg, 5-325 mg, 7.5-325 mg</i>	2	MO; QL (360 per 30 days)
<i>oxycodone-aspirin</i>	2	MO; QL (360 per 30 days)
<i>oxymorphone oral tablet 10 mg</i>	2	MO; QL (360 per 30 days)
<i>oxymorphone oral tablet 5 mg</i>	2	MO; QL (180 per 30 days)
NON-NARCOTIC ANALGESICS		
<i>buprenorphine-naloxone sublingual film 12-3 mg</i>	2	MO; QL (60 per 30 days)
<i>buprenorphine-naloxone sublingual film 2-0.5 mg</i>	2	MO; QL (360 per 30 days)
<i>buprenorphine-naloxone sublingual film 4-1 mg, 8-2 mg</i>	2	MO; QL (90 per 30 days)
<i>buprenorphine-naloxone sublingual tablet 2-0.5 mg</i>	2	MO; QL (360 per 30 days)
<i>buprenorphine-naloxone sublingual tablet 8-2 mg</i>	2	MO; QL (90 per 30 days)

Drug Name	Drug Tier	Requirements /Limits
<i>butorphanol tartrate injection solution 1 mg/ml</i>	2	MO; QL (857 per 30 days)
<i>butorphanol tartrate injection solution 2 mg/ml</i>	2	MO; QL (428 per 30 days)
<i>butorphanol tartrate nasal</i>	2	MO; QL (10 per 28 days)
<i>celecoxib</i>	2	MO
<i>clonidine (pf) epidural solution 5,000 mcg/10 ml</i>	2	
<i>diclofenac potassium</i>	2	MO
<i>diclofenac sodium oral</i>	2	MO
<i>diclofenac sodium topical drops</i>	2	MO; QL (300 per 28 days)
<i>diclofenac sodium topical gel 1 %</i>	2	MO; QL (1000 per 28 days)
<i>diclofenac-misoprostol</i>	2	MO
<i>diflunisal</i>	2	MO
<i>ec-naproxen</i>	2	
<i>etodolac</i>	2	MO
<i>fenoprofen oral tablet</i>	2	MO
<i>flurbiprofen</i>	2	MO
<i>ibu</i>	1	MO
<i>ibuprofen oral suspension</i>	2	MO
<i>ibuprofen oral tablet 400 mg, 600 mg, 800 mg</i>	1	MO
<i>ketoprofen oral capsule 25 mg</i>	2	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements /Limits
<i>ketoprofen oral capsule,ext rel. pellets 24 hr 200 mg</i>	2	MO
<i>meclofenamate</i>	2	MO
<i>mefenamic acid</i>	2	MO
<i>meloxicam oral tablet 15 mg</i>	1	MO
<i>meloxicam oral tablet 7.5 mg</i>	1	MO; QL (30 per 30 days)
<i>nabumetone</i>	2	MO
<i>nalbuphine injection solution 10 mg/ml</i>	2	MO; QL (200 per 30 days)
<i>nalbuphine injection solution 20 mg/ml</i>	2	MO; QL (100 per 30 days)
<i>naloxone</i>	2	MO
<i>naltrexone</i>	2	MO
<i>naproxen oral suspension</i>	2	MO
<i>naproxen oral tablet</i>	1	MO
<i>naproxen oral tablet,delayed release (dr/ec)</i>	2	MO
<i>naproxen sodium oral tablet 275 mg, 550 mg</i>	2	MO
<i>naproxen sodium oral tablet, er multiphase 24 hr</i>	2	MO
NARCAN NASAL SPRAY, NON-AEROSOL 4 MG/ACTUATION	3	MO
<i>oxaprozin</i>	2	MO
<i>piroxicam</i>	2	MO
<i>salsalate</i>	1	MO
<i>sulindac</i>	1	MO

Drug Name	Drug Tier	Requirements /Limits
<i>tolmetin</i>	2	MO
<i>tramadol oral tablet</i>	2	MO; QL (240 per 30 days)
<i>tramadol-acetaminophen</i>	2	MO; QL (240 per 30 days)
VIVITROL	5	MO
PSYCHOTHERAPEUTIC DRUGS		
ABILIFY MAINTENA	5	MO
ADASUVE	3	LA
<i>amitriptyline</i>	2	MO
<i>amoxapine</i>	2	MO
<i>ariPIPRAZOLE oral solution</i>	5	MO
<i>ariPIPRAZOLE oral tablet</i>	2	MO; QL (30 per 30 days)
<i>ariPIPRAZOLE oral tablet,disintegrating</i>	5	MO; QL (60 per 30 days)
ARISTADA	5	MO
ARISTADA INITIO	5	MO
<i>armodafinil</i>	4	PA; MO
<i>atomoxetine</i>	2	MO
<i>bupropion hcl oral tablet</i>	1	MO
<i>bupropion hcl oral tablet extended release 24 hr 150 mg</i>	2	MO; QL (90 per 30 days)
<i>bupropion hcl oral tablet extended release 24 hr 300 mg</i>	2	MO; QL (30 per 30 days)
<i>bupropion hcl oral tablet sustained-release 12 hr</i>	2	MO; QL (60 per 30 days)
<i>buspirone</i>	2	MO
<i>chlorpromazine</i>	2	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements /Limits
citalopram oral solution	2	MO
citalopram oral tablet	1	MO; QL (30 per 30 days)
clomipramine	4	MO
clonidine hcl oral tablet extended release 12 hr	2	MO
clorazepate dipotassium oral tablet 15 mg	2	PA; MO; QL (180 per 30 days)
clorazepate dipotassium oral tablet 3.75 mg	2	PA; MO; QL (90 per 30 days)
clorazepate dipotassium oral tablet 7.5 mg	2	PA; MO; QL (360 per 30 days)
clozapine oral tablet	2	MO
clozapine oral tablet,disintegrating 100 mg, 12.5 mg, 25 mg	2	
CLOZAPINE ORAL TABLET,DISINTE GRATING 150 MG, 200 MG	4	
desipramine	2	MO
desvenlafaxine succinate	2	MO; QL (30 per 30 days)
dextroamphetamine oral solution	2	MO
dextroamphetamine-amphetamine	2	MO
diazepam injection solution	2	PA
diazepam injection syringe	2	PA; MO

Drug Name	Drug Tier	Requirements /Limits
diazepam oral concentrate	2	PA; MO; QL (240 per 30 days)
diazepam oral solution 5 mg/5 ml (1 mg/ml)	2	PA; MO; QL (1200 per 30 days)
diazepam oral tablet	2	PA; MO; QL (120 per 30 days)
doxepin oral capsule	4	MO
doxepin oral concentrate	4	MO
DRIZALMA SPRINKLE ORAL CAPSULE, DELAYED REL SPRINKLE 20 MG, 30 MG, 60 MG	4	MO; QL (60 per 30 days)
DRIZALMA SPRINKLE ORAL CAPSULE, DELAYED REL SPRINKLE 40 MG	4	MO; QL (90 per 30 days)
duloxetine oral capsule,delayed release(dr/ec) 20 mg, 30 mg, 60 mg	2	MO; QL (60 per 30 days)
duloxetine oral capsule,delayed release(dr/ec) 40 mg	2	MO; QL (90 per 30 days)
EMSAM	5	MO
ergoloid	4	MO
escitalopram oxalate oral solution	2	MO
escitalopram oxalate oral tablet	1	MO; QL (30 per 30 days)
eszopiclone	4	MO; QL (30 per 30 days)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements /Limits
FANAPT ORAL TABLET 1 MG, 2 MG, 4 MG	4	MO; QL (60 per 30 days)
FANAPT ORAL TABLET 10 MG, 12 MG, 6 MG, 8 MG	5	MO; QL (60 per 30 days)
FANAPT ORAL TABLETS,DOSE PACK	4	MO; QL (8 per 28 days)
FETZIMA ORAL CAPSULE,EXT REL 24HR DOSE PACK	4	MO; QL (28 per 28 days)
FETZIMA ORAL CAPSULE,EXTENDED RELEASE 24 HR	4	MO; QL (30 per 30 days)
flumazenil	2	MO
fluoxetine oral capsule 10 mg	1	MO; QL (30 per 30 days)
fluoxetine oral capsule 20 mg	1	MO
fluoxetine oral capsule 40 mg	1	MO; QL (60 per 30 days)
fluoxetine oral capsule,delayed release(dr/ec)	2	MO; QL (4 per 28 days)
fluoxetine oral solution	2	MO
fluoxetine oral tablet 10 mg	2	MO; QL (30 per 30 days)
fluoxetine oral tablet 20 mg, 60 mg	2	MO
fluphenazine decanoate	2	MO
fluphenazine hcl	2	MO
fluvoxamine oral capsule,extended release 24hr	4	MO; QL (60 per 30 days)

Drug Name	Drug Tier	Requirements /Limits
<i>fluvoxamine oral tablet 100 mg</i>	2	MO; QL (90 per 30 days)
<i>fluvoxamine oral tablet 25 mg</i>	2	MO; QL (30 per 30 days)
<i>fluvoxamine oral tablet 50 mg</i>	2	MO; QL (60 per 30 days)
GEODON INTRAMUSCULAR	4	MO
<i>guanidine</i>	2	MO
<i>haloperidol</i>	1	MO
<i>haloperidol decanoate</i>	2	MO
<i>haloperidol lactate injection</i>	2	MO
<i>haloperidol lactate oral</i>	2	MO
HETLIOZ	5	PA; MO; QL (30 per 30 days)
<i>imipramine hcl</i>	4	MO
<i>imipramine pamoate</i>	4	MO
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 117 MG/0.75 ML, 156 MG/ML, 234 MG/1.5 ML, 78 MG/0.5 ML	5	MO
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 39 MG/0.25 ML	4	MO
INVEGA TRINZA	5	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements /Limits	Drug Name	Drug Tier	Requirements /Limits
LATUDA ORAL TABLET 120 MG, 20 MG, 40 MG, 60 MG	5	MO; QL (30 per 30 days)	<i>methylphenidate hcl oral tablet extended release</i>	2	MO
LATUDA ORAL TABLET 80 MG	5	MO; QL (60 per 30 days)	<i>methylphenidate hcl oral tablet, chewable</i>	2	MO
<i>lithium carbonate</i>	1	MO	<i>mirtazapine oral tablet</i>	1	MO
<i>lithium citrate oral solution 8 meq/5 ml</i>	2	MO	<i>mirtazapine oral tablet, disintegrating</i>	2	MO
<i>lorazepam injection solution</i>	2	PA; MO	<i>modafinil</i>	2	PA; MO
<i>lorazepam injection syringe</i>	2	PA	<i>molindone</i>	2	MO
<i>lorazepam intensol</i>	2	PA; MO; QL (150 per 30 days)	<i>nefazodone</i>	2	MO
<i>lorazepam oral concentrate</i>	2	PA; MO; QL (150 per 30 days)	<i>nortriptyline</i>	2	MO
<i>lorazepam oral tablet 0.5 mg, 1 mg</i>	2	PA; MO; QL (90 per 30 days)	NUPLAZID ORAL CAPSULE	5	PA; MO; QL (30 per 30 days)
<i>lorazepam oral tablet 2 mg</i>	2	PA; MO; QL (150 per 30 days)	NUPLAZID ORAL TABLET 10 MG	5	PA; MO; QL (30 per 30 days)
<i>loxapine succinate</i>	2	MO	<i>olanzapine intramuscular</i>	2	MO
<i>maprotiline</i>	2	MO	<i>olanzapine oral</i>	2	MO; QL (30 per 30 days)
MARPLAN	3	MO	<i>olanzapine-fluoxetine</i>	2	MO
<i>metadate er</i>	2		<i>paliperidone oral tablet extended release 24hr 1.5 mg, 3 mg</i>	2	MO; QL (30 per 30 days)
<i>methylphenidate hcl oral capsule, er biphasic 50-50</i>	2	MO	<i>paliperidone oral tablet extended release 24hr 6 mg</i>	2	MO; QL (60 per 30 days)
<i>methylphenidate hcl oral solution</i>	2	MO	<i>paliperidone oral tablet extended release 24hr 9 mg</i>	5	MO; QL (30 per 30 days)
<i>methylphenidate hcl oral tablet</i>	2	MO	<i>paroxetine hcl oral tablet 10 mg, 20 mg, 40 mg</i>	1	MO; QL (30 per 30 days)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements /Limits
<i>paroxetine hcl oral tablet 30 mg</i>	1	MO; QL (60 per 30 days)
<i>paroxetine hcl oral tablet extended release 24 hr</i>	2	MO; QL (60 per 30 days)
<i>paroxetine mesylate(menop.sym)</i>	2	MO; QL (30 per 30 days)
PAXIL ORAL SUSPENSION	4	MO
<i>perphenazine</i>	2	MO
PERSERIS	5	MO
<i>phenelzine</i>	2	MO
<i>pimozide</i>	2	MO
<i>procenta</i>	2	MO
<i>protriptyline</i>	2	MO
<i>quetiapine oral tablet 100 mg, 200 mg, 25 mg, 50 mg</i>	2	MO; QL (90 per 30 days)
<i>quetiapine oral tablet 300 mg, 400 mg</i>	2	MO; QL (60 per 30 days)
<i>quetiapine oral tablet extended release 24 hr 150 mg, 200 mg</i>	2	MO; QL (30 per 30 days)
<i>quetiapine oral tablet extended release 24 hr 300 mg, 400 mg, 50 mg</i>	2	MO; QL (60 per 30 days)
<i>ramelteon</i>	2	MO; QL (30 per 30 days)
REXULTI	5	MO; QL (30 per 30 days)

Drug Name	Drug Tier	Requirements /Limits
RISPERDAL CONSTA INTRAMUSCULAR SYRINGE 12.5 MG/2 ML, 25 MG/2 ML	3	MO
RISPERDAL CONSTA INTRAMUSCULAR SYRINGE 37.5 MG/2 ML, 50 MG/2 ML	5	MO
<i>risperidone oral solution</i>	2	MO
<i>risperidone oral tablet 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg</i>	1	MO; QL (60 per 30 days)
<i>risperidone oral tablet 4 mg</i>	1	MO; QL (120 per 30 days)
<i>risperidone oral tablet,disintegrating 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg</i>	2	MO; QL (60 per 30 days)
<i>risperidone oral tablet,disintegrating 4 mg</i>	2	MO; QL (120 per 30 days)
ROZEREM	3	MO; QL (30 per 30 days)
SAPHRIS	5	MO; QL (60 per 30 days)
<i>sertraline oral concentrate</i>	2	MO
<i>sertraline oral tablet 100 mg, 50 mg</i>	1	MO; QL (60 per 30 days)
<i>sertraline oral tablet 25 mg</i>	1	MO; QL (30 per 30 days)
<i>thioridazine</i>	4	MO
<i>thiothixene</i>	1	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements /Limits
<i>tranylcypromine</i>	4	MO
<i>trazodone</i>	1	MO
<i>trifluoperazine</i>	2	MO
<i>trimipramine</i>	4	MO
TRINTELLIX	3	MO; QL (30 per 30 days)
<i>venlafaxine oral capsule,extended release 24hr 150 mg, 37.5 mg</i>	2	MO; QL (30 per 30 days)
<i>venlafaxine oral capsule,extended release 24hr 75 mg</i>	2	MO; QL (90 per 30 days)
<i>venlafaxine oral tablet</i>	2	MO; QL (90 per 30 days)
VERSACLOZ	5	
VIIBRYD ORAL TABLET	3	MO; QL (30 per 30 days)
VIIBRYD ORAL TABLETS,DOSE PACK 10 MG (7)-20 MG (23)	3	MO; QL (30 per 30 days)
VRAYLAR ORAL CAPSULE	5	MO; QL (30 per 30 days)
VRAYLAR ORAL CAPSULE,DOSE PACK	4	MO; QL (7 per 30 days)
XYREM	5	PA; MO; LA; QL (540 per 30 days)
<i>zaleplon oral capsule 10 mg</i>	4	MO; QL (60 per 30 days)
<i>zaleplon oral capsule 5 mg</i>	4	MO; QL (30 per 30 days)
<i>ziprasidone hcl</i>	2	MO; QL (60 per 30 days)
<i>zolpidem oral tablet</i>	2	MO; QL (30 per 30 days)

Drug Name	Drug Tier	Requirements /Limits
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 210 MG	4	MO
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 300 MG, 405 MG	5	MO
CARDIOVASCULAR, HYPERTENSION / LIPIDS		
ANTIARRHYTHMIC AGENTS		
<i>adenosine</i>	2	
<i>amiodarone intravenous solution</i>	2	B/D PA; MO
<i>amiodarone intravenous syringe</i>	2	B/D PA
<i>amiodarone oral</i>	2	MO
<i>dofetilide</i>	2	MO
<i>flecainide</i>	2	MO
<i>ibutilide fumarate</i>	2	MO
<i>lidocaine (pf) in d7.5w</i>	2	MO
<i>lidocaine (pf) intravenous solution</i>	2	MO
<i>lidocaine (pf) intravenous syringe</i>	2	
<i>lidocaine in 5 % dextrose (pf) intravenous parenteral solution 4 mg/ml (0.4 %), 8 mg/ml (0.8 %)</i>	2	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements /Limits
<i>mexiletine</i>	2	MO
<i>pacerone oral tablet 100 mg, 200 mg, 400 mg</i>	2	MO
<i>procainamide injection solution 100 mg/ml</i>	2	MO
<i>procainamide injection solution 500 mg/ml</i>	2	
<i>propafenone</i>	2	MO
<i>quinidine gluconate oral</i>	2	MO
<i>quinidine sulfate oral tablet</i>	2	MO
<i>sorine oral tablet 120 mg, 160 mg, 80 mg</i>	2	MO
<i>sorine oral tablet 240 mg</i>	2	
<i>sotalol af</i>	2	MO
<i>sotalol oral</i>	2	MO
SOTYLIZE	3	MO
ANTIHYPERTENSIVE THERAPY		
<i>acebutolol</i>	2	MO
<i>aliskiren</i>	2	MO
<i>amiloride</i>	2	MO
<i>amiloride- hydrochlorothiazide</i>	2	MO
<i>amlodipine</i>	1	MO
<i>amlodipine- benazepril</i>	1	MO
<i>amlodipine- olmesartan</i>	2	MO
<i>amlodipine- valsartan</i>	2	MO

Drug Name	Drug Tier	Requirements /Limits
<i>amlodipine- valsartan-hcthiazid</i>	2	MO
<i>atenolol</i>	1	MO
<i>atenolol- chlorthalidone</i>	2	MO
<i>benazepril</i>	1	MO
<i>benazepril- hydrochlorothiazide</i>	2	MO
<i>betaxolol oral</i>	2	MO
<i>bisoprolol fumarate</i>	2	MO
<i>bisoprolol- hydrochlorothiazide</i>	1	MO
<i>bumetanide</i>	2	MO
<i>candesartan</i>	2	MO
<i>candesartan- hydrochlorothiazid</i>	2	MO
<i>captopril</i>	2	MO
<i>captopril- hydrochlorothiazide</i>	2	MO
<i>cartia xt</i>	2	MO
<i>carvedilol</i>	1	MO
<i>carvedilol phosphate</i>	2	MO
<i>chlorothiazide</i>	2	MO
<i>chlorothiazide sodium</i>	2	MO
<i>chlorthalidone oral tablet 25 mg, 50 mg</i>	1	MO
<i>clonidine</i>	4	MO; QL (4 per 28 days)
<i>clonidine (pf) epidural solution 1,000 mcg/10 ml (100 mcg/ml)</i>	2	
<i>clonidine hcl oral tablet</i>	1	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements /Limits
DEMSER	5	PA; MO
<i>diltiazem hcl intravenous</i>	2	
<i>diltiazem hcl oral capsule,extended release 12 hr</i>	2	MO
<i>diltiazem hcl oral capsule,extended release 24 hr</i>	2	MO
<i>diltiazem hcl oral capsule,extended release 24hr</i>	2	MO
<i>diltiazem hcl oral tablet</i>	1	MO
<i>diltiazem hcl oral tablet extended release 24 hr</i>	2	MO
<i>dilt-xr</i>	2	MO
<i>doxazosin oral tablet 1 mg, 2 mg, 4 mg</i>	1	MO; QL (30 per 30 days)
<i>doxazosin oral tablet 8 mg</i>	1	MO; QL (60 per 30 days)
<i>enalapril maleate</i>	1	MO
<i>enalaprilat intravenous solution</i>	2	
<i>enalapril-hydrochlorothiazide</i>	1	MO
<i>eplerenone</i>	2	MO
<i>epoprostenol (glycine)</i>	2	B/D PA; MO
<i>eprosartan</i>	2	MO
<i>esmolol intravenous solution</i>	2	
<i>ethacrynat e sodium</i>	5	MO
<i>ethacrynic acid</i>	5	MO
<i>felodipine</i>	2	MO

Drug Name	Drug Tier	Requirements /Limits
<i>fosinopril</i>	1	MO
<i>fosinopril-hydrochlorothiazide</i>	2	MO
<i>furosemide injection</i>	2	MO
<i>furosemide oral solution 10 mg/ml, 40 mg/5 ml (8 mg/ml)</i>	2	MO
<i>furosemide oral tablet</i>	1	MO
<i>hydralazine</i>	2	MO
<i>hydrochlorothiazide</i>	1	MO
<i>indapamide</i>	2	MO
<i>irbesartan</i>	1	MO
<i>irbesartan-hydrochlorothiazide</i>	1	MO
<i>isradipine</i>	2	MO
<i>labetalol intravenous solution</i>	2	MO
<i>labetalol intravenous syringe 20 mg/4 ml (5 mg/ml)</i>	2	
<i>labetalol oral</i>	2	MO
<i>lisinopril</i>	1	MO
<i>lisinopril-hydrochlorothiazide</i>	1	MO
<i>losartan</i>	1	MO
<i>losartan-hydrochlorothiazide</i>	1	MO
<i>mannitol 20 %</i>	2	
<i>mannitol 25 % intravenous solution</i>	2	MO
<i>matzim la</i>	2	MO
<i>methyldopa</i>	2	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements /Limits
<i>metolazone</i>	2	MO
<i>metoprolol succinate</i>	1	MO
<i>metoprolol ta-hydrochlorothiaz</i>	2	MO
<i>metoprolol tartrate intravenous solution</i>	2	MO
<i>metoprolol tartrate intravenous syringe</i>	2	
<i>metoprolol tartrate oral</i>	1	MO
<i>minoxidil oral</i>	2	MO
<i>moexipril</i>	1	MO
<i>nadolol</i>	2	MO
<i>nadolol-bendroflumethiazide oral tablet 80-5 mg</i>	2	MO
<i>nicardipine intravenous solution</i>	2	MO
<i>nicardipine oral</i>	2	MO
<i>nifedipine oral tablet extended release</i>	2	MO
<i>nifedipine oral tablet extended release 24hr</i>	2	MO
<i>nimodipine</i>	2	MO
<i>nisoldipine</i>	2	MO
<i>olmesartan</i>	1	MO
<i>olmesartanamlodipin-hcthiazid</i>	2	MO
<i>olmesartanhydrochlorothiazide</i>	1	MO
<i>osmitrol 15 %</i>	2	
<i>osmitrol 20 %</i>	2	
<i>perindopril erbumine</i>	1	MO

Drug Name	Drug Tier	Requirements /Limits
<i>phenoxybenzamine</i>	5	PA; MO
<i>phentolamine injection recon soln</i>	2	
<i>pindolol</i>	2	MO
<i>prazosin</i>	2	MO
<i>propranolol intravenous</i>	2	
<i>propranolol oral capsule,extended release 24 hr</i>	2	MO
<i>propranolol oral solution</i>	2	MO
<i>propranolol oral tablet</i>	1	MO
<i>propranololhydrochlorothiazid</i>	2	MO
<i>quinapril</i>	1	MO
<i>quinaprilhydrochlorothiazide</i>	2	MO
<i>ramipril</i>	1	MO
REMODULIN	5	PA; MO; LA
<i>spironolactone</i>	1	MO
<i>spironolactonhydrochlorothiaz</i>	2	MO
<i>taztia xt</i>	2	MO
TEKTURNA HCT	3	MO
<i>telmisartan</i>	2	MO
<i>telmisartanamlodipine</i>	2	MO
<i>telmisartanhydrochlorothiazid</i>	2	MO
<i>terazosin oral capsule 1 mg, 2 mg, 5 mg</i>	1	MO; QL (30 per 30 days)
<i>terazosin oral capsule 10 mg</i>	1	MO; QL (60 per 30 days)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements /Limits
<i>tiadylt er</i>	2	
<i>timolol maleate oral</i>	2	MO
<i>torsemide oral</i>	2	MO
<i>trandolapril</i>	1	MO
<i>trandolapril-verapamil</i>	2	MO
<i>treprostinil sodium</i>	5	PA; MO; LA
<i>triamterene</i>	2	MO
<i>triamterene-hydrochlorothiazid oral capsule 37.5-25 mg</i>	1	MO
<i>triamterene-hydrochlorothiazid oral tablet</i>	1	MO
<i>UPTRAVI</i>	5	PA; MO; LA
<i>valsartan</i>	1	MO
<i>valsartan-hydrochlorothiazide</i>	1	MO
<i>veletri</i>	2	B/D PA; MO
<i>verapamil intravenous solution</i>	2	MO
<i>verapamil intravenous syringe</i>	2	
<i>verapamil oral capsule, 24 hr er pellet ct</i>	2	MO
<i>verapamil oral capsule, ext rel. pellets 24 hr</i>	2	MO
<i>verapamil oral tablet</i>	1	MO
<i>verapamil oral tablet extended release</i>	2	MO
COAGULATION THERAPY		
<i>AMICAR</i>	3	MO
<i>aminocaproic acid</i>	2	MO

Drug Name	Drug Tier	Requirements /Limits
<i>aspirin-dipyridamole</i>	2	MO
<i>BRILINTA</i>	3	MO
<i>CABLIVI INJECTION KIT</i>	5	PA; MO; LA
<i>CEPROTIN (BLUE BAR)</i>	3	MO
<i>CEPROTIN (GREEN BAR)</i>	3	MO
<i>cilostazol</i>	2	MO
<i>clopidogrel oral tablet 300 mg</i>	2	MO
<i>clopidogrel oral tablet 75 mg</i>	1	MO; QL (30 per 30 days)
<i>dipyridamole intravenous</i>	2	PA
<i>dipyridamole oral</i>	2	MO
<i>DOPTELET (10 TAB PACK)</i>	5	PA; MO; LA
<i>DOPTELET (15 TAB PACK)</i>	5	PA; MO; LA
<i>DOPTELET (30 TAB PACK)</i>	5	PA; MO; LA
<i>ELIQUIS</i>	3	MO
<i>ELIQUIS DVT-PE TREAT 30D START</i>	3	MO
<i>enoxaparin</i>	2	MO
<i>fondaparinux subcutaneous syringe 10 mg/0.8 ml, 5 mg/0.4 ml, 7.5 mg/0.6 ml</i>	5	MO
<i>fondaparinux subcutaneous syringe 2.5 mg/0.5 ml</i>	2	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements /Limits
<i>heparin (porcine) in 5 % dex intravenous parenteral solution 20,000 unit/500 ml (40 unit/ml)</i>	2	
<i>heparin (porcine) in 5 % dex intravenous parenteral solution 25,000 unit/250 ml(100 unit/ml), 25,000 unit/500 ml (50 unit/ml)</i>	2	MO
<i>heparin (porcine) in nacl (pf)</i>	2	
<i>heparin (porcine) injection cartridge</i>	2	MO
<i>heparin (porcine) injection solution</i>	2	MO
<i>heparin (porcine) injection syringe 5,000 unit/ml</i>	2	MO
HEPARIN(PORCINE) IN 0.45% NACL INTRAVENOUS PARENTERAL SOLUTION 12,500 UNIT/250 ML	3	
<i>heparin(porcine) in 0.45% nacl intravenous parenteral solution 25,000 unit/250 ml, 25,000 unit/500 ml</i>	2	MO
<i>heparin, porcine (pf) injection solution</i>	2	MO
<i>heparin, porcine (pf) injection syringe 5,000 unit/0.5 ml</i>	2	MO

Drug Name	Drug Tier	Requirements /Limits
HEPARIN, PORCINE (PF) INJECTION SYRINGE 5,000 UNIT/ML	3	
HEPARIN, PORCINE (PF) SUBCUTANEOUS	3	
<i>jantoven</i>	1	MO
MULPLETA	5	PA; MO
NPLATE	5	MO
<i>pentoxifylline</i>	2	MO
PRADAXA	4	MO
<i>prasugrel</i>	2	MO
PROMACTA	5	PA; MO; LA
<i>protamine</i>	2	
<i>warfarin</i>	1	MO
XARELTO	3	MO
LIPID/CHOLESTEROL LOWERING AGENTS		
<i>amlodipine- atorvastatin</i>	2	MO; QL (30 per 30 days)
<i>atorvastatin</i>	1	MO; QL (30 per 30 days)
<i>cholestyramine (with sugar)</i>	2	MO
<i>cholestyramine light</i>	2	MO
<i>colesevelam</i>	2	MO
<i>colestipol</i>	2	MO
<i>ezetimibe</i>	2	MO
<i>ezetimibe-simvastatin</i>	2	MO; QL (30 per 30 days)
<i>fenofibrate micronized</i>	2	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements /Limits
<i>fenofibrate nanocrystallized oral tablet 145 mg, 48 mg</i>	2	MO
<i>fenofibrate oral tablet</i>	2	MO
<i>fenofibric acid</i>	2	MO
<i>fenofibric acid (choline)</i>	2	MO
<i>fluvastatin oral capsule 20 mg</i>	2	MO; QL (30 per 30 days)
<i>fluvastatin oral capsule 40 mg</i>	2	MO; QL (60 per 30 days)
<i>fluvastatin oral tablet extended release 24 hr</i>	2	MO; QL (30 per 30 days)
<i>gemfibrozil</i>	1	MO
JUXTAPID	5	PA; MO; LA
<i>lovastatin oral tablet 10 mg</i>	1	MO; QL (30 per 30 days)
<i>lovastatin oral tablet 20 mg, 40 mg</i>	1	MO; QL (60 per 30 days)
<i>niacin oral tablet 500 mg</i>	2	MO
<i>niacin oral tablet extended release 24 hr</i>	2	MO
PRALUENT PEN	3	PA; MO; QL (2 per 28 days)
<i>pravastatin</i>	1	MO; QL (30 per 30 days)
<i>prevalite</i>	2	MO
REPATHA	3	PA; MO; QL (3 per 28 days)
REPATHA PUSHTRONEX	3	PA; MO; QL (3.5 per 28 days)

Drug Name	Drug Tier	Requirements /Limits
REPATHA SURECLICK	3	PA; MO; QL (3 per 28 days)
<i>rosuvastatin</i>	1	MO; QL (30 per 30 days)
<i>simvastatin oral tablet</i>	1	MO; QL (30 per 30 days)
VASCEPA	3	MO
MISCELLANEOUS CARDIOVASCULAR AGENTS		
<i>cardioplegic soln</i>	2	
CORLANOR ORAL SOLUTION	3	PA
CORLANOR ORAL TABLET	3	PA; MO
<i>digitek</i>	2	MO
<i>digox</i>	2	MO
<i>digoxin oral solution 50 mcg/ml (0.05 mg/ml)</i>	2	MO
<i>digoxin oral tablet</i>	2	MO
<i>dobutamine</i>	2	B/D PA
<i>dobutamine in d5w intravenous parenteral solution 1,000 mg/250 ml (4,000 mcg/ml), 250 mg/250 ml (1 mg/ml)</i>	2	B/D PA; MO
<i>dobutamine in d5w intravenous parenteral solution 500 mg/250 ml (2,000 mcg/ml)</i>	2	B/D PA

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements /Limits
dopamine in 5 % dextrose intravenous solution 200 mg/250 ml (800 mcg/ml), 400 mg/250 ml (1,600 mcg/ml), 400 mg/500 ml (800 mcg/ml), 800 mg/500 ml (1,600 mcg/ml)	2	B/D PA
dopamine in 5 % dextrose intravenous solution 800 mg/250 ml (3,200 mcg/ml)	2	B/D PA; MO
dopamine intravenous solution 200 mg/5 ml (40 mg/ml)	2	B/D PA
dopamine intravenous solution 400 mg/10 ml (40 mg/ml)	2	B/D PA; MO
ENTRESTO	3	MO; QL (60 per 30 days)
LANOXIN ORAL TABLET 62.5 MCG (0.0625 MG)	3	MO
milrinone	2	B/D PA; MO
milrinone in 5 % dextrose	2	B/D PA; MO
norepinephrine bitartrate	2	
ranolazine	2	MO
sodium nitroprusside	2	B/D PA
VECAMYL	5	
VYNDAMAX	5	PA; MO
VYNDAQEL	5	PA; MO
NITRATES		

Drug Name	Drug Tier	Requirements /Limits
isosorbide dinitrate oral tablet 10 mg, 20 mg, 30 mg, 5 mg	2	MO
isosorbide dinitrate oral tablet 40 mg	2	
isosorbide dinitrate oral tablet extended release	2	
isosorbide mononitrate	1	MO
nitro-bid	2	MO
nitroglycerin in 5 % dextrose intravenous solution 100 mg/250 ml (400 mcg/ml), 50 mg/250 ml (200 mcg/ml)	2	B/D PA
nitroglycerin in 5 % dextrose intravenous solution 25 mg/250 ml (100 mcg/ml)	2	B/D PA; MO
nitroglycerin intravenous	2	B/D PA
nitroglycerin sublingual	2	MO
nitroglycerin transdermal patch 24 hour	2	MO
nitroglycerin translingual spray,non-aerosol	2	MO
DERMATOLOGICALS/TOPICAL THERAPY		
ANTIPSORIATIC / ANTISEBORRHEIC		
acitretin oral capsule 10 mg, 25 mg	2	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements /Limits
<i>acitretin oral capsule 17.5 mg</i>	5	MO
<i>calcipotriene scalp</i>	2	MO; QL (120 per 30 days)
<i>calcipotriene topical cream</i>	4	MO; QL (120 per 30 days)
<i>calcipotriene topical ointment</i>	2	MO; QL (120 per 30 days)
<i>calcipotriene-betamethasone</i>	2	MO; QL (400 per 30 days)
<i>calcitriol topical</i>	4	MO
<i>selenium sulfide topical lotion</i>	2	MO
SKYRIZI SUBCUTANEOUS SYRINGE KIT	5	PA; MO; QL (1 per 28 days)
STELARA	5	PA; MO
MISCELLANEOUS DERMATOLOGICALS		
<i>ammonium lactate</i>	2	MO
<i>carbocaine (pf) injection solution 15 mg/ml (1.5 %)</i>	2	
<i>chloroprocaine (pf)</i>	2	
<i>diclofenac sodium topical gel 3 %</i>	2	PA; MO; QL (100 per 28 days)
<i>doxepin topical</i>	5	MO; QL (45 per 30 days)
DUPIXENT	5	PA; MO
<i>fluorouracil topical cream 5 %</i>	2	MO
<i>fluorouracil topical solution</i>	2	MO
<i>glydo</i>	2	MO; QL (60 per 30 days)

Drug Name	Drug Tier	Requirements /Limits
<i>imiquimod topical cream in packet</i>	2	MO
<i>lidocaine (pf) injection solution 10 mg/ml (1 %), 20 mg/ml (2 %), 40 mg/ml (4 %), 5 mg/ml (0.5 %)</i>	2	MO
<i>lidocaine (pf) injection solution 15 mg/ml (1.5 %)</i>	2	
<i>lidocaine hcl injection solution</i>	2	MO
<i>lidocaine hcl laryngotracheal</i>	2	MO
<i>lidocaine hcl mucous membrane jelly</i>	2	MO; QL (60 per 30 days)
<i>lidocaine hcl mucous membrane jelly in applicator</i>	2	MO; QL (60 per 30 days)
<i>lidocaine hcl mucous membrane solution 4 % (40 mg/ml)</i>	2	MO
<i>lidocaine topical adhesive patch, medicated 5 %</i>	2	PA; MO; QL (90 per 30 days)
<i>lidocaine topical ointment</i>	4	MO; QL (36 per 30 days)
<i>lidocaine viscous</i>	2	MO
<i>lidocaine-epinephrine injection solution 0.5 %-1:200,000, 1.5 %-1:200,000, 2 %-1:200,000</i>	2	
<i>lidocaine-epinephrine injection solution 1 %-1:100,000, 2 %-1:100,000</i>	2	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements /Limits
<i>lidocaine-prilocaine topical cream</i>	2	MO; QL (30 per 30 days)
<i>methoxsalen</i>	5	MO
PANRETIN	5	MO
<i>pimecrolimus</i>	2	PA; MO; QL (100 per 30 days)
<i>podofilox</i>	2	MO
<i>polocaine injection solution 1 % (10 mg/ml)</i>	2	
<i>polocaine-mpf</i>	2	
<i>prodoxin</i>	2	MO; QL (45 per 30 days)
REGRANEX	5	MO
SANTYL	3	MO
<i>silver sulfadiazine</i>	2	MO
<i>ssd</i>	2	MO
<i>tacrolimus topical</i>	2	PA; MO; QL (100 per 30 days)
UVADEX	4	B/D PA
VALCHLOR	5	MO
THERAPY FOR ACNE		
<i>amnesteem</i>	2	MO
<i>azelaic acid</i>	2	MO
<i>claravis</i>	4	MO
<i>clindamycin phosphate topical gel</i>	2	MO; QL (120 per 30 days)
<i>clindamycin phosphate topical lotion</i>	2	MO; QL (120 per 30 days)
<i>clindamycin phosphate topical solution</i>	2	MO; QL (120 per 30 days)

Drug Name	Drug Tier	Requirements /Limits
<i>dapsone topical gel</i>	2	MO
<i>erythromycin with ethanol topical solution</i>	2	MO
<i>isotretinoin</i>	2	MO
<i>ivermectin topical</i>	2	MO
<i>metronidazole topical</i>	2	MO
<i>myorisan</i>	2	MO
<i>rosadan topical cream</i>	2	MO
<i>rosadan topical gel</i>	2	MO
<i>tazarotene</i>	2	PA; MO
TAZORAC TOPICAL CREAM 0.05 %	3	PA; MO
TAZORAC TOPICAL GEL	3	PA; MO
<i>tretinoin topical</i>	2	PA; MO
<i>zenatane</i>	4	MO
TOPICAL ANTIBACTERIALS		
<i>gentamicin topical</i>	2	MO
<i>mafenide acetate</i>	2	MO
<i>mupirocin</i>	2	MO; QL (30 per 30 days)
<i>mupirocin calcium</i>	2	MO; QL (30 per 30 days)
<i>sulfacetamide sodium (acne)</i>	2	MO
SULFAMYLYON TOPICAL CREAM	3	MO
TOPICAL ANTIFUNGALS		
<i>ciclodan topical solution</i>	2	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements /Limits
ciclopirox topical cream	2	MO; QL (90 per 28 days)
ciclopirox topical gel	2	MO; QL (45 per 28 days)
ciclopirox topical shampoo	2	MO; QL (120 per 28 days)
ciclopirox topical solution	2	MO
ciclopirox topical suspension	2	MO; QL (60 per 28 days)
clotrimazole topical cream	2	MO; QL (45 per 28 days)
clotrimazole topical solution	2	MO; QL (30 per 28 days)
clotrimazole- betamethasone topical cream	2	MO; QL (45 per 28 days)
clotrimazole- betamethasone topical lotion	2	MO; QL (60 per 28 days)
econazole	2	MO; QL (85 per 28 days)
ketoconazole topical cream	2	MO; QL (60 per 28 days)
ketoconazole topical foam	2	MO; QL (100 per 28 days)
ketoconazole topical shampoo	2	MO; QL (120 per 28 days)
ketodan	2	MO; QL (100 per 28 days)
naftifine	2	MO; QL (60 per 28 days)
nyamyc	2	MO
nystatin topical cream	2	MO; QL (30 per 28 days)
nystatin topical ointment	2	MO; QL (30 per 28 days)

Drug Name	Drug Tier	Requirements /Limits
nystatin topical powder	2	MO
nystatin- triamcinolone	2	MO; QL (60 per 28 days)
nystop	2	MO
oxiconazole	2	MO
TOPICAL ANTIVIRALS		
acyclovir topical cream	2	PA; MO; QL (5 per 30 days)
acyclovir topical ointment	4	PA; MO; QL (30 per 30 days)
DENAVIR	3	MO
TOPICAL CORTICOSTEROIDS		
ala-cort topical cream	2	MO
alclometasone	2	MO
betamethasone dipropionate	2	MO
betamethasone valerate	2	MO
betamethasone, augmented	2	MO
clobetasol scalp	2	MO; QL (100 per 28 days)
clobetasol topical cream	2	MO; QL (120 per 28 days)
clobetasol topical foam	2	MO; QL (100 per 28 days)
clobetasol topical gel	2	MO; QL (120 per 28 days)
clobetasol topical lotion	2	MO; QL (118 per 28 days)
clobetasol topical ointment	2	MO; QL (120 per 28 days)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements /Limits
<i>clobetasol topical shampoo</i>	2	MO; QL (236 per 28 days)
<i>clobetasol topical spray, non-aerosol</i>	2	MO; QL (125 per 28 days)
<i>clobetasol-emollient topical cream</i>	2	MO; QL (120 per 28 days)
<i>clobetasol-emollient topical foam</i>	2	MO; QL (100 per 28 days)
<i>desonide</i>	4	MO
<i>fluocinolone</i>	2	MO
<i>fluocinolone and shower cap</i>	2	MO
<i>fluocinonide</i>	2	MO; QL (120 per 30 days)
<i>fluocinonide-e</i>	2	MO; QL (120 per 30 days)
<i>halobetasol propionate topical cream</i>	2	MO
<i>halobetasol propionate topical ointment</i>	2	MO
<i>hydrocortisone butyrate topical lotion</i>	2	MO
<i>hydrocortisone topical cream 1 %, 2.5 %</i>	2	MO
<i>hydrocortisone topical lotion 2.5 %</i>	2	MO
<i>hydrocortisone topical ointment 1 %, 2.5 %</i>	2	MO
<i>mometasone topical</i>	2	MO
<i>nolix topical cream</i>	2	QL (120 per 30 days)
<i>prednicarbate</i>	2	MO

Drug Name	Drug Tier	Requirements /Limits
<i>triamcinolone acetonide topical aerosol</i>	2	MO; QL (126 per 28 days)
<i>triamcinolone acetonide topical cream</i>	2	MO
<i>triamcinolone acetonide topical lotion</i>	2	MO
<i>triamcinolone acetonide topical ointment 0.025 %, 0.1 %, 0.5 %</i>	2	MO
<i>trianex</i>	2	MO
<i>triderm topical cream</i>	2	MO
TOPICAL SCABICIDES / PEDICULICIDES		
<i>crotan</i>	2	
<i>lindane topical shampoo</i>	2	MO
<i>malathion</i>	2	MO
<i>permethrin topical cream</i>	2	MO
DIAGNOSTICS / MISCELLANEOUS AGENTS		
ANTIDOTES		
<i>acetylcysteine intravenous</i>	2	MO
IRRIGATING SOLUTIONS		
<i>lactated ringers irrigation</i>	2	MO
<i>neomycin-polymyxin b gu</i>	2	MO
<i>ringer's irrigation</i>	2	MO
MISCELLANEOUS AGENTS		

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements /Limits
acamprosate	4	MO
acetic acid irrigation	2	MO
alendronate oral tablet 40 mg	1	MO; QL (30 per 30 days)
anagrelide	2	MO
ARALAST NP	5	MO; LA
caffeine citrate intravenous	2	
caffeine citrate oral	2	MO
CARBAGLU	5	PA; MO; LA
cevimeline	2	MO
CHEMET	3	PA; MO
CLINIMIX 4.25%/D5W SULFIT FREE	3	B/D PA
clovique	5	PA
d10 %-0.45 % sodium chloride	2	
d2.5 %-0.45 % sodium chloride	2	
d5 % and 0.9 % sodium chloride	2	MO
d5 %-0.45 % sodium chloride	2	MO
deferasirox oral tablet 360 mg, 90 mg	5	PA; MO
deferasirox oral tablet, dispersible	5	PA; MO
deferoxamine	2	B/D PA; MO
dextrose 10 % and 0.2 % nacl	2	
dextrose 10 % in water (d10w)	2	MO
dextrose 20 % in water (d20w)	2	

Drug Name	Drug Tier	Requirements /Limits
dextrose 25 % in water (d25w)	2	
dextrose 30 % in water (d30w)	2	
dextrose 40 % in water (d40w)	2	
dextrose 5 % in water (d5w)	2	MO
dextrose 5 %-lactated ringers	2	MO
dextrose 5%-0.2 % sod chloride	2	
dextrose 5%-0.3 % sod.chloride	2	
dextrose 50 % in water (d50w)	2	MO
dextrose 70 % in water (d70w)	2	MO
dextrose with sodium chloride	2	
disulfiram	2	MO
FERRIPROX	5	PA; MO
INCRELEX	5	MO; LA
kionex (with sorbitol)	2	MO
lanthanum	2	MO
levocarnitine (with sugar)	2	MO
levocarnitine oral solution 100 mg/ml	2	MO
levocarnitine oral tablet	2	MO
LOKELMA	5	MO
midodrine	2	MO
nitisinone	5	PA; MO; LA
NORTHERA	5	PA; MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements /Limits
ORFADIN	5	PA; MO; LA
pilocarpine hcl oral	2	MO
PROLASTIN-C INTRAVENOUS RECON SOLN	5	LA
PROLASTIN-C INTRAVENOUS SOLUTION	5	MO; LA
RAVICTI	5	PA; MO
REVCOVI	5	PA; MO; LA
riluzole	2	MO
risedronate oral tablet 30 mg	2	MO; QL (30 per 30 days)
sevelamer carbonate oral powder in packet	5	MO
sevelamer carbonate oral tablet	2	MO
sevelamer hcl	2	MO
sodium benzoate-sod phenylacet	5	
sodium chloride 0.9 % intravenous	2	MO
sodium chloride irrigation	2	MO
sodium phenylbutyrate	5	PA; MO
sodium polystyrene sulfonate oral	2	MO
SOLIRIS	5	PA; MO
sps (with sorbitol) oral	2	MO
sps (with sorbitol) rectal	2	
THIOLA	5	MO
THIOLA EC	5	MO

Drug Name	Drug Tier	Requirements /Limits
trientine	5	PA; MO
VELTASSA	3	MO
water for irrigation, sterile	2	MO
XIAFLEX	5	PA; MO
XURIDEN	5	MO
zoledronic acid-mannitol-water intravenous piggyback 5 mg/100 ml	2	PA; MO
SMOKING DETERRENTS		
bupropion hcl (smoking deter)	2	MO
CHANTIX	3	MO
CHANTIX CONTINUING MONTH BOX	3	MO
CHANTIX STARTING MONTH BOX	3	MO
NICOTROL	4	MO
NICOTROL NS	4	MO
EAR, NOSE / THROAT MEDICATIONS		
MISCELLANEOUS AGENTS		
azelastine nasal	2	MO; QL (60 per 30 days)
chlorhexidine gluconate mucous membrane	2	MO
denta 5000 plus	2	MO
dentagel	2	MO
fluoride (sodium) dental cream	2	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements /Limits
<i>fluoride (sodium) dental gel</i>	2	
<i>ipratropium bromide nasal</i>	2	MO; QL (30 per 30 days)
<i>olopatadine nasal</i>	2	MO; QL (30.5 per 30 days)
<i>oralone</i>	2	MO
<i>paroex oral rinse</i>	2	MO
<i>periogard</i>	2	MO
<i>sf</i>	2	MO
<i>sf 5000 plus</i>	2	MO
<i>sodium fluoride 5000 plus</i>	2	
<i>triamcinolone acetonide dental</i>	2	MO

MISCELLANEOUS OTIC PREPARATIONS

<i>acetic acid otic (ear)</i>	2	MO
<i>ciprofloxacin hcl otic (ear)</i>	2	MO
<i>fluocinolone acetonide oil</i>	2	MO
<i>hydrocortisone-acetic acid</i>	2	MO
<i>ofloxacin otic (ear)</i>	2	MO

OTIC STEROID / ANTIBIOTIC

CIPRODEX	3	MO
<i>neomycin-polymyxin-hc otic (ear)</i>	2	MO

ENDOCRINE/DIABETES

ADRENAL HORMONES		
<i>betamethasone acet,sod phos</i>	2	MO
<i>cortisone</i>	2	MO

Drug Name	Drug Tier	Requirements /Limits
<i>decadron oral tablet</i>	2	
<i>dexamethasone intensol</i>	2	MO
<i>dexamethasone oral elixir</i>	2	MO
<i>dexamethasone oral solution</i>	2	MO
<i>dexamethasone oral tablet</i>	1	MO
<i>dexamethasone oral tablets,dose pack</i>	2	MO
<i>dexamethasone sodium phos (pf) injection solution</i>	2	MO
<i>dexamethasone sodium phosphate injection</i>	2	MO
<i>fludrocortisone</i>	2	MO
<i>hydrocortisone oral</i>	2	MO
<i>methylprednisolone acetate</i>	2	MO
<i>methylprednisolone oral tablet</i>	2	B/D PA; MO
<i>methylprednisolone oral tablets,dose pack</i>	2	MO
<i>methylprednisolone sodium succ injection recon soln 125 mg, 40 mg</i>	2	MO
<i>methylprednisolone sodium succ intravenous recon soln 1,000 mg</i>	2	MO
<i>methylprednisolone sodium succ intravenous recon soln 500 mg</i>	2	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements /Limits
<i>millipred oral tablet</i>	4	B/D PA; MO
<i>prednisolone oral solution 15 mg/5 ml</i>	2	MO
<i>prednisolone sodium phosphate oral solution 10 mg/5 ml, 15 mg/5 ml (3 mg/ml), 20 mg/5 ml (4 mg/ml), 25 mg/5 ml (5 mg/ml), 5 mg base/5 ml (6.7 mg/5 ml)</i>	2	MO
<i>prednisolone sodium phosphate oral tablet,disintegrating</i>	2	B/D PA; MO
<i>prednisone intensol</i>	2	B/D PA; MO
<i>prednisone oral solution</i>	2	MO
<i>prednisone oral tablet</i>	1	B/D PA; MO
<i>prednisone oral tablets,dose pack</i>	1	MO
<i>triamcinolone acetonide injection</i>	2	MO
ANTITHYROID AGENTS		
<i>methimazole oral tablet 10 mg, 5 mg</i>	2	MO
<i>propylthiouracil</i>	2	MO
DIABETES THERAPY		
<i>acarbose oral tablet 100 mg</i>	2	MO; QL (90 per 30 days)
<i>acarbose oral tablet 25 mg</i>	2	MO; QL (360 per 30 days)
<i>acarbose oral tablet 50 mg</i>	2	MO; QL (180 per 30 days)
<i>ALCOHOL PADS</i>	3	MO
<i>BAQSIMI</i>	3	MO

Drug Name	Drug Tier	Requirements /Limits
<i>BYDUREON</i>	3	PA; MO; QL (4 per 28 days)
<i>BCISE</i>		
<i>BYDUREON SUBCUTANEOUS PEN INJECTOR</i>	3	PA; MO; QL (4 per 28 days)
<i>BYETTA SUBCUTANEOUS PEN INJECTOR 10 MCG/DOSE(250 MCG/ML) 2.4 ML</i>	3	PA; MO; QL (2.4 per 30 days)
<i>BYETTA SUBCUTANEOUS PEN INJECTOR 5 MCG/DOSE (250 MCG/ML) 1.2 ML</i>	3	PA; MO; QL (1.2 per 30 days)
<i>CYCLOSET</i>	4	MO; QL (180 per 30 days)
<i>FARXIGA ORAL TABLET 10 MG</i>	3	MO; QL (30 per 30 days)
<i>FARXIGA ORAL TABLET 5 MG</i>	3	MO; QL (60 per 30 days)
<i>FREESTYLE FREEDOM</i>	3	
<i>FREESTYLE FREEDOM LITE</i>	3	MO
<i>FREESTYLE INSULINX</i>	3	MO
<i>FREESTYLE INSULINX TEST STRIPS</i>	3	MO
<i>FREESTYLE LITE METER</i>	3	MO
<i>FREESTYLE LITE STRIPS</i>	3	MO
<i>FREESTYLE PRECISION NEO STRIPS</i>	3	MO
<i>FREESTYLE TEST</i>	3	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements /Limits
GAUZE PADS 2 X 2	3	MO
glimepiride oral tablet 1 mg	1	MO; QL (240 per 30 days)
glimepiride oral tablet 2 mg	1	MO; QL (120 per 30 days)
glimepiride oral tablet 4 mg	1	MO; QL (60 per 30 days)
glipizide oral tablet 10 mg	1	MO; QL (120 per 30 days)
glipizide oral tablet 5 mg	1	MO; QL (240 per 30 days)
glipizide oral tablet extended release 24hr 10 mg	1	MO; QL (60 per 30 days)
glipizide oral tablet extended release 24hr 2.5 mg	1	MO; QL (240 per 30 days)
glipizide oral tablet extended release 24hr 5 mg	1	MO; QL (120 per 30 days)
glipizide-metformin oral tablet 2.5-250 mg	1	MO; QL (240 per 30 days)
glipizide-metformin oral tablet 2.5-500 mg, 5-500 mg	1	MO; QL (120 per 30 days)
GLUCAGEN HYPOKIT	3	MO
GLUCAGON EMERGENCY KIT (HUMAN)	3	MO
GVOKE SYRINGE	3	MO
HUMALOG JUNIOR KWIKPEN U-100	3	MO
HUMALOG KWIKPEN INSULIN	3	MO

Drug Name	Drug Tier	Requirements /Limits
HUMALOG MIX 50-50 INSULN U-100	3	MO
HUMALOG MIX 50-50 KWIKPEN	3	MO
HUMALOG MIX 75-25 KWIKPEN	3	MO
HUMALOG MIX 75-25(U-100)INSULN	3	MO
HUMALOG U-100 INSULIN	3	MO
HUMULIN 70/30 U-100 INSULIN	3	MO
HUMULIN 70/30 U-100 KWIKPEN	3	MO
HUMULIN N NPH KWIKPEN	3	MO
HUMULIN N NPH U-100 INSULIN	3	MO
HUMULIN R REGULAR U-100 INSULN	3	MO
HUMULIN R U-500 (CONC) INSULIN	3	MO
HUMULIN R U-500 (CONC) KWIKPEN	3	MO
INSULIN PEN NEEDLE	3	MO
INSULIN SYRINGE (DISP) U-100 0.3 ML, 1 ML, 1/2 ML	3	MO
INVOKAMET	3	MO; QL (60 per 30 days)
INVOKAMET XR	3	MO; QL (60 per 30 days)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements /Limits
INVOKANA	3	MO; QL (30 per 30 days)
JANUMET	3	MO; QL (60 per 30 days)
JANUMET XR ORAL TABLET, ER MULTIPHASE 24 HR 100-1,000 MG	3	MO; QL (30 per 30 days)
JANUMET XR ORAL TABLET, ER MULTIPHASE 24 HR 50-1,000 MG, 50-500 MG	3	MO; QL (60 per 30 days)
JANUVIA	3	MO; QL (30 per 30 days)
KOMBIGLYZE XR ORAL TABLET, ER MULTIPHASE 24 HR 2.5-1,000 MG	3	MO; QL (60 per 30 days)
KOMBIGLYZE XR ORAL TABLET, ER MULTIPHASE 24 HR 5-1,000 MG, 5-500 MG	3	MO; QL (30 per 30 days)
LANTUS SOLOSTAR U-100 INSULIN	3	MO
LANTUS U-100 INSULIN	3	MO
<i>metformin oral tablet 1,000 mg</i>	1	MO; QL (75 per 30 days)
<i>metformin oral tablet 500 mg</i>	1	MO; QL (150 per 30 days)
<i>metformin oral tablet 850 mg</i>	1	MO; QL (90 per 30 days)
<i>metformin oral tablet extended release 24 hr 500 mg</i>	1	MO; QL (120 per 30 days)

Drug Name	Drug Tier	Requirements /Limits
<i>metformin oral tablet extended release 24 hr 750 mg</i>	1	MO; QL (60 per 30 days)
<i>miglitol oral tablet 100 mg</i>	2	MO; QL (90 per 30 days)
<i>miglitol oral tablet 25 mg</i>	2	MO; QL (360 per 30 days)
<i>miglitol oral tablet 50 mg</i>	2	MO; QL (180 per 30 days)
<i>nateglinide oral tablet 120 mg</i>	2	MO; QL (90 per 30 days)
<i>nateglinide oral tablet 60 mg</i>	2	MO; QL (180 per 30 days)
NEEDLES, INSULIN DISP.,SAFETY	3	MO
NOVOFINE 32	3	MO
OMNIPOD DASH 5 PACK POD	3	MO
OMNIPOD INSULIN MANAGEMENT	3	MO
OMNIPOD INSULIN REFILL	3	MO
ONETOUCH ULTRA BLUE TEST STRIP	3	MO
ONETOUCH ULTRA2 METER	3	MO
ONETOUCH ULTRAMINI	3	MO
ONETOUCH VERIO	3	MO
ONETOUCH VERIO IQ METER	3	MO
ONETOUCH VERIO SYSTEM	3	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements /Limits
ONGLYZA	3	MO; QL (30 per 30 days)
<i>pioglitazone</i>	1	MO; QL (30 per 30 days)
<i>pioglitazone-glimepiride</i>	2	MO; QL (30 per 30 days)
<i>pioglitazone-metformin</i>	2	MO; QL (90 per 30 days)
PRECISION PCX PLUS TEST	3	
PRECISION PCX TEST	3	MO
PRECISION POINT OF CARE TEST	3	MO
PRECISION Q-I-D TEST	3	MO
PRECISION XTRA MONITOR	3	MO
PROGLYCEM	3	MO
<i>repaglinide oral tablet 0.5 mg</i>	2	MO; QL (960 per 30 days)
<i>repaglinide oral tablet 1 mg</i>	2	MO; QL (480 per 30 days)
<i>repaglinide oral tablet 2 mg</i>	2	MO; QL (240 per 30 days)
<i>repaglinide-metformin</i>	2	MO; QL (150 per 30 days)
RIOMET	3	MO; QL (765 per 30 days)
SYMLINPEN 120	5	PA; MO; QL (10.8 per 30 days)
SYMLINPEN 60	5	PA; MO; QL (6 per 30 days)
<i>tolbutamide</i>	2	MO; QL (180 per 30 days)

Drug Name	Drug Tier	Requirements /Limits
TOUJEON MAX U-300 SOLOSTAR	3	MO
TOUJEON SOLOSTAR U-300 INSULIN	3	MO
TRUEPLUS INSULIN SYRINGE 0.3 ML 29 GAUGE X 1/2", 1 ML 28 GAUGE X 1/2", 1/2 ML 28 GAUGE X 1/2"	3	
TRUEPLUS INSULIN SYRINGE 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16	3	MO
TRUEPLUS PEN NEEDLE	3	MO
TRULICITY	3	PA; MO; QL (2 per 28 days)
V-GO 20	3	MO
V-GO 30	3	MO
V-GO 40	3	MO
XIGDUO XR ORAL TABLET, IR-ER, BIPHASIC 24HR 10-1,000 MG, 10-500 MG	3	MO; QL (30 per 30 days)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements /Limits
XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 2.5-1,000 MG, 5-1,000 MG, 5- 500 MG	3	MO; QL (60 per 30 days)
MISCELLANEOUS HORMONES		
ALDURAZYME	5	PA; MO
<i>cabergoline</i>	2	MO
<i>calcitonin (salmon)</i>	2	MO
<i>calcitriol intravenous solution</i> 1 mcg/ml	2	MO
<i>calcitriol oral</i>	2	MO
CERDELGA	5	MO
CEREZYME INTRAVENOUS RECON SOLN 400 UNIT	5	PA; MO
<i>cinacalcet oral tablet 30 mg</i>	2	MO
<i>cinacalcet oral tablet 60 mg, 90 mg</i>	5	MO
<i>clomiphene citrate</i>	2	PA; MO
CRYSVITA	5	PA; MO; LA
<i>danazol</i>	4	MO
DDAVP NASAL SOLUTION	3	MO
<i>desmopressin injection</i>	2	MO
<i>desmopressin nasal spray with pump</i>	2	MO
<i>desmopressin nasal spray, non-aerosol</i>	2	MO
<i>desmopressin oral</i>	2	MO
<i>doxercalciferol intravenous</i>	2	

Drug Name	Drug Tier	Requirements /Limits
<i>doxercalciferol oral</i>	2	MO
ELAPRASE	5	PA; MO
FABRAZYME	5	PA; MO
KANUMA	5	PA; MO
KORLYM	5	PA; MO
KUVAN	5	PA; MO
LUMIZYME	5	PA; MO
MEPSEVII	5	PA; MO
<i>methyltestosterone oral capsule</i>	5	MO
MIACALCIN INJECTION	4	MO
<i>miglustat</i>	5	MO; LA
MYALEPT	5	PA; MO; LA
NAGLAZYME	5	PA; MO; LA
NATPARA	5	PA; MO; LA
<i>oxandrolone oral tablet 10 mg</i>	5	PA; MO
<i>oxandrolone oral tablet 2.5 mg</i>	2	PA; MO
PALYNZIQ SUBCUTANEOUS SYRINGE 10 MG/0.5 ML	5	PA; MO; LA; QL (15 per 30 days)
PALYNZIQ SUBCUTANEOUS SYRINGE 2.5 MG/0.5 ML	5	PA; MO; LA; QL (4 per 30 days)
PALYNZIQ SUBCUTANEOUS SYRINGE 20 MG/ML	5	PA; MO; LA; QL (60 per 30 days)
<i>pamidronate</i>	2	MO
<i>paricalcitol intravenous solution</i> 2 mcg/ml	2	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements /Limits
<i>paricalcitol intravenous solution 5 mcg/ml</i>	2	MO
<i>paricalcitol oral</i>	4	MO
SAMSCA	5	PA; MO
SOMAVERT	5	MO
STIMATE	3	MO
STRENSIQ	5	PA; MO; LA
SYNAREL	5	MO
<i>testosterone cypionate intramuscular oil 100 mg/ml, 200 mg/ml</i>	2	PA; MO
<i>testosterone cypionate intramuscular oil 200 mg/ml (1 ml)</i>	2	PA
<i>testosterone enanthate</i>	2	PA; MO
<i>testosterone transdermal gel</i>	2	PA; MO; QL (300 per 30 days)
<i>testosterone transdermal gel in metered-dose pump 10 mg/0.5 gram /actuation</i>	2	PA; MO; QL (120 per 30 days)
<i>testosterone transdermal gel in metered-dose pump 20.25 mg/1.25 gram (1.62 %)</i>	2	PA; MO; QL (150 per 30 days)
<i>testosterone transdermal gel in packet 1 % (25 mg/2.5gram), 1 % (50 mg/5 gram)</i>	2	PA; MO; QL (300 per 30 days)

Drug Name	Drug Tier	Requirements /Limits
<i>testosterone transdermal gel in packet 1.62 % (20.25 mg/1.25 gram)</i>	2	PA; MO; QL (37.5 per 30 days)
<i>testosterone transdermal gel in packet 1.62 % (40.5 mg/2.5 gram)</i>	2	PA; MO; QL (150 per 30 days)
<i>testosterone transdermal solution in metered pump w/app</i>	2	PA; MO; QL (180 per 30 days)
VIMIZIM	5	PA; MO; LA
<i>zoledronic acid intravenous solution</i>	2	B/D PA; MO
<i>zoledronic acid-mannitol-water intravenous piggyback 4 mg/100 ml</i>	2	B/D PA; MO
THYROID HORMONES		
<i>levothyroxine intravenous recon soln</i>	2	MO
<i>levothyroxine oral</i>	1	MO
<i>levoxyl oral tablet 100 mcg, 112 mcg, 125 mcg, 137 mcg, 150 mcg, 175 mcg, 200 mcg, 25 mcg, 50 mcg, 75 mcg, 88 mcg</i>	1	MO
<i>liothyronine</i>	2	MO
<i>unithroid</i>	1	MO
GASTROENTEROLOGY		
ANTIDIARRHEALS / ANTISPASMODICS		

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements /Limits	Drug Name	Drug Tier	Requirements /Limits
<i>atropine injection solution 0.4 mg/ml</i>	2	MO	<i>budesonide oral capsule,delayed,extended.release</i>	2	MO
<i>atropine injection syringe 0.05 mg/ml</i>	2		<i>budesonide oral tablet,delayed and ext.release</i>	5	MO
<i>atropine injection syringe 0.1 mg/ml</i>	2	MO	CHENODAL	5	PA; MO; LA
<i>dicyclomine intramuscular</i>	2	MO	CHOLBAM ORAL CAPSULE 250 MG	5	PA; MO
<i>dicyclomine oral capsule</i>	2	MO	CHOLBAM ORAL CAPSULE 50 MG	5	PA; MO; QL (120 per 30 days)
<i>dicyclomine oral solution</i>	2	MO	CINVANTI	3	MO
<i>dicyclomine oral tablet</i>	2	MO	colocort	2	MO
<i>diphenoxylate-atropine</i>	2	MO	compro	2	MO
<i>glycopyrrolate (pf) in water intravenous syringe 0.4 mg/2 ml (0.2 mg/ml)</i>	2		<i>constulose</i>	2	MO
<i>glycopyrrolate injection</i>	2	MO	CORTIFOAM	3	MO
<i>glycopyrrolate oral tablet 1 mg, 2 mg</i>	2	MO	CREON	3	MO
<i>glycopyrrolate oral tablet 1.5 mg</i>	2		<i>cromolyn oral</i>	2	MO
<i>loperamide oral capsule</i>	2	MO	CYSTADANE	5	MO
<i>opium tincture</i>	2	MO	<i>dimenhydrinate injection solution</i>	2	MO
<i>paregoric</i>	2	MO	DIPENTUM	5	MO
MISCELLANEOUS GASTROINTESTINAL AGENTS			<i>doxylamine-pyridoxine (vit b6)</i>	2	MO
<i>alosetron</i>	5	MO	<i>dronabinol oral capsule 10 mg</i>	2	B/D PA; MO
<i>aprepitant</i>	2	B/D PA; MO	<i>dronabinol oral capsule 2.5 mg, 5 mg</i>	4	B/D PA; MO
<i>balsalazide</i>	2	MO	<i>droperidol injection solution</i>	2	MO
			EMEND ORAL SUSPENSION FOR RECONSTITUTION	3	B/D PA; MO
			ENTYVIO	5	PA; MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements /Limits
<i>enulose</i>	2	MO
<i>fosaprepitant</i>	2	MO
GATTEX 30-VIAL	5	PA; MO
GATTEX ONE-VIAL	5	PA; MO
<i>gavilyte-c</i>	2	MO
<i>gavilyte-g</i>	2	MO
<i>gavilyte-n</i>	2	MO
<i>generlac</i>	2	MO
<i>granisetron (pf) intravenous solution 1 mg/ml (1 ml)</i>	2	MO
<i>granisetron hcl intravenous</i>	2	MO
<i>granisetron hcl oral</i>	2	B/D PA; MO
<i>hydrocortisone rectal</i>	2	MO
<i>hydrocortisone topical cream with perineal applicator</i>	2	MO
<i>hydrocortisone-pramoxine rectal cream 1-1 %</i>	2	MO
<i>lactulose oral solution</i>	2	MO
<i>meclizine oral tablet 12.5 mg, 25 mg</i>	2	MO
<i>mesalamine</i>	2	MO
<i>mesalamine with cleansing wipe</i>	2	MO
<i>metoclopramide hcl injection solution</i>	2	MO
<i>metoclopramide hcl injection syringe</i>	2	
<i>metoclopramide hcl oral solution</i>	2	MO

Drug Name	Drug Tier	Requirements /Limits
<i>metoclopramide hcl oral tablet</i>	1	MO
<i>metoclopramide hcl oral tablet,disintegrating</i>	2	MO
MOVANTIK	3	MO
OCALIVA	5	PA; MO; LA; QL (30 per 30 days)
<i>ondansetron</i>	2	B/D PA; MO
<i>ondansetron hcl (pf)</i>	2	MO
<i>ondansetron hcl intravenous</i>	2	MO
<i>ondansetron hcl oral solution</i>	2	B/D PA; MO
<i>ondansetron hcl oral tablet 24 mg</i>	2	B/D PA
<i>ondansetron hcl oral tablet 4 mg, 8 mg</i>	2	B/D PA; MO
<i>palonosetron intravenous solution 0.25 mg/5 ml</i>	2	MO
<i>palonosetron intravenous syringe</i>	2	
<i>peg 3350-electrolytes oral recon soln 236-22.74-6.74 -5.86 gram</i>	2	MO
<i>peg 3350-electrolytes oral recon soln 240-22.72-6.72 -5.84 gram</i>	2	
<i>peg-electrolyte</i>	2	
PENTASA ORAL CAPSULE, EXTENDED RELEASE 250 MG	3	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements /Limits
PENTASA ORAL CAPSULE, EXTENDED RELEASE 500 MG	5	MO
<i>polyethylene glycol 3350 oral powder</i>	2	MO
<i>prochlorperazine</i>	2	MO
<i>prochlorperazine edisylate</i>	2	MO
<i>prochlorperazine maleate oral</i>	1	MO
<i>proto-med hc</i>	2	MO
<i>proto-pak</i>	2	MO
<i>proctosol hc topical</i>	2	MO
<i>protozone-hc</i>	2	MO
RECTIV	3	MO
RELISTOR SUBCUTANEOUS SOLUTION	5	MO
RELISTOR SUBCUTANEOUS SYRINGE	5	MO
REMICADE	5	PA; MO
<i>scopolamine base</i>	2	MO
SUCRAID	5	PA; MO
<i>sulfasalazine</i>	2	MO
<i>trilyte with flavor packets</i>	2	MO
TRULANCE	3	MO
<i>ursodiol</i>	2	MO
VARUBI INTRAVENOUS	3	
VARUBI ORAL	3	B/D PA; MO
VIBERZI	5	MO
VIOKACE	3	MO

Drug Name	Drug Tier	Requirements /Limits
ULCER THERAPY		
<i>amoxicil- clarithromy- lansopraz</i>	2	MO; QL (112 per 30 days)
<i>cimetidine</i>	2	MO
<i>cimetidine hcl oral</i>	2	MO
<i>esomeprazole magnesium oral capsule,delayed release(dr/ec) 20 mg</i>	2	MO; QL (30 per 30 days)
<i>esomeprazole magnesium oral capsule,delayed release(dr/ec) 40 mg</i>	2	MO
<i>esomeprazole sodium intravenous recon soln 20 mg</i>	2	
<i>esomeprazole sodium intravenous recon soln 40 mg</i>	2	MO
<i>famotidine (pf)</i>	2	MO
<i>famotidine (pf)-nacl (iso-os)</i>	2	MO
<i>famotidine intravenous solution</i>	2	MO
<i>famotidine oral suspension</i>	2	MO
<i>famotidine oral tablet 20 mg, 40 mg</i>	1	MO
<i>lansoprazole oral capsule,delayed release(dr/ec) 15 mg</i>	2	MO; QL (30 per 30 days)
<i>lansoprazole oral capsule,delayed release(dr/ec) 30 mg</i>	2	MO
<i>misoprostol</i>	2	MO
<i>nizatidine</i>	2	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements /Limits
<i>omeprazole oral capsule, delayed release(dr/ec) 10 mg, 20 mg</i>	1	MO; QL (30 per 30 days)
<i>omeprazole oral capsule, delayed release(dr/ec) 40 mg</i>	1	MO
<i>pantoprazole intravenous</i>	2	MO
<i>pantoprazole oral tablet, delayed release (dr/ec) 20 mg</i>	1	MO; QL (30 per 30 days)
<i>pantoprazole oral tablet, delayed release (dr/ec) 40 mg</i>	1	MO
<i>ranitidine hcl injection</i>	2	MO
<i>ranitidine hcl oral capsule</i>	1	MO
<i>ranitidine hcl oral syrup</i>	2	MO
<i>ranitidine hcl oral tablet 150 mg, 300 mg</i>	1	MO
<i>sucralfate</i>	2	MO

IMMUNOLOGY, VACCINES / BIOTECHNOLOGY

BIOTECHNOLOGY DRUGS

ACTIMMUNE	5	B/D PA; MO
ARCALYST	5	PA; MO
AVONEX INTRAMUSCULAR PEN INJECTOR KIT	5	PA; MO; QL (4 per 28 days)

Drug Name	Drug Tier	Requirements /Limits
AVONEX INTRAMUSCULAR SYRINGE KIT	5	PA; MO; QL (4 per 28 days)
FULPHILA	5	PA; MO
GRANIX	5	PA; MO
ILARIS (PF) SUBCUTANEOUS SOLUTION	5	PA; MO; LA
INTRON A INJECTION RECON SOLN	5	B/D PA; MO
INTRON A INJECTION SOLUTION 10 MILLION UNIT/ML	3	B/D PA; MO
INTRON A INJECTION SOLUTION 6 MILLION UNIT/ML	5	B/D PA; MO
LEUKINE INJECTION RECON SOLN	5	PA; MO
MOZOBIL	5	B/D PA; MO
NEULASTA	5	PA; MO
NEUPOGEN	5	PA; MO
OMNITROPE	5	PA; MO
PEGASYS PROCLICK SUBCUTANEOUS PEN INJECTOR 180 MCG/0.5 ML	5	MO; QL (2 per 28 days)
PEGASYS SUBCUTANEOUS SOLUTION	5	MO; QL (4 per 28 days)
PEGASYS SUBCUTANEOUS SYRINGE	5	MO; QL (2 per 28 days)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements /Limits	Drug Name	Drug Tier	Requirements /Limits
PEGINTRON SUBCUTANEOUS KIT 50 MCG/0.5 ML	5	MO; QL (4 per 28 days)	REBIF REBIDOSE SUBCUTANEOUS PEN INJECTOR 22 MCG/0.5 ML, 44 MCG/0.5 ML	5	PA; MO; QL (6 per 28 days)
PLEGRIDY SUBCUTANEOUS PEN INJECTOR 125 MCG/0.5 ML	5	PA; MO; QL (1 per 28 days)	REBIF REBIDOSE SUBCUTANEOUS PEN INJECTOR 8.8MCG/0.2ML-22 MCG/0.5ML (6)	5	PA; MO; QL (4.2 per 180 days)
PLEGRIDY SUBCUTANEOUS PEN INJECTOR 63 MCG/0.5 ML- 94 MCG/0.5 ML	5	PA; MO; QL (1 per 180 days)	REBIF TITRATION PACK	5	PA; MO; QL (4.2 per 180 days)
PLEGRIDY SUBCUTANEOUS SYRINGE 125 MCG/0.5 ML	5	PA; MO; QL (1 per 28 days)	RETACRIT INJECTION SOLUTION 10,000 UNIT/ML, 2,000 UNIT/ML, 3,000 UNIT/ML, 4,000 UNIT/ML	3	PA; MO
PLEGRIDY SUBCUTANEOUS SYRINGE 63 MCG/0.5 ML- 94 MCG/0.5 ML	5	PA; MO; QL (1 per 180 days)	RETACRIT INJECTION SOLUTION 40,000 UNIT/ML	5	PA; MO
PROCRT INJECTION SOLUTION 10,000 UNIT/ML, 2,000 UNIT/ML, 20,000 UNIT/2 ML, 3,000 UNIT/ML, 4,000 UNIT/ML	3	PA; MO	SYLATRON SUBCUTANEOUS KIT 200 MCG, 300 MCG	5	MO
PROCRT INJECTION SOLUTION 20,000 UNIT/ML, 40,000 UNIT/ML	5	PA; MO	SYLATRON SUBCUTANEOUS KIT 600 MCG	5	
PROLEUKIN	5	B/D PA; MO	ZARXIO	5	PA; MO
REBIF (WITH ALBUMIN)	5	PA; MO; QL (6 per 28 days)	VACCINES / MISCELLANEOUS IMMUNOLOGICALS		
			ACTHIB (PF)	3	MO
			ADACEL(TDAP ADOLESN/ADULT (PF)	3	MO
			BCG VACCINE, LIVE (PF)	3	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements /Limits
BEXSERO	3	MO
BOOSTRIX TDAP	3	MO
BOTOX	3	PA; MO
DAPTACEL (DTAP PEDIATRIC) (PF)	3	MO
ENGERIX-B (PF)	3	B/D PA; MO
ENGERIX-B PEDIATRIC (PF) INTRAMUSCULAR SYRINGE	3	B/D PA; MO
<i>fomepizole</i>	2	
GAMASTAN	3	MO
GAMASTAN S/D	3	MO
GARDASIL 9 (PF)	3	MO
GRASTEK	3	PA; MO
HAVRIX (PF) INTRAMUSCULAR SUSPENSION	3	MO
HAVRIX (PF) INTRAMUSCULAR SYRINGE 1,440 ELISA UNIT/ML	3	MO
HAVRIX (PF) INTRAMUSCULAR SYRINGE 720 ELISA UNIT/0.5 ML	3	
HIBERIX (PF)	3	MO
HIZENTRA	5	B/D PA; MO
HYPERHEP B S/D INTRAMUSCULAR SOLUTION 220 UNIT/ML	3	
HYPERHEP B S/D INTRAMUSCULAR SOLUTION 220 UNIT/ML (5 ML)	3	MO

Drug Name	Drug Tier	Requirements /Limits
HYPERHEP B S/D INTRAMUSCULAR SYRINGE	3	
HYPERHEP B S-D NEONATAL	3	
HYQVIA	5	B/D PA; MO
IMOVAX RABIES VACCINE (PF)	3	MO
INFANRIX (DTAP) (PF)	3	MO
IPOL	3	MO
IXIARO (PF)	3	MO
KINRIX (PF) INTRAMUSCULAR SUSPENSION	3	
KINRIX (PF) INTRAMUSCULAR SYRINGE	3	MO
MENACTRA (PF) INTRAMUSCULAR SOLUTION	3	MO
MENVEO A-C-Y-W-135-DIP (PF)	3	MO
M-M-R II (PF)	3	MO
PEDIARIX (PF)	3	MO
PEDVAX HIB (PF)	3	MO
PENTACEL (PF)	3	MO
PRIVIGEN	5	PA; MO
PROQUAD (PF)	3	MO
QUADRACEL (PF)	3	MO
RABAVERT (PF)	3	MO
RAGWITEK	3	MO
RECOMBIVAX HB (PF) INTRAMUSCULAR SUSPENSION	3	B/D PA; MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements /Limits
RECOMBIVAX HB (PF)	3	B/D PA; MO
INTRAMUSCULAR SYRINGE 10 MCG/ML		
RECOMBIVAX HB (PF)	3	B/D PA
INTRAMUSCULAR SYRINGE 5 MCG/0.5 ML		
ROTARIX	3	
ROTAQUE VACCINE	3	MO
SHINGRIX (PF)	3	MO
STAMARIL (PF)	3	
TDVAX	3	MO
TENIVAC (PF)	3	MO
TETANUS,DIPHTHERIA TOX PED(PF)	3	MO
TICE BCG	3	B/D PA; MO
TRUMENBA	3	MO
TWINRIX (PF)	3	MO
INTRAMUSCULAR SYRINGE		
TYPHIM VI INTRAMUSCULAR SOLUTION	3	
TYPHIM VI INTRAMUSCULAR SYRINGE	3	MO
VAQTA (PF)	3	MO
VARIVAX (PF)	3	MO
VARIZIG INTRAMUSCULAR SOLUTION	3	MO
YF-VAX (PF)	3	MO

Drug Name	Drug Tier	Requirements /Limits
ZOSTAVAX (PF)	3	MO
MUSCULOSKELETAL / RHEUMATOLOGY		
GOUT THERAPY		
<i>allopurinol</i>	1	MO
<i>allopurinol sodium</i>	2	
<i>aloprim</i>	2	
COLCRYS	4	ST; MO
<i>febuxostat</i>	2	MO
KRYSTEXXA	5	MO
MITIGARE	3	MO
<i>probencid</i>	2	MO
<i>probencid-colchicine</i>	2	MO
ULORIC	3	MO
OSTEOPOROSIS THERAPY		
<i>alendronate oral solution</i>	2	MO; QL (1286 per 30 days)
<i>alendronate oral tablet 10 mg, 5 mg</i>	1	MO; QL (30 per 30 days)
<i>alendronate oral tablet 35 mg, 70 mg</i>	1	MO; QL (4 per 28 days)
FORTEO	5	PA; MO; QL (2.4 per 28 days)
<i>ibandronate intravenous</i>	2	PA; MO
<i>ibandronate oral</i>	2	MO; QL (1 per 30 days)
PROLIA	3	PA; MO
<i>raloxifene</i>	2	MO
<i>risedronate oral tablet 150 mg</i>	2	MO; QL (1 per 30 days)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements /Limits
risedronate oral tablet 35 mg, 35 mg (12 pack), 35 mg (4 pack)	2	MO; QL (4 per 28 days)
risedronate oral tablet 5 mg	2	MO; QL (30 per 30 days)
risedronate oral tablet, delayed release (dr/ec)	2	MO; QL (4 per 28 days)
TYMLOS	5	PA; MO; QL (1.56 per 30 days)
OTHER RHEUMATOLOGICALS		
ACTEMRA	5	PA; MO
ACTEMRA ACTPEN	5	PA; MO; QL (4 per 28 days)
BENLYSTA	5	PA; MO
DEPEN TITRATABS	5	MO
ENBREL MINI	5	PA; MO; QL (8 per 28 days)
ENBREL SUBCUTANEOUS RECON SOLN	5	PA; MO; QL (16 per 28 days)
ENBREL SUBCUTANEOUS SYRINGE	5	PA; MO; QL (8 per 28 days)
ENBREL SURECLICK	5	PA; MO; QL (8 per 28 days)
HUMIRA PEDIATRIC CROHNS START SUBCUTANEOUS SYRINGE KIT 40 MG/0.8 ML	5	PA; MO; QL (3 per 180 days)

Drug Name	Drug Tier	Requirements /Limits
HUMIRA PEDIATRIC CROHNS START SUBCUTANEOUS SYRINGE KIT 40 MG/0.8 ML (6 per 180 days)	5	PA; MO; QL (6 per 180 days)
HUMIRA PEN	5	PA; MO; QL (4 per 28 days)
HUMIRA PEN CROHNS-UC-HS START	5	PA; MO; QL (6 per 180 days)
HUMIRA PEN PSOR-UVEITS-ADOL HS	5	PA; MO; QL (4 per 180 days)
HUMIRA SUBCUTANEOUS SYRINGE KIT 10 MG/0.2 ML, 20 MG/0.4 ML	5	PA; MO; QL (2 per 28 days)
HUMIRA SUBCUTANEOUS SYRINGE KIT 40 MG/0.8 ML	5	PA; MO; QL (4 per 28 days)
HUMIRA(CF) PEDI CROHNS STARTER SUBCUTANEOUS SYRINGE KIT 80 MG/0.8 ML	5	PA; MO; QL (3 per 180 days)
HUMIRA(CF) PEDI CROHNS STARTER SUBCUTANEOUS SYRINGE KIT 80 MG/0.8 ML-40 MG/0.4 ML	5	PA; MO; QL (2 per 180 days)
HUMIRA(CF) PEN CROHNS-UC-HS	5	PA; MO; QL (3 per 180 days)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements /Limits
HUMIRA(CF) PEN PSOR-UV-ADOL HS	5	PA; MO; QL (3 per 180 days)
HUMIRA(CF) SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.4 ML	5	PA; MO; QL (4 per 28 days)
HUMIRA(CF) SUBCUTANEOUS SYRINGE KIT 10 MG/0.1 ML, 20 MG/0.2 ML	5	PA; MO; QL (2 per 28 days)
HUMIRA(CF) SUBCUTANEOUS SYRINGE KIT 40 MG/0.4 ML	5	PA; MO; QL (4 per 28 days)
<i>leflunomide</i>	2	MO; QL (30 per 30 days)
ORENCIA	5	PA; MO
ORENCIA (WITH MALTOSE)	5	PA; MO
ORENCIA CLICKJECT	5	PA; MO
OTEZLA	5	PA; MO
OTEZLA STARTER ORAL TABLETS,DOSE PACK 10 MG (4)-20 MG (4)-30 MG (47)	5	PA; MO
OTEZLA STARTER ORAL TABLETS,DOSE PACK 10 MG (4)-20 MG (4)-30 MG(19)	5	PA
<i>penicillamine oral capsule</i>	5	MO
RIDAURA	5	MO

Drug Name	Drug Tier	Requirements /Limits
RINVOQ	5	PA; MO; QL (30 per 30 days)
XELJANZ	5	PA; MO; QL (60 per 30 days)
XELJANZ XR	5	PA; MO; QL (30 per 30 days)
OBSTETRICS / GYNECOLOGY		
ESTROGENS / PROGESTINS		
<i>camila</i>	2	MO
<i>deblitane</i>	2	MO
DEPO-PROVERA INTRAMUSCULAR SUSPENSION 400 MG/ML	3	MO
<i>dotti</i>	2	PA; MO; QL (8 per 28 days)
<i>errin</i>	2	MO
<i>estradiol oral</i>	4	PA; MO
<i>estradiol transdermal patch semiweekly</i>	2	PA; MO; QL (8 per 28 days)
<i>estradiol transdermal patch weekly</i>	2	PA; MO; QL (4 per 28 days)
<i>estradiol vaginal</i>	2	MO
<i>estradiol valerate intramuscular oil 20 mg/ml, 40 mg/ml</i>	2	MO
<i>estradiol-norethindrone acet</i>	2	PA; MO
<i>heather</i>	2	MO
<i>hydroxyprogesterone caproate</i>	5	MO
<i>incassia</i>	2	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements /Limits
<i>jencycla</i>	2	MO
<i>lyza</i>	2	MO
<i>medroxyprogesterone</i>	2	MO
MENEST ORAL TABLET 0.3 MG, 0.625 MG, 1.25 MG	3	PA; MO
<i>nora-be</i>	2	MO
<i>norethindrone (contraceptive)</i>	2	MO
<i>norethindrone acetate</i>	2	MO
<i>norethindrone ac-eth estradiol oral tablet 0.5-2.5 mg-mcg, 1-5 mg-mcg</i>	4	PA; MO
<i>norlyda</i>	2	MO
<i>progesterone</i>	2	MO
<i>progesterone micronized</i>	2	MO
<i>sharobel</i>	2	MO
<i>tulana</i>	2	MO
<i>yuvafem</i>	2	MO
MISCELLANEOUS OB/GYN		
<i>clindamycin phosphate vaginal</i>	2	MO
<i>metronidazole vaginal</i>	2	MO
<i>miconazole-3 vaginal suppository</i>	2	MO
<i>mifepristone</i>	2	LA
<i>MIRENA</i>	3	MO; LA
<i>NEXPLANON</i>	3	MO
<i>terconazole</i>	2	MO
<i>tranexamic acid oral</i>	2	MO

Drug Name	Drug Tier	Requirements /Limits
<i>vandazole</i>	2	MO
<i>xulane</i>	2	MO
ORAL CONTRACEPTIVES / RELATED AGENTS		
<i>altavera (28)</i>	2	MO
<i>alyacen 1/35 (28)</i>	2	MO
<i>alyacen 7/7/7 (28)</i>	2	MO
<i>amethyst (28)</i>	2	MO
<i>apri</i>	2	MO
<i>aranelle (28)</i>	2	MO
<i>aubra</i>	2	MO
<i>aubra eq</i>	2	MO
<i>aviane</i>	2	MO
<i>azurette (28)</i>	2	MO
<i>bekyree (28)</i>	2	MO
<i>camrese</i>	2	MO
<i>caziant (28)</i>	2	MO
<i>cryselle (28)</i>	2	MO
<i>cyclafem 1/35 (28)</i>	2	MO
<i>cyclafem 7/7/7 (28)</i>	2	MO
<i>cyred</i>	2	MO
<i>cyred eq</i>	2	MO
<i>dasetta 1/35 (28)</i>	2	MO
<i>dasetta 7/7/7 (28)</i>	2	MO
<i>daysee</i>	2	MO
<i>desogestrel-estradiol</i>	2	MO
<i>desogestrel-ethinyl estradiol</i>	2	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements /Limits
<i>drospirenone-e.estriadiol-lm.fa oral tablet 3-0.03-0.451 mg (21) (7)</i>	2	MO
<i>drospirenone-ethinyl estradiol</i>	2	MO
<i>elinest</i>	2	MO
<i>emoquette</i>	2	MO
<i>enpresse</i>	2	MO
<i>enskyce</i>	2	MO
<i>estarrylla</i>	2	MO
<i>ethynodiol diac-eth estradiol</i>	2	
<i>falmina (28)</i>	2	MO
<i>fayosim</i>	2	MO
<i>femynor</i>	2	MO
<i>gianvi (28)</i>	2	MO
<i>introvale</i>	2	MO
<i>isibloom</i>	2	MO
<i>jasmiel (28)</i>	2	MO
<i>jolessa</i>	2	MO
<i>juleber</i>	2	MO
<i>kalliga</i>	2	
<i>kariva (28)</i>	2	MO
<i>kelnor 1/35 (28)</i>	2	MO
<i>kelnor 1-50</i>	2	MO
<i>kurvelo (28)</i>	2	MO
<i>l norgest/e.estriadiol-e.estrad</i>	2	MO
<i>larin 1.5/30 (21)</i>	2	MO
<i>larin 1/20 (21)</i>	2	MO
<i>larin 24 fe</i>	2	MO
<i>larin fe 1.5/30 (28)</i>	2	MO

Drug Name	Drug Tier	Requirements /Limits
<i>larin fe 1/20 (28)</i>	2	MO
<i>larissia</i>	2	MO
<i>lessina</i>	2	MO
<i>levonest (28)</i>	2	MO
<i>levonorgestrel-ethinyl estrad</i>	2	MO
<i>levonorg-eth estrad triphasic</i>	2	MO
<i>levora-28</i>	2	MO
<i>lillow (28)</i>	2	MO
<i>loryna (28)</i>	2	MO
<i>low-ogestrel (28)</i>	2	MO
<i>lo-zumandimine (28)</i>	2	MO
<i>lutera (28)</i>	2	MO
<i>marlissa (28)</i>	2	MO
<i>microgestin 1.5/30 (21)</i>	2	MO
<i>microgestin 1/20 (21)</i>	2	MO
<i>microgestin fe 1.5/30 (28)</i>	2	MO
<i>microgestin fe 1/20 (28)</i>	2	MO
<i>mili</i>	2	MO
<i>mono-linyah</i>	2	MO
<i>nikki (28)</i>	2	MO
<i>norethindrone ac-eth estradiol oral tablet 1.5-30 mg-mcg</i>	2	
<i>norethindrone ac-eth estradiol oral tablet 1-20 mg-mcg</i>	2	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements /Limits
<i>norethindrone- e.estriadiol-iron oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	2	MO
<i>norgestimate-ethynodiol- estradiol</i>	2	MO
<i>nortrel 0.5/35 (28)</i>	2	MO
<i>nortrel 1/35 (21)</i>	2	MO
<i>nortrel 1/35 (28)</i>	2	MO
<i>nortrel 7/7/7 (28)</i>	2	MO
<i>orsythia</i>	2	MO
<i>philith</i>	2	MO
<i>pimtrea (28)</i>	2	MO
<i>pirmella</i>	2	MO
<i>portia 28</i>	2	MO
<i>previfem</i>	2	MO
<i>reclipsen (28)</i>	2	MO
<i>setlakin</i>	2	MO
<i>sprintec (28)</i>	2	MO
<i>sronyx</i>	2	MO
<i>syeda</i>	2	MO
<i>tarina 24 fe</i>	2	MO
<i>tarina fe 1/20 (28)</i>	2	MO
<i>tarina fe 1-20 eq (28)</i>	2	MO
<i>tilia fe</i>	2	MO
<i>tri-femynor</i>	2	MO
<i>tri-estarrylla</i>	2	MO
<i>tri-legest fe</i>	2	MO
<i>tri-linyah</i>	2	MO
<i>tri-lo-estarrylla</i>	2	MO
<i>tri-lo-marzia</i>	2	MO
<i>tri-lo-sprintec</i>	2	MO

Drug Name	Drug Tier	Requirements /Limits
<i>tri-previfem (28)</i>	2	MO
<i>tri-sprintec (28)</i>	2	MO
<i>trivora (28)</i>	2	MO
<i>velivet triphasic regimen (28)</i>	2	MO
<i>vienna</i>	2	MO
<i>viovere (28)</i>	2	MO
<i>wera (28)</i>	2	MO
<i>zarah</i>	2	MO
<i>zovia 1/35e (28)</i>	2	MO
<i>zumandimine (28)</i>	2	
OXYTOCICS		
<i>methergine</i>	2	PA
<i>methylergonovine injection</i>	2	PA
<i>methylergonovine oral</i>	2	PA; MO
<i>oxytocin injection solution</i>	2	MO
OPHTHALMOLOGY		
ANTIBIOTICS		
<i>ak-poly-bac</i>	2	MO
<i>bacitracin ophthalmic (eye)</i>	2	MO
<i>bacitracin- polymyxin b ophthalmic (eye)</i>	2	MO
<i>ciprofloxacin hcl ophthalmic (eye)</i>	2	MO
<i>erythromycin ophthalmic (eye)</i>	2	MO
<i>gatifloxacin</i>	2	MO
<i>gentak ophthalmic (eye) ointment</i>	2	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements /Limits
gentamicin ophthalmic (eye) drops	2	MO
levofloxacin ophthalmic (eye)	2	MO
moxifloxacin ophthalmic (eye)	2	MO
NATACYN	3	MO
neomycin-bacitracin-polymyxin	2	MO
neomycin-polymyxin-gramicidin	2	MO
neo-polycin	2	MO
ofloxacin ophthalmic (eye)	2	MO
polycin	2	MO
polymyxin b sulf-trimethoprim	2	MO
tobramycin	2	MO
ANTIVIRALS		
trifluridine	2	MO
ZIRGAN	4	MO
BETA-BLOCKERS		
betaxolol ophthalmic (eye)	2	MO
carteolol	2	MO
levobunolol ophthalmic (eye) drops 0.5 %	2	MO
timolol maleate ophthalmic (eye) drops	1	MO
timolol maleate ophthalmic (eye) drops, once daily	2	MO

Drug Name	Drug Tier	Requirements /Limits
timolol maleate ophthalmic (eye) gel forming solution	2	MO
MISCELLANEOUS OPHTHALMOLOGICS		
atropine ophthalmic (eye) drops	2	MO
azelastine ophthalmic (eye)	2	MO
balanced salt	2	
BLEPHAMIDE	4	MO
BLEPHAMIDE S.O.P.	4	MO
bss	2	MO
cromolyn ophthalmic (eye)	2	MO
CYSTARAN	5	PA; MO
epinastine	2	MO
EYLEA INTRAVITREAL SOLUTION	5	PA; MO
JETREA (PF) INTRAVITREAL SOLUTION 0.125 MG/0.1 ML (1.25 MG/ML)	5	MO; LA
LUCENTIS	5	PA; MO
olopatadine ophthalmic (eye)	2	MO
OXERVATE	5	PA; MO
PHOSPHOLINE IODIDE	4	MO
pilocarpine hcl ophthalmic (eye) drops 1 %, 2 %, 4 %	2	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements /Limits
<i>sulfacetamide sodium ophthalmic (eye)</i>	2	MO
<i>sulfacetamide-prednisolone</i>	2	MO
XIIDRA	3	MO; QL (60 per 30 days)
NON-STEROIDAL ANTI-INFLAMMATORY AGENTS		
<i>bromfenac</i>	2	MO
<i>diclofenac sodium ophthalmic (eye)</i>	2	MO
<i>flurbiprofen sodium</i>	2	MO
<i>ketorolac ophthalmic (eye)</i>	2	MO
ORAL DRUGS FOR GLAUCOMA		
<i>acetazolamide</i>	2	MO
<i>acetazolamide sodium</i>	2	MO
<i>methazolamide</i>	2	MO
OTHER GLAUCOMA DRUGS		
<i>bimatoprost ophthalmic (eye)</i>	2	MO
<i>dorzolamide</i>	2	MO
<i>dorzolamide-timolol</i>	2	MO
<i>dorzolamide-timolol (pf) ophthalmic (eye) dropperette</i>	2	MO
<i>latanoprost</i>	2	MO
<i>miostat</i>	2	
STEROID-ANTIBIOTIC COMBINATIONS		
<i>neomycin-bacitracin-poly-hc</i>	2	MO

Drug Name	Drug Tier	Requirements /Limits
<i>neomycin-polymyxin b-dexameth</i>	2	MO
<i>neomycin-polymyxin-hc ophthalmic (eye)</i>	2	MO
<i>neo-polycin hc</i>	2	MO
<i>tobramycin-dexamethasone</i>	2	MO
STEROIDS		
<i>dexamethasone sodium phosphate ophthalmic (eye)</i>	2	MO
<i>fluorometholone</i>	2	MO
<i>loteprednol etabonate</i>	2	MO
<i>OZURDEX</i>	5	MO
<i>prednisolone acetate</i>	2	MO
<i>prednisolone sodium phosphate ophthalmic (eye)</i>	2	MO
SYMPATHOMIMETICS		
<i>ALPHAGAN P OPHTHALMIC (EYE) DROPS 0.1 %</i>	3	MO
<i>apraclonidine</i>	2	MO
<i>brimonidine</i>	2	MO
RESPIRATORY AND ALLERGY		
ANTIHISTAMINE / ANTIALLERGENIC AGENTS		
<i>adrenalin injection</i>	2	MO
<i>cetirizine oral solution 1 mg/ml</i>	2	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements /Limits	Drug Name	Drug Tier	Requirements /Limits
diphenhydramine hcl injection solution 50 mg/ml	2	MO	albuterol sulfate inhalation solution for nebulization	2	B/D PA; MO
diphenhydramine hcl injection syringe	2	MO	albuterol sulfate oral syrup	2	MO
diphenhydramine hcl oral elixir	2	PA	albuterol sulfate oral tablet	4	MO
epinephrine injection auto-injector 0.15 mg/0.3 ml, 0.3 mg/0.3 ml (manufactured by mylan specialty)	2	MO; QL (2 per 30 days)	albuterol sulfate oral tablet extended release 12 hr	4	MO
EPIPEN	3	MO; QL (2 per 30 days)	alyq	5	PA; MO; QL (60 per 30 days)
EPIPEN 2-PAK	3	MO; QL (2 per 30 days)	ambrisentan	5	PA; MO; LA
EPIPEN JR	3	MO; QL (2 per 30 days)	ASMANEX HFA	3	MO; QL (13 per 30 days)
EPIPEN JR 2-PAK	3	MO; QL (2 per 30 days)	ASMANEX TWISTHALER INHALATION AEROSOL POWDR BREATH ACTIVATED 110 MCG/ ACTUATION (30), 220 MCG/ ACTUATION (30), 220 MCG/ ACTUATION (60)	3	MO; QL (1 per 30 days)
hydroxyzine hcl oral tablet	2	PA; MO	ASMANEX TWISTHALER INHALATION AEROSOL POWDR BREATH ACTIVATED 220 MCG/ ACTUATION (120)	3	MO; QL (2 per 30 days)
levocetirizine oral solution	2	MO			
levocetirizine oral tablet	2	MO; QL (30 per 30 days)			
promethazine injection solution	4	MO			
promethazine oral	4	PA; MO			
SYMJEPI	4	MO; QL (2 per 30 days)			
PULMONARY AGENTS					
acetylcysteine	2	B/D PA; MO			
ADEMPAS	5	PA; MO; LA			
ADVAIR DISKUS	3	MO; QL (60 per 30 days)			

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements /Limits
ASMANEX TWISTHALER INHALATION AEROSOL POWDR BREATH ACTIVATED 220 MCG/ ACTUATION (14)	3	QL (2 per 28 days)
ATROVENT HFA	3	MO; QL (25.8 per 30 days)
<i>bosentan</i>	5	PA; MO; LA
<i>budesonide inhalation suspension for nebulization 0.25 mg/2 ml, 0.5 mg/2 ml</i>	2	B/D PA; MO; QL (120 per 30 days)
<i>budesonide inhalation suspension for nebulization 1 mg/2 ml</i>	2	B/D PA; MO; QL (60 per 30 days)
CINRYZE	5	PA; MO
COMBIVENT RESPIMAT	3	MO; QL (8 per 30 days)
<i>cromolyn inhalation</i>	2	B/D PA; MO
DALIRESP ORAL TABLET 250 MCG	4	PA; MO; QL (30 per 30 days)
DALIRESP ORAL TABLET 500 MCG	4	PA; MO
DULERA	3	MO; QL (13 per 30 days)
ESBRIET ORAL CAPSULE	5	PA; MO; QL (270 per 30 days)
ESBRIET ORAL TABLET 267 MG	5	PA; MO; QL (270 per 30 days)

Drug Name	Drug Tier	Requirements /Limits
ESBRIET ORAL TABLET 801 MG	5	PA; MO; QL (90 per 30 days)
FASENRA	5	PA; MO
FASENRA PEN	5	PA; MO
FIRAZYR	5	PA; MO
<i>flunisolide nasal spray,non-aerosol 25 mcg (0.025 %)</i>	2	MO; QL (50 per 30 days)
<i>fluticasone propionate nasal</i>	2	MO; QL (16 per 30 days)
HAEGARDA	5	PA; MO; LA
<i>icatibant</i>	5	PA; MO
INCRUSE ELLIPTA	3	MO; QL (30 per 30 days)
<i>ipratropium bromide inhalation</i>	2	B/D PA; MO
<i>ipratropium-albuterol</i>	2	B/D PA; MO
KALYDECO ORAL GRANULES IN PACKET	5	PA; MO; QL (56 per 28 days)
KALYDECO ORAL TABLET	5	PA; MO; QL (60 per 30 days)
<i>levalbuterol hcl</i>	2	B/D PA; MO
<i>metaproterenol oral syrup</i>	2	MO
<i>mometasone nasal</i>	2	MO; QL (34 per 30 days)
<i>montelukast</i>	2	MO
OFEV	5	PA; MO; QL (60 per 30 days)
OPSUMIT	5	PA; MO; LA

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements /Limits
ORKAMBI ORAL GRANULES IN PACKET	5	PA; MO; QL (56 per 28 days)
ORKAMBI ORAL TABLET	5	PA; MO; QL (112 per 28 days)
PERFOROMIST	3	B/D PA; MO
PROAIR HFA	3	MO; QL (17 per 30 days)
PROAIR RESPICLICK	3	MO; QL (2 per 30 days)
PULMOZYME	5	B/D PA; MO
QVAR REDIHALER INHALATION HFA AEROSOL BREATH ACTIVATED 40 MCG/ACTUATION	3	MO; QL (10.6 per 30 days)
QVAR REDIHALER INHALATION HFA AEROSOL BREATH ACTIVATED 80 MCG/ACTUATION	3	MO; QL (21.2 per 30 days)
SEREVENT DISKUS	3	MO; QL (60 per 30 days)
<i>sildenafil</i> <i>(pulmonary arterial hypertension)</i> <i>intravenous solution</i> <i>10 mg/12.5 ml</i>	5	PA
<i>sildenafil</i> <i>(pulmonary arterial hypertension) oral suspension for reconstitution</i> <i>10 mg/ml</i>	5	PA; MO; QL (224 per 30 days)

Drug Name	Drug Tier	Requirements /Limits
<i>sildenafil</i> <i>(pulmonary arterial hypertension) oral tablet 20 mg</i>	2	PA; MO; QL (90 per 30 days)
SPIRIVA RESPIMAT	3	MO; QL (4 per 30 days)
SPIRIVA WITH HANDIHALER	3	MO; QL (90 per 90 days)
STIOLTO RESPIMAT	3	MO; QL (4 per 30 days)
STRIVERDI RESPIMAT	3	MO; QL (4 per 30 days)
SYMBICORT	3	MO; QL (10.2 per 30 days)
SYMDEKO	5	PA; MO; QL (56 per 28 days)
<i>tadalafil</i> <i>(pulmonary arterial hypertension) oral tablet 20 mg</i>	5	PA; MO; QL (60 per 30 days)
terbutaline	2	MO
THEO-24	3	MO
<i>theophylline in dextrose 5 % intravenous parenteral solution</i> <i>400 mg/500 ml</i>	2	
<i>theophylline oral elixir</i>	2	
<i>theophylline oral solution</i>	2	MO
<i>theophylline oral tablet extended release</i> <i>12 hr</i>	2	MO
<i>theophylline oral tablet extended release</i> <i>24 hr</i>	2	MO
TRIKAFTA	5	PA; MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements /Limits
TYVASO	5	B/D PA; MO
TYVASO INSTITUTIONAL START KIT	5	B/D PA
TYVASO REFILL KIT	5	B/D PA; MO
TYVASO STARTER KIT	5	B/D PA; MO
XOLAIR SUBCUTANEOUS RECON SOLN	5	PA; MO; LA; QL (6 per 28 days)
XOLAIR SUBCUTANEOUS SYRINGE 150 MG/ML	5	PA; MO; LA; QL (4 per 28 days)
XOLAIR SUBCUTANEOUS SYRINGE 75 MG/0.5 ML	5	PA; MO; LA; QL (1 per 28 days)
zafirlukast	2	MO
UROLOGICALS		
ANTICHOLINERGICS / ANTISPASMODICS		
flavoxate	2	MO
MYRBETRIQ	3	MO
oxybutynin chloride	2	MO
solifenacin	2	MO
tolterodine	2	MO
trospium	2	MO
BENIGN PROSTATIC HYPERPLASIA(BPH) THERAPY		
alfuzosin	2	MO
dutasteride	2	MO
dutasteride-tamsulosin	2	MO

Drug Name	Drug Tier	Requirements /Limits
<i>finasteride oral tablet 5 mg</i>	2	MO
<i>silodosin</i>	2	MO
<i>tamsulosin</i>	1	MO
MISCELLANEOUS UROLOGICALS		
<i>alprostadil</i>	2	MO
<i>bethanechol chloride</i>	2	MO
CYSTAGON	3	PA; MO; LA
ELMIRON	3	MO
<i>glycine urologic</i>	2	
<i>glycine urologic solution</i>	2	
K-PHOS NO 2	3	MO
K-PHOS ORIGINAL	3	MO
<i>potassium citrate</i>	2	MO
RENACIDIN IRRIGATION SOLUTION 1980.6 MG-59.4 MG-980.4MG/30ML	3	MO
<i>tadalafil oral tablet 2.5 mg, 5 mg</i>	2	PA; MO; QL (30 per 30 days)
VITAMINS, HEMATINICS / ELECTROLYTES		
BLOOD DERIVATIVES		
<i>albumin, human 25 %</i>	2	
<i>albuminar 25 %</i>	2	MO
<i>alburx (human) 25 %</i>	2	MO
<i>alburx (human) 5 %</i>	2	
<i>albutein 25 %</i>	2	
<i>albutein 5 %</i>	2	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements /Limits
plasbumin 25 %	2	MO
plasbumin 5 %	2	
ELECTROLYTES		
calcium acetate(phosphat bind)	2	MO
calcium chloride	2	
calcium gluconate intravenous	2	MO
effer-k oral tablet, effervescent 25 meq	2	MO
klor-con	2	MO
klor-con 10	2	MO
klor-con 8	2	MO
klor-con m10	2	MO
klor-con m15	2	MO
klor-con m20	2	MO
klor-con sprinkle oral capsule, extended release 8 meq	2	MO
klor-con/ef	2	MO
k-tab oral tablet extended release 8 meq	2	MO
lactated ringers intravenous	2	MO
magnesium chloride injection	2	MO
MAGNESIUM SULFATE IN D5W INTRAVENOUS PIGGYBACK 1 GRAM/100 ML	3	
magnesium sulfate in water intravenous parenteral solution	2	

Drug Name	Drug Tier	Requirements /Limits
magnesium sulfate in water intravenous piggyback 2 gram/50 ml (4 %), 4 gram/50 ml (8 %)	2	
magnesium sulfate in water intravenous piggyback 4 gram/100 ml (4 %)	2	MO
magnesium sulfate injection solution	2	MO
magnesium sulfate injection syringe	2	
NORMOSOL-R	3	MO
NORMOSOL-R IN 5 % DEXTROSE	3	
potassium acetate intravenous solution 2 meq/ml	2	
potassium chlorid-d5-0.45%nacl intravenous parenteral solution 10 meq/l, 30 meq/l, 40 meq/l	2	
potassium chlorid-d5-0.45%nacl intravenous parenteral solution 20 meq/l	2	MO
potassium chloride in 0.9%nacl intravenous parenteral solution 20 meq/l, 40 meq/l	2	
potassium chloride in 5 % dex intravenous parenteral solution 20 meq/l, 30 meq/l, 40 meq/l	2	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements /Limits	Drug Name	Drug Tier	Requirements /Limits
<i>potassium chloride in lr-d5 intravenous parenteral solution 20 meq/l</i>	2	MO	<i>potassium chloride- d5-0.2%nacl intravenous parenteral solution 20 meq/l</i>	2	MO
<i>potassium chloride in lr-d5 intravenous parenteral solution 40 meq/l</i>	2		<i>potassium chloride- d5-0.2%nacl intravenous parenteral solution 30 meq/l, 40 meq/l</i>	2	
<i>potassium chloride in water intravenous piggyback 10 meq/100 ml, 10 meq/50 ml</i>	2	MO	<i>potassium chloride- d5-0.3%nacl intravenous parenteral solution 20 meq/l</i>	2	
<i>potassium chloride in water intravenous piggyback 20 meq/100 ml, 20 meq/50 ml, 30 meq/100 ml, 40 meq/100 ml</i>	2		<i>potassium chloride- d5-0.9%nacl intravenous parenteral solution 20 meq/l</i>	2	MO
<i>potassium chloride intravenous</i>	2	MO	<i>potassium chloride- d5-0.9%nacl intravenous parenteral solution 40 meq/l</i>	2	
<i>potassium chloride oral capsule, extended release</i>	1	MO	<i>potassium phosphate m-/d-basic</i>	2	
<i>potassium chloride oral liquid</i>	2	MO	<i>ringer's intravenous</i>	2	
<i>potassium chloride oral packet</i>	2	MO	<i>sodium acetate</i>	2	
<i>potassium chloride oral tablet extended release</i>	1	MO	<i>sodium bicarbonate intravenous solution 1 meq/ml (8.4 %)</i>	2	MO
<i>potassium chloride oral tablet,er particles/crystals</i>	1	MO	<i>sodium bicarbonate intravenous syringe 10 meq/10 ml (8.4 %), 7.5 % (0.9 meq/ml)</i>	2	MO
<i>potassium chloride- 0.45 % nacl</i>	2		<i>sodium bicarbonate intravenous syringe 8.4 % (1 meq/ml)</i>	2	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements /Limits
sodium chloride 0.45 % intravenous parenteral solution	2	MO
sodium chloride 0.45 % intravenous piggyback	2	
sodium chloride 3 %	2	MO
sodium chloride 5 %	2	MO
sodium chloride intravenous	2	MO
sodium lactate intravenous	2	
sodium phosphate	2	MO
MISCELLANEOUS NUTRITION PRODUCTS		
AMINOSYN II 10 %	3	B/D PA
AMINOSYN II 15 %	3	B/D PA
AMINOSYN-PF 10 %	3	B/D PA
AMINOSYN-PF 7 % (SULFITE-FREE)	3	B/D PA
CLINIMIX 5%/D15W SULFITE FREE	3	B/D PA
CLINIMIX 4.25%/D10W SULFITE FREE	3	B/D PA
CLINIMIX 5%-D20W(SULFITE-FREE)	3	B/D PA
cysteine (<i>l</i> -cysteine) intravenous solution	2	B/D PA
electrolyte-48 in d5w	2	

Drug Name	Drug Tier	Requirements /Limits
freamine iii 10 %	2	B/D PA
HEPATAMINE 8%	3	B/D PA
intralipid intravenous emulsion 20 %	2	B/D PA
IONOSOL-MB IN D5W	3	
ISOLYTE S PH 7.4	3	
ISOLYTE-P IN 5 % DEXTROSE	3	
ISOLYTE-S	3	
NEPHRAMINE 5.4 %	3	B/D PA
NORMOSOL-R PH 7.4	3	
PLASMA-LYTE 148	3	
PLASMA-LYTE A	3	
plasmanate	2	
plenamine	2	B/D PA
premasol 10 %	2	B/D PA; MO
PREMASOL 6 %	3	B/D PA
travasol 10 %	4	B/D PA; MO
TROPHAMINE 10 %	3	B/D PA; MO
TROPHAMINE 6%	3	B/D PA
VITAMINS / HEMATINICS		
fluoride (sodium) oral tablet	2	MO
fluoride (sodium) oral tablet, chewable 1 mg (2.2 mg sod. fluoride)	2	MO
prenatal vitamin oral tablet	2	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Index

A

abacavir	9
abacavir-lamivudine	9
abacavir-lamivudine-zidovudine	9
ABELCET	9
ABILIFY MAINTENA	36
abiraterone	18
ABRAXANE	18
acamprosate	53
acarbose	56
acebutolol	42
acetaminophen-caff-dihydrocod	32
acetaminophen-codeine	32
acetazolamide	75
acetazolamide sodium	75
acetic acid	53, 55
acetylcysteine	52, 76
acitretin	48, 49
ACTEMRA	69
ACTEMRA ACTPEN	69
ACTHIB (PF)	66
ACTIMMUNE	65
acyclovir	9, 51
acyclovir sodium	9
ADACEL(TDAP ADOLESN/ADULT)(PF)	66
ADASUVE	36
ADCETRIS	18
adefovir	9
ADEMPAS	76
adenosine	41
adrenalin	75
adriamycin	18
adrucil	19
ADVAIR DISKUS	76
AFINITOR	19
AFINITOR DISPERZ	19
ak-poly-bac	73
ala-cort	51
albendazole	14
albumin, human 25 %	79
albuminar 25 %	79
alburx (human)	25 %

alburx (human) 5 %	79
albutein 25 %	79
albutein 5 %	79
albuterol sulfate	76
alclometasone	51
ALCOHOL PADS	56
ALDURAZYME	60
ALECENSA	19
alendronate	53, 68
alfuzosin	79
ALIMTA	19
ALINIA	14
ALIQOPA	19
aliskiren	42
allopurinol	68
allopurinol sodium	68
aloprim	68
alosetron	62
ALPHAGAN P	75
alprostadiol	79
altavera (28)	71
ALUNBRIG	19
alyacen 1/35 (28)	71
alyacen 7/7/7 (28)	71
alyq	76
amantadine hcl	9
AMBISOME	9
ambrisentan	76
amethyst (28)	71
AMICAR	45
amikacin	14
amiloride	42
amiloride-hydrochlorothiazide	42
aminocaproic acid	45
AMINOSYN II 10 %	82
AMINOSYN II 15 %	82
AMINOSYN-PF 10 %	82
AMINOSYN-PF 7 % (SULFITE-FREE)	82
amiodarone	41
amitriptyline	36
amlodipine	42
amlodipine-atorvastatin	46
amlodipine-benazepril	42
amlodipine-olmesartan	42
amlodipine-valsartan	42
amlodipine-valsartan-hcthiazid	42
ammonium lactate	49
amnesteem	50
amoxapine	36
amoxicil-clarithromy-lansopraz	64
amoxicillin	16
amoxicillin-pot clavulanate	16
amphotericin b	9
ampicillin	16
ampicillin sodium	16
ampicillin-sulbactam	16
anagrelide	53
anastrozole	19
APOKYN	30
apraclonidine	75
aprepitant	62
apri	71
APTIOM	27
APTIVUS	9
APTIVUS (WITH VITAMIN E)	9
ARALAST NP	53
aranelle (28)	71
ARCALYST	65
ARIKAYCE	14
aripiprazole	36
ARISTADA	36
ARISTADA INITIO	36
armodafinil	36
ARRANON	19
arsenic trioxide	19
ARSENIC TRIOXIDE	19
ARZERRA	19
ASMANEX HFA	76
ASMANEX TWISTHALER	76, 77
aspirin-dipyridamole	45
atazanavir	9
atenolol	42
atenolol-chlorthalidone	42
atomoxetine	36

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

atorvastatin	46	BETHKIS	14	calcipotriene-betamethasone	49
atovaquone	14	bexarotene	19	calcitonin (salmon)	60
atovaquone-proguanil.....	14	BEXSERO.....	67	calcitriol	49, 60
ATRIPLA	9	bicalutamide	19	calcium acetate(phosphat bind)	
atropine.....	62, 74	BICILLIN C-R	16	80
ATROVENT HFA	77	BICILLIN L-A	16	calcium chloride	80
aubra	71	BICNU.....	19	calcium gluconate	80
aubra eq	71	BIKTARVY	9	CALQUENCE.....	19
AUGMENTIN.....	16	bimatoprost.....	75	camila	70
AVASTIN	19	bisoprolol fumarate.....	42	camrese	71
aviane	71	bisoprolol-hydrochlorothiazide		candesartan	42
AVONEX	65	42	candesartan-hydrochlorothiazid	
azacitidine.....	19	bleomycin	19	42
azathioprine	19	BLEPHAMIDE	74	CAPASTAT	14
azathioprine sodium	19	BLEPHAMIDE S.O.P.....	74	CAPRELSA.....	20
azelaic acid	50	BLINCYTO.....	19	captopril	42
azelastine	54, 74	BOOSTRIX TDAP.....	67	captopril-hydrochlorothiazide	
azithromycin.....	13	BORTEZOMIB	19	42
aztreonam	14	bosentan	77	CARBAGLU	53
azurette (28).....	71	BOSULIF	19	carbamazepine	27
B		BOTOX	67	carbidopa	30
bacitracin	14, 73	BRAFTOVI	19	carbidopa-levodopa	30
bacitracin-polymyxin b	73	BRILINTA	45	carbidopa-levodopa-	
baclofen	31	brimonidine	75	entacapone	30
balanced salt	74	BRIVIACT	27	carbocaine (pf).....	49
balsalazide	62	bromfenac.....	75	carboplatin	20
BALVERSA	19	bromocriptine	30	cardioplegic soln.....	47
BANZEL	27	bss.....	74	carmustine.....	20
BAQSIMI	56	budesonide.....	62, 77	carteolol	74
BARACLUE	9	bumetanide	42	cartia xt	42
BAVENCIO	19	buprenorphine.....	32	carvedilol	42
BCG VACCINE, LIVE (PF)	66	buprenorphine hcl.....	32	carvedilol phosphate	42
bekyree (28).....	71	buprenorphine-naloxone.....	35	caspofungin.....	9
BELEODAQ	19	bupropion hcl.....	36	CAYSTON	14
benazepril	42	bupropion hcl (smoking deter)		caziant (28)	71
benazepril-hydrochlorothiazide		54	cefaclor	12
.....	42	buspirone	36	cefadroxil	12
BENDEKA	19	busulfan	19	cefazolin	12
BENLYSTA	69	butorphanol tartrate	35	cefazolin in dextrose (iso-os)	12
BENZNIDAZOLE	14	BYDUREON	56	cefdinir.....	12
benztropine	30	BYDUREON BCISE	56	cefepime	13
BESPONSA	19	BYETTA	56	cefepime in dextrose,iso-osm	
betamethasone acet,sod phos	55	C		12, 13
betamethasone dipropionate	.51	cabergoline	60	cefixime	13
betamethasone valerate	51	CABLIVI.....	45	cefotaxime	13
betamethasone, augmented...	51	CABOMETYX.....	19	cefotetan	13
betaxolol.....	42, 74	caffeine citrate	53	cefoxitin	13
bethanechol chloride	79	calcipotriene	49		

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

cefoxitin in dextrose, iso-osm		CIPRODEX	55	COMETRIQ	20
.....13		ciprofloxacin.....17		COMPLERA	10
cefpodoxime	13	ciprofloxacin hcl.....17, 55, 73		compro	62
cefprozil.....13		ciprofloxacin in 5 % dextrose		constulose	62
ceftazidime	1317		COPIKTRA	20
ceftriaxone	13	cisplatin	20	CORLANOR	47
ceftriaxone in dextrose,iso-os	13	citalopram	37	CORTIFOAM.....	62
.....13		cladribine	20	cortisone	55
cefuroxime axetil.....13		claravis.....	50	COSMEGEN	20
cefuroxime sodium.....13		clarithromycin	13	COTELLIC.....	20
celecoxib.....35		clindamycin hcl	14	CREON.....	62
CELONTIN	27	clindamycin in 5 % dextrose	14	CRESEMBA.....	9
cephalexin.....13		clindamycin palmitate hcl	14	CRIXIVAN.....	10
CEPROTIN (BLUE BAR) ...45		clindamycin pediatric	14	cromolyn.....	62, 74, 77
CEPROTIN (GREEN BAR) 45		clindamycin phosphate ..	14, 50,	crotan	52
CERDELGA.....60		71		cryselle (28)	71
CEREZYME	60	CLINIMIX 5%/D15W		CRYSVITA	60
cetirizine	75	SULFITE FREE	82	cyclafem 1/35 (28).....	71
cevimeline	53	CLINIMIX 4.25%/D10W		cyclafem 7/7/7 (28).....	71
CHANTIX	54	SULF FREE	82	cyclobenzaprine	31
CHANTIX CONTINUING		CLINIMIX 4.25%/D5W		cyclophosphamide	20
MONTH BOX.....54		SULFIT FREE.....	53	CYCLOSET	56
CHANTIX STARTING		CLINIMIX 5%-		cyclosporine	20
MONTH BOX.....54		D20W(SULFITE-FREE)..	82	cyclosporine modified	20
CHEMET	53	clobazam.....	27	CYRAMZA	20
CHENODAL.....62		clobetasol.....	51, 52	cyred	71
chloramphenicol sod succinate		clobetasol-emollient	52	cyred eq	71
.....14		clofarabine	20	CYSTADANE	62
chlorhexidine gluconate	54	clomiphene citrate	60	CYSTAGON	79
chlorprocaine (pf).....49		clomipramine.....	37	CYSTARAN.....	74
chloroquine phosphate.....14		clonazepam.....	28	cysteine (l-cysteine).....	82
chlorothiazide	42	clonidine	42	cytarabine	20
chlorothiazide sodium	42	clonidine (pf)	35, 42	cytarabine (pf)	20
chlorpromazine.....36		clonidine hcl	37, 42	D	
chlorthalidone	42	clopidogrel.....	45	d10 %-0.45 % sodium chloride	
CHOLBAM	62	clorazepate dipotassium	3753	
cholestyramine (with sugar) .46		clotrimazole	9, 51	d2.5 %-0.45 % sodium	
cholestyramine light	46	clotrimazole-betamethasone.	51	chloride	53
ciclodan	50	clovique	53	d5 % and 0.9 % sodium	
ciclopirox.....51		clozapine.....	37	chloride	53
cidofovir	9	CLOZAPINE.....	37	d5 %-0.45 % sodium chloride	
cilstostazol.....45		COARTEM	1453	
CIMDUO.....10		COLCRYS.....	68	dacarbazine	20
cimetidine	64	colesevelam	46	dactinomycin	20
cimetidine hcl	64	colestipol	46	dalfampridine.....	31
cinacalcet.....60		colistin (colistimethate na) ...14		DALIRESP	77
CINRYZE.....77		colocort.....	62	danazol.....	60
CINVANTI.....62		COMBIVENT RESPIMAT .77		dantrolene	31

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

dapsone.....	14, 50
DAPTACEL (DTAP PEDIATRIC) (PF).....	67
daptomycin.....	14
DAPTOMYCIN.....	14
DARAPRIM.....	14
DARZALEX.....	20
dasetta 1/35 (28).....	71
dasetta 7/7/7 (28).....	71
daunorubicin.....	20
DAURISMO.....	20
daysee.....	71
DDAVP.....	60
deblitane.....	70
decadron.....	55
decitabine.....	20
deferasirox.....	53
deferoxamine.....	53
DELSTRIGO.....	10
demeclocycline.....	17
DEM SER.....	43
DENAVIR.....	51
denta 5000 plus.....	54
dentagel.....	54
DE PEN TITRATABS.....	69
DEPO-PROVERA.....	70
DESCOVY.....	10
desipramine.....	37
desmopressin.....	60
desog-e.estriadiol/e.estriadiol.	71
desogestrel-ethinyl estradiol.	71
desonide.....	52
desvenlafaxine succinate	37
dexamethasone.....	55
dexamethasone intensol.....	55
dexamethasone sodium phos (pf).....	55
dexamethasone sodium phosphate.....	55, 75
dexrazoxane hcl.....	18
dextroamphetamine.....	37
dextroamphetamine- amphetamine.....	37
dextrose 10 % and 0.2 % nacl	53
dextrose 10 % in water (d10w)	53
dextrose 20 % in water (d20w)	53
dextrose 25 % in water (d25w)	53
dextrose 30 % in water (d30w)	53
dextrose 40 % in water (d40w)	53
dextrose 5 % in water (d5w).53	
dextrose 5 %-lactated ringers53	
dextrose 5%-0.2 % sod chloride.....	53
dextrose 5%-0.3 % sod.chloride	53
dextrose 50 % in water (d50w)	53
dextrose 70 % in water (d70w)	53
dextrose with sodium chloride	53
DIASSTAT.....	28
DIASSTAT ACUDIAL.....	28
diazepam.....	28, 37
diclofenac potassium.....	35
diclofenac sodium....	35, 49, 75
diclofenac-misoprostol	35
dicloxacillin.....	16
dicyclomine.....	62
didanosine.....	10
dilfusal.....	35
digitek.....	47
digox.....	47
digoxin.....	47
dihydroergotamine.....	30
DILANTIN 30 MG.....	28
diltiazem hcl	43
dilt-xr.....	43
dimenhydrinate	62
DIPENTUM.....	62
diphenhydramine hcl	76
diphenoxylate-atropine	62
dipyridamole.....	45
disulfiram.....	53
divalproex.....	28
dobutamine.....	47
dobutamine in d5w	47
docetaxel.....	20
DOCETAXEL.....	20
dofetilide.....	41
donepezil.....	31
dopamine.....	48
dopamine in 5 % dextrose	48
DOPTELET (10 TAB PACK)	45
DOPTELET (15 TAB PACK)	45
DOPTELET (30 TAB PACK)	45
dorzolamide.....	75
dorzolamide-timolol	75
dorzolamide-timolol (pf)	75
dotti.....	70
DOVATO.....	10
doxazosin.....	43
doxepin.....	37, 49
doxercalciferol.....	60
doxorubicin.....	20, 21
doxorubicin, peg-liposomal..	21
doxy-100.....	17
doxycycline hyclate	17
doxycycline monohydrate ...	17,
18	
doxylamine-pyridoxine (vit b6)	62
DRIZALMA SPRINKLE.....	37
dronabinol.....	62
droperidol	62
drospirenone-e.estriadiol-lm.fa	72
drospirenone-ethinyl estradiol	72
DROXIA.....	21
DULERA.....	77
duloxetine	37
DUPIXENT	49
duramorph (pf).....	32
dutasteride.....	79
dutasteride-tamsulosin	79
E	
e.e.s. 400	13
ec-naproxen	35
econazole	51
EDURANT.....	10
efavirenz	10
effer-k	80
ELAPRASE	60

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

electrolyte-48 in d5w.....	82	ERBITUX.....	21	FARXIGA	56
eletriptan.....	30	ergoloid.....	37	FARYDAK.....	21
elinet.....	72	ergotamine-caffeine.....	30	FASENRA	77
ELIQUIS	45	ERIVEDGE	21	FASENRA PEN	77
ELIQUIS DVT-PE TREAT 30D START	45	ERLEADA	21	FASLODEX	21
ELITEK.....	18	erlotinib	21	fayosim	72
ELMIRON.....	79	errin	70	febuxostat	68
EMCYT.....	21	ertapenem	15	felbamate	28
EMEND.....	62	ERWINAZE	21	felodipine	43
emoquette	72	ery-tab.....	13	femynor.....	72
EMPLICITI	21	ERY-TAB.....	14	fenofibrate	47
EMSAM	37	ERYTHROCIN	14	fenofibrate micronized.....	46
EMTRIVA.....	10	erythrocin (as stearate)	14	fenofibrate nanocrystallized	47
EMVERM	15	erythromycin	14, 73	fenofibric acid.....	47
enalapril maleate	43	erythromycin ethylsuccinate.....	14	fenofibric acid (choline)	47
enalaprilat	43	erythromycin with ethanol....	50	fenoprofen.....	35
enalapril-hydrochlorothiazide	43	ESBRIET	77	fentanyl	33
ENBREL	69	escitalopram oxalate	37	fentanyl citrate	32
ENBREL MINI	69	esmolol	43	fentanyl citrate (pf)	32
ENBREL SURECLICK	69	esomeprazole magnesium.....	64	FERRIPROX	53
endocet	32	esomeprazole sodium	64	FETZIMA	38
ENGERIX-B (PF)	67	estarryla	72	finasteride	79
ENGERIX-B PEDIATRIC (PF).....	67	estradiol	70	FIRAZYR	77
enoxaparin	45	estradiol valerate.....	70	FIRDAPSE	31
enpresse	72	estradiol-norethindrone acet.	70	FIRMAGON KIT W DILUENT SYRINGE	21
enskyce	72	eszopiclone	37	flavoxate	79
entacapone	30	ethacrynat e sodium.....	43	flecainide	41
entecavir	10	ethacrylic acid.....	43	flouxuridine	21
ENTRESTO	48	ethambutol	15	fluconazole	9
ENTYVIO	62	ethosuximide	28	fluconazole in nacl (iso-osm)	9
enulose.....	63	ethynodiol diac-eth estradiol	72	flucytosine	9
EPCLUSA	10	etodolac	35	fludarabine	21
EPIDIOLEX	28	ETOPOPHOS	21	fludrocortisone.....	55
epinastine.....	74	etoposide.....	21	flumazenil	38
epinephrine	76	everolimus (antineoplastic)	21	flunisolide	77
EPIPEN	76	EVOTAZ	10	fluocinolone	52
EPIPEN 2-PAK	76	exemestane	21	fluocinolone acetonide oil	55
EPIPEN JR	76	EYLEA	74	fluocinolone and shower cap	52
EPIPEN JR 2-PAK.....	76	ezetimibe	46	fluocinonide	52
epirubicin.....	21	ezetimibe-simvastatin.....	46	fluocinonide-e	52
epitol.....	28	F		fluoride (sodium)	54, 55, 82
EPIVIR HBV.....	10	FABRAZYME	60	fluorometholone	75
eplerenone	43	falmina (28)	72	fluorouracil	21, 49
epoprostenol (glycine).....	43	famciclovir.....	10	fluoxetine	38
eprosartan	43	famotidine.....	64	fluphenazine decanoate	38
		famotidine (pf).....	64	fluphenazine hcl.....	38
		famotidine (pf)-nacl (iso-os)	64	flurbiprofen	35
		FANAPT	38		

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

flurbiprofen sodium.....	75	GEMCITABINE	21	heparin(porcine) in 0.45% nacl	46
flutamide.....	21	gemfibrozil	47	HEPARIN(PORCINE) IN	
fluticasone propionate	77	generlac	63	0.45% NAACL.....	46
fluvastatin	47	gentraf.....	21, 22	heparin, porcine (pf)	46
fluvoxamine.....	38	gentak	73	HEPARIN, PORCINE (PF)	46
FOLOTYN	21	gentamicin	15, 50, 74	HEPATAMINE 8%	82
fomepizole	67	gentamicin in nacl (iso-osm)	15	HERCEPTIN	22
fondaparinux.....	45	gentamicin sulfate (ped) (pf)	15	HERCEPTIN HYLECTA	22
FORTEO	68	GENVOYA	10	HETLIOZ	38
fosamprenavir.....	10	GEODON	38	HIBERIX (PF)	67
fosaprepitant	63	gianvi (28)	72	HIZENTRA	67
fosinopril	43	GILENYA	31	HUMALOG JUNIOR	
fisinopril-hydrochlorothiazide	43	GIOTRIF.....	22	KWIKPEN U-100	57
fosphenytoin	28	glatiramer.....	31	HUMALOG KWIKPEN	
freamine iii 10 %	82	glatopa	31	INSULIN	57
FREESTYLE FREEDOM	56	GLEOSTINE	22	HUMALOG MIX 50-50	
FREESTYLE FREEDOM LITE	56	glimepiride.....	57	INSULN U-100	57
FREESTYLE INSULINX	56	glipizide	57	HUMALOG MIX 50-50	
FREESTYLE INSULINX TEST STRIPS	56	KWIKPEN	57	KWIKPEN	57
FREESTYLE LITE METER	56	glipizide-metformin.....	57	HUMALOG MIX 75-25	
FREESTYLE LITE STRIPS	56	GLUCAGEN HYPOKIT	57	KWIKPEN	57
FREESTYLE PRECISION NEO STRIPS.....	56	GLUCAGON EMERGENCY KIT (HUMAN).....	57	HUMALOG U-100 INSULIN	57
FREESTYLE TEST	56	glycine urologic	79	HUMIRA	69
FULPHILA.....	65	glycine urologic solution	79	HUMIRA PEDIATRIC	
fulvestrant	21	glycopyrrolate	62	CROHNS START	69
furosemide	43	glycopyrrolate (pf) in water	62	HUMIRA PEN	69
FUZEON	10	glydo	49	HUMIRA PEN CROHNS-UC-HS START	69
FYCOMPA	28	granisetron (pf)	63	HUMIRA PEN PSOR-UVEITS-ADOL HS	69
G		granisetron hcl	63	HUMIRA(CF)	70
gabapentin	28	GRANIX	65	HUMIRA(CF) PEDI	
galantamine	31	GRASTEK.....	67	CROHNS STARTER	69
GAMASTAN	67	griseofulvin microsize	9	HUMIRA(CF) PEN	70
GAMASTAN S/D	67	griseofulvin ultramicrosize	9	HUMIRA(CF) PEN	
ganciclovir sodium	10	guanidine	38	CROHNS-UC-HS	69
GARDASIL 9 (PF).....	67	GVOKE SYRINGE.....	57	HUMIRA(CF) PEN PSOR-UV-ADOL HS	70
gatifloxacin	73	H		HUMULIN 70/30 U-100	
GATTEX 30-VIAL	63	HAEGARDA.....	77	INSULIN	57
GATTEX ONE-VIAL	63	HALAVEN.....	22	HUMULIN 70/30 U-100	
GAUZE PAD	57	halobetasol propionate	52	KWIKPEN	57
gavilyte-c	63	haloperidol	38	HUMULIN N NPH INSULIN	
gavilyte-g	63	haloperidol decanoate	38	KWIKPEN	57
gavilyte-n	63	haloperidol lactate	38		
GAZYVA	21	HARVONI.....	10		
gemcitabine	21	HAVRIX (PF)	67		
		heather	70		
		heparin (porcine)	46		
		heparin (porcine) in 5 % dex	46		
		heparin (porcine) in nacl (pf)	46		

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

HUMULIN N NPH U-100	
INSULIN	57
HUMULIN R REGULAR U-	
100 INSULN	57
HUMULIN R U-500 (CONC)	
INSULIN	57
HUMULIN R U-500 (CONC)	
KWIKPEN	57
hydralazine	43
hydrochlorothiazide.....	43
hydrocodone-acetaminophen	33
hydrocodone-ibuprofen	33
hydrocortisone.....	52, 55, 63
hydrocortisone butyrate.....	52
hydrocortisone-acetic acid....	55
hydrocortisone-pramoxine ...	63
hydromorphone	33
hydromorphone (pf)	33
hydroxychloroquine	15
hydroxyprogesterone caproate	
.....	70
hydroxyurea.....	22
hydroxyzine hcl	76
HYPERHEP B S/D	67
HYPERHEP B S-D	
NEONATAL	67
HYQVIA	67
I	
ibandronate	68
IBRANCE	22
ibu.....	35
ibuprofen	35
ibuprofen-oxycodone	33
ibutilide fumarate	41
icatibant	77
ICLUSIG	22
idarubicin.....	22
IDHIFA	22
ifosfamide.....	22
ILARIS (PF)	65
imatinib.....	22
IMBRUVICA	22
IMFINZI.....	22
imipenem-cilastatin	15
imipramine hcl.....	38
imipramine pamoate	38
imiquimod	49
IMOVAX RABIES VACCINE	
(PF).....	67
IMPAVIDO	15
incassia	70
INCRELEX	53
INCRUSE ELLIPTA.....	77
indapamide	43
INFANRIX (DTAP) (PF)....	67
INFUGEM.....	22
INLYTA	22
INREBIC	22
INSULIN PEN NEEDLE	57
INSULIN SYRINGE-	
NEEDLE U-100	57
INTELENCE	10
intralipid	82
INTRON A	65
introvale.....	72
INVEGA SUSTENNA	38
INVEGA TRINZA	38
INVIRASE	10
INVOKAMET	57
INVOKAMET XR	57
INVOKANA	58
IONOSOL-MB IN D5W	82
IPOL	67
ipratropium bromide.....	55, 77
ipratropium-albuterol.....	77
irbesartan	43
irbesartan-hydrochlorothiazide	
.....	43
IRESSA	22
irinotecan	22
ISENTRESS	10
ISENTRESS HD	10
isibloom	72
ISOLYTE S PH 7.4	82
ISOLYTE-P IN 5 %	
DEXTROSE	82
ISOLYTE-S.....	82
isoniazid.....	15
isosorbide dinitrate	48
isosorbide mononitrate	48
isotretinoin.....	50
isradipine	43
ISTODAX	22
itraconazole	9
ivermectin.....	15, 50
IXEMERA	22
IXIARO (PF)	67
J	
JAKAFI	23
jantoven	46
JANUMET	58
JANUMET XR	58
JANUVIA.....	58
jasmiel (28).....	72
jencycla.....	71
JETREA (PF).....	74
JEVTANA	23
jolessa	72
juleber	72
JULUCA	10
JUXTAPID	47
K	
KADCYLA.....	23
KALETRA	10
kalliga	72
KALYDECO	77
KANJINTI	23
KANUMA	60
kariva (28)	72
kelnor 1/35 (28)	72
kelnor 1-50.....	72
KEPIVANCE	18
ketoconazole	9, 51
ketodan	51
ketoprofen	35, 36
ketorolac	75
KEYTRUDA	23
KHAPZORY	18
KINRIX (PF)	67
kionex (with sorbitol)	53
KISQALI	23
KISQALI FEMARA CO-	
PACK	23
klor-con.....	80
klor-con 10.....	80
klor-con 8.....	80
klor-con m10	80
klor-con m15	80
klor-con m20	80
klor-con sprinkle.....	80
klor-con/ef	80
KOMBIGLYZE XR	58
KORLYM	60

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

K-PHOS NO 2.....	79
K-PHOS ORIGINAL	79
KRYSTEXXA.....	68
k-tab.....	80
kurvelo (28).....	72
KUVAN	60
KYPROLIS	23
L	
1 norgest/e.estradiol-e.estrad.	72
labetalol	43
lactated ringers	52, 80
lactulose.....	63
lamivudine	10
lamivudine-zidovudine.....	10
lamotrigine	28
LANOXIN.....	48
lansoprazole.....	64
lanthanum	53
LANTUS SOLOSTAR U-100 INSULIN.....	58
LANTUS U-100 INSULIN..	58
larin 1.5/30 (21).....	72
larin 1/20 (21).....	72
larin 24 fe	72
larin fe 1.5/30 (28).....	72
larin fe 1/20 (28).....	72
larissia.....	72
latanoprost	75
LATUDA	39
leflunomide.....	70
LEMTRADA.....	31
LENVIMA	23
lessina.....	72
letrozole	23
leucovorin calcium	18
LEUKERAN	23
LEUKINE.....	65
leuprolide.....	23
levalbuterol hcl.....	77
levetiracetam	29
levetiracetam in nacl (iso-os)	28
levobunolol.....	74
levocarnitine	53
levocarnitine (with sugar)....	53
levocetirizine	76
levofloxacin	17, 74
levofloxacin in d5w	17
levoleucovorin calcium	18
levonest (28).....	72
levonorgestrel-ethinyl estrad	72
levonorg-eth estrad triphasic	72
levora-28.....	72
levorphanol tartrate.....	33
levothyroxine.....	61
levoxyl	61
LEXIVA	10
LIBTAYO	23
lidocaine	49
lidocaine (pf) in d7.5w	41
lidocaine (pf)	41, 49
lidocaine hcl	49
lidocaine in 5 % dextrose (pf)	41
lidocaine viscous	49
lidocaine-epinephrine	49
lidocaine-prilocaine	50
lillow (28).....	72
lincomycin	15
lindane	52
linezolid	15
linezolid in dextrose 5%	15
linezolid-0.9% sodium chloride	15
LOIORESAL.....	31, 32
liothyronine	61
lisinopril.....	43
lisinopril-hydrochlorothiazide	43
lithium carbonate.....	39
lithium citrate	39
LOKELMA	53
LONSURF.....	23
loperamide	62
lopinavir-ritonavir	10
lorazepam	39
lorazepam intensol.....	39
LORBRENA	23
lorcet (hydrocodone)	33
lorcet hd	33
lorcet plus	33
loryna (28).....	72
losartan	43
losartan-hydrochlorothiazide	43
loteprednol etabonate	75
lovastatin	47
low-ogestrel (28)	72
loxapine succinate	39
lo-zumandimine (28)	72
LUCENTIS	74
LUMIZYME.....	60
LUMOXITI	23
LUPRON DEPOT	23
LUPRON DEPOT (3 MONTH)	23
LUPRON DEPOT (4 MONTH)	23
LUPRON DEPOT (6 MONTH)	23
LUPRON DEPOT-PED	23
LUPRON DEPOT-PED (3 MONTH)	23
lutera (28)	72
LYNPARZA	23
LYRICA	29
LYSODREN.....	23
lyza	71
M	
mafenide acetate	50
magnesium chloride.....	80
magnesium sulfate	80
MAGNESIUM SULFATE IN D5W	80
magnesium sulfate in water ..	80
malathion	52
mannitol 20 %	43
mannitol 25 %	43
maprotiline.....	39
marlissa (28)	72
MARPLAN	39
MARQIBO	23
MATULANE	23
matzim la	43
meclizine	63
meclofenamate	36
medroxyprogesterone	71
mefenamic acid.....	36
mefloquine	15
megestrol	23
MEKINIST	23
MEKTOVI	23
meloxicam	36
melphalan	23
melphalan hcl.....	23
memantine	31

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

MENACTRA (PF)	67
MENEST	71
MENVEO A-C-Y-W-135-DIP (PF).....	67
MEPSEVII	60
mercaptopurine.....	23
meropenem	15
mesalamine	63
mesalamine with cleansing wipe	63
mesna.....	18
MESNEX	18
metadate er	39
metaproterenol.....	77
metformin	58
methadone	33, 34
methadone intensol.....	34
methadose.....	34
methazolamide	75
methenamine hippurate	18
methenamine mandelate.....	18
methergine	73
methimazole	56
methotrexate sodium	23
methotrexate sodium (pf)	23
methoxsalen.....	50
methyldopa	43
methylergonovine.....	73
methylphenidate hcl	39
methylprednisolone	55
methylprednisolone acetate ..	55
methylprednisolone sodium succ.....	55
methyltestosterone.....	60
metoclopramide hcl	63
metolazone	44
metoprolol succinate	44
metoprolol ta-hydrochlorothiaz	44
metoprolol tartrate	44
metro i.v.	15
metronidazole	15, 50, 71
metronidazole in nacl (iso-os)	15
mexiletine.....	42
MIACALCIN	60
miconazole-3	71
microgestin 1.5/30 (21)	72
microgestin 1/20 (21)	72
microgestin fe 1.5/30 (28)	72
microgestin fe 1/20 (28)	72
midodrine.....	53
mifepristone.....	71
migergot.....	30
miglitol	58
miglustat	60
mili.....	72
millipred	56
milrinone	48
milrinone in 5 % dextrose	48
minocycline	18
minoxidil	44
miostat	75
MIRENA	71
mirtazapine	39
misoprostol	64
MITIGARE	68
mitomycin.....	23, 24
mitoxantrone.....	24
M-M-R II (PF).....	67
modafinil	39
moexipril	44
molindone.....	39
mometasone	52, 77
mondoxyne nl	18
mono-linyah.....	72
montelukast	77
morgidox	18
morphine.....	34
morphine (pf).....	34
morphine concentrate	34
MOVANTIK	63
moxifloxacin.....	17, 74
moxifloxacin-sod.chloride(iso)	17
MOZOBIL.....	65
MULPLETA.....	46
mupirocin.....	50
mupirocin calcium	50
MVASI	24
MYALEPT	60
MYCAME.....	9
mycophenolate mofetil	24
mycophenolate mofetil (hcl)	24
mycophenolate sodium.....	24
MYLOTARG	24
myorisan	50
MYRBETRIQ.....	79
N	
nabumetone.....	36
nadolol	44
nadolol-bendroflumethiazide	44
nafcillin	16
nafcillin in dextrose iso-osm	16
naftifine.....	51
NAGLAZYME.....	60
nalbuphine	36
naloxone	36
naltrexone	36
NAMZARIC	31
naproxen	36
naproxen sodium	36
naratriptan	30
NARCAN	36
NATACYN.....	74
nateglinide	58
NATPARA	60
NAYZILAM.....	29
NEBUPENT	15
NEEDLES, INSULIN DISP.,SAFETY	58
nefazodone	39
neomycin	15
neomycin-bacitracin-poly-hc	75
neomycin-bacitracin- polymyxin	74
neomycin-polymyxin b gu...	52
neomycin-polymyxin b- dexameth.....	75
neomycin-polymyxin- gramicidin	74
neomycin-polymyxin-hc.	55, 75
neo-polycin	74
neo-polycin hc	75
neostigmine methylsulfate....	32
NEPHRAMINE 5.4 %	82
NERLYNX	24
NEULASTA	65
NEUPOGEN	65
NEUPRO	30
nevirapine	10, 11
NEXAVAR.....	24
NEXPLANON.....	71
niacin	47

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

nicardipine	44
NICOTROL.....	54
NICOTROL NS.....	54
nifedipine.....	44
nikki (28).....	72
nilutamide.....	24
nimodipine.....	44
NINLARO.....	24
nisoldipine.....	44
nitisinone.....	53
nitro-bid.....	48
nitrofurantoin.....	18
nitrofurantoin macrocrystal ..	18
nitrofurantoin monohyd/m-	
cryst	18
nitroglycerin	48
nitroglycerin in 5 % dextrose	48
nizatidine	64
nolix.....	52
nora-be.....	71
norepinephrine bitartrate	48
norethindrone (contraceptive)	
.....	71
norethindrone acetate	71
norethindrone ac-eth estradiol	
.....	71, 72
norethindrone-e.estriadiol-iron	
.....	73
norgestimate-ethinyl estradiol	
.....	73
norlyda.....	71
NORMOSOL-R	80
NORMOSOL-R IN 5 %	
DEXTROSE	80
NORMOSOL-R PH 7.4	82
NORTHERA	53
nortrel 0.5/35 (28)	73
nortrel 1/35 (21)	73
nortrel 1/35 (28)	73
nortrel 7/7/7 (28)	73
nortriptyline	39
NORVIR.....	11
NOVOFINE 32	58
NOXAFIL	9
NPLATE.....	46
NUBEQQA	24
NUEDEXTA	31
NULOJIX	24
NUPLAZID	39
nyamyc	51
nystatin	9, 51
nystatin-triamcinolone.....	51
nystop	51
O	
OCALIVA	63
OCREVUS	31
octreotide acetate	24
ODEFSEY	11
ODOMZO	24
OFEV	77
ofloxacin.....	17, 55, 74
okebo	18
olanzapine.....	39
olanzapine-fluoxetine	39
olmesartan	44
olmesartan-amlodipin-	
hcitiazipid	44
olmesartan-	
hydrochlorothiazide.....	44
olopatadine	55, 74
omeprazole	65
OMNIPOD DASH 5 PACK	
POD	58
OMNIPOD INSULIN	
MANAGEMENT	58
OMNIPOD INSULIN REFILL	
.....	58
OMNITROPE	65
ONCASPAR	24
ondansetron	63
ondansetron hcl.....	63
ondansetron hcl (pf).....	63
ONETOUCH ULTRA BLUE	
TEST STRIP.....	58
ONETOUCH ULTRAMINI	
58	
ONETOUCH VERIO	58
ONETOUCH VERIO IQ	
METER	58
ONETOUCH VERIO	
SYSTEM	58
ONGLYZA.....	59
ONIVYDE.....	24
OPDIVO	24
opium tincture.....	62
OPSUMIT	77
oralone	55
ORENCIA	70
ORENCIA (WITH	
MALTOSE)	70
ORENCIA CLICKJECT	70
ORFADIN	54
ORKAMBI	78
orsythia	73
oseltamivir	11
osmitrol 15 %	44
osmitrol 20 %	44
OTEZLA.....	70
OTEZLA STARTER	70
oxacillin	17
oxacillin in dextrose(iso-osm)	
.....	17
oxaliplatin	24
oxandrolone	60
oxaprozin	36
oxcarbazepine	29
OXERVATE.....	74
oxiconazole	51
oxybutynin chloride	79
oxycodone.....	35
oxycodone-acetaminophen	35
oxycodone-aspirin	35
oxymorphone	35
oxytocin	73
OZURDEX	75
P	
pacerone	42
paclitaxel	24
paliperidone	39
palonosetron	63
PALYNZIQ	60
pamidronate	60
PANRETIN	50
pantoprazole	65
paregoric	62
paricalcitol	60, 61
paroex oral rinse	55
paromomycin	15
paroxetine hcl	39, 40
paroxetine	
mesylate(menop.sym).....	40
PASER.....	15
PAXIL	40

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

PEDIARIX (PF)	67	piroxicam.....	36	praziquantel	15
PEDVAX HIB (PF).....	67	plasbumin 25 %	80	prazosin.....	44
peg 3350-electrolytes	63	plasbumin 5 %	80	PRECISION PCX PLUS TEST	59
PEGANONE	29	PLASMA-LYTE 148	82	PRECISION PCX TEST	59
PEGASYS	65	PLASMA-LYTE A	82	PRECISION POINT OF CARE TEST	59
PEGASYS PROCLICK	65	plasmanate	82	PRECISION Q-I-D TEST	59
peg-electrolyte	63	PLEGRIDY	66	PRECISION XTRA MONITOR	59
PEGINTRON	66	plenamine	82	prednicarbate	52
penicillamine	70	podofilox	50	prednisolone	56
penicillin g potassium.....	17	POLIVY	24	prednisolone acetate	75
penicillin g procaine	17	polocaine	50	prednisolone sodium phosphate	56, 75
penicillin g sodium	17	polocaine-mpf.....	50	prednisone	56
penicillin v potassium.....	17	polycin	74	prednisone intensol	56
PENTACEL (PF)	67	polyethylene glycol 3350	64	pregabalin	29
PENTAM	15	polymyxin b sulfate	15	premasol 10 %	82
pentamidine	15	polymyxin b sulf-trimethoprim	74	PREMASOL 6 %	82
PENTASA	63, 64	POMALYST	24	prenatal vitamin oral tablet...	82
pentoxifylline	46	portia 28.....	73	prevalite	47
PERFOROMIST	78	PORTRAZZA	24	previfem.....	73
perindopril erbumine	44	posaconazole	9	PREVYMIS	11
periogard.....	55	potassium acetate.....	80	PREZCOBIX	11
PERJETA	24	potassium chlorid-d5-	80	PREZISTA	11
permethrin	52	0.45% nacl	80	PRIFTIN	15
perphenazine.....	40	potassium chloride	81	PRIMAQUINE	15
PERSERIS.....	40	potassium chloride in 0.9%nacl	80	primidone.....	29
pfizerpen-g	17	potassium chloride in 5 % dex	80	PRIVIGEN	67
phenelzine.....	40	potassium chloride in lr-d5...	81	PROAIR HFA	78
phenobarbital	29	potassium chloride in water..	81	PROAIR RESPICLICK.....	78
phenobarbital sodium	29	potassium chloride-0.45 % nacl	81	probenecid	68
phenoxybenzamine.....	44	potassium chloride-d5-	81	probenecid-colchicine.....	68
phentolamine	44	0.2% nacl	81	procainamide	42
phenytoin.....	29	potassium chloride-d5-	81	procentra	40
phenytoin sodium	29	0.3% nacl	81	prochlorperazine	64
phenytoin sodium extended..	29	potassium chloride-d5-	81	prochlorperazine edisylate....	64
philith	73	0.9% nacl	81	prochlorperazine maleate oral	64
PHOSPHOLINE IODIDE....	74	potassium citrate	79	PROCRIT	66
PIFELTRO	11	potassium phosphate m-/d-	81	procto-med hc	64
pilocarpine hcl	54, 74	basic	81	procto-pak	64
pimecrolimus	50	POTELIGEO	24	proctosol hc	64
pimozide	40	PRADAXA.....	46	protozone-hc	64
pimtrea (28)	73	PRALUENT PEN.....	47	progesterone	71
pindolol.....	44	pramipexole	30	progesterone micronized	71
pioglitazone	59	prasugrel	46	PROGLYCEM	59
pioglitazone-glimepiride	59	pravastatin	47		
pioglitazone-metformin	59				
piperacillin-tazobactam	17				
PIQRAY	24				
pirmella.....	73				

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

PROGRAF	24	REGRANEX	50	ROZLYTREK	25
PROLASTIN-C	54	RELENZA DISKHALER	11	RUBRACA	25
PROLEUKIN	66	RELISTOR	64	RYDAPT	25
PROLIA	68	REMICADE	64	S	
PROMACTA	46	REMODULIN	44	salsalate	36
promethazine	76	RENACIDIN	79	SAMSCA	61
propafenone	42	repaglinide	59	SANDIMMUNE	25
propranolol	44	repaglinide-metformin	59	SANDOSTATIN LAR	
propranolol-hydrochlorothiazid	44	REPATHA	47	DEPOT	25
propylthiouracil	56	REPATHA PUSHTRONEX	47	SANTYL	50
PROQUAD (PF)	67	REPATHA SURECLICK	47	SAPHRIS	40
protamine	46	SCRIPTOR	11	scopolamine base	64
protriptyline	40	RETACRIT	66	selegiline hcl	30
prudoxin	50	RETROVIR	11	selenium sulfide	49
PULMOZYME	78	REVCOWI	54	SELZENTRY	11
PURIXAN	24	REVLIMID	24	SEREVENT DISKUS	78
pyrazinamide	15	revonto	32	sertraline	40
pyridostigmine bromide	32	REXULTI	40	setlakin	73
Q		REYATAZ	11	sevelamer carbonate	54
QUADRACEL (PF)	67	ribasphere	11	sevelamer hcl	54
quetiapine	40	ribasphere ribapak	11	sf 55	
quinapril	44	ribavirin	11	sf 5000 plus	55
quinapril-hydrochlorothiazide	44	RIDAURA	70	sharobel	71
quinidine gluconate	42	rifabutin	15	SHINGRIX (PF)	68
quinidine sulfate	42	rifampin	15	SIGNIFOR	25
quinine sulfate	15	riluzole	54	SIKLOS	25
QVAR REDIHALER	78	rimantadine	11	sildenafil (pulmonary arterial	
R		ringer's	52, 81	hypertension)	78
RABAVERT (PF)	67	RINVOQ	70	silodosin	79
RADICAVA	31	RIOMET	59	silver sulfadiazine	50
RAGWITEK	67	risedronate	54, 68, 69	SIMULECT	25
raloxifene	68	RISPERDAL CONSTA	40	simvastatin	47
ramelteon	40	risperidone	40	sirolimus	25
ramipril	44	ritonavir	11	SIRTURO	15
ranitidine hcl	65	RITUXAN	25	SKYRIZI	49
ranolazine	48	RITUXAN HYCELA	25	sodium acetate	81
rasagiline	30	rivastigmine	31	sodium benzoate-sod	
RAVICTI	54	rivastigmine tartrate	31	phenylacet	54
REBIF (WITH ALBUMIN)	66	rizatriptan	30	sodium bicarbonate	81
REBIF REBIDOSE	66	ROMIDEPSIN	25	sodium chloride	54, 82
REBIF TITRATION PACK	66	ropinirole	30	sodium chloride 0.45 %	82
reclipsen (28)	73	rosadan	50	sodium chloride 0.9 %	54
RECOMBIVAX HB (PF)	67, 68	rosuvastatin	47	sodium chloride 3 %	82
RECTIV	64	ROTARIX	68	sodium chloride 5 %	82
regonol	32	ROTATEQ VACCINE	68	sodium fluoride 5000 plus	55
		roweepra	29	sodium lactate intravenous	82
		roweepra xr	29	sodium nitroprusside	48
		ROZEREM	40	sodium phenylbutyrate	54

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

sodium phosphate	82	sulfatrim.....	17	TEKTURNA HCT	44
sodium polystyrene sulfonate	54	sulindac.....	36	telmisartan	44
solifenacin	79	sumatriptan	30	telmisartan-amlodipine	44
SOLIRIS	54	sumatriptan succinate	30, 31	telmisartan-hydrochlorothiazid	44
SOLTAMOX	25	sumatriptan-naproxen.....	31	TEMIXYS	11
SOMATULINE DEPOT	25	SUPRAX	13	TEMODAR	26
SOMAVERT	61	SUTENT	25	temsirolimus	26
sorine	42	syeda.....	73	TENIVAC (PF)	68
sotalol	42	SYLATRON.....	66	tenofovir disoproxil fumarate	11
sotalol af	42	SYLVANT	25	terazosin.....	44
SOTYLIZE	42	SYMBICORT	78	terbinafine hcl	9
SPIRIVA RESPIMAT	78	SYMDEKO	78	terbutaline	78
SPIRIVA WITH HANDIHALER.....	78	SYMFİ	11	terconazole	71
spironolactone	44	SYMFİ LO	11	testosterone	61
spironolacton-hydrochlorothiaz	44	SYMJEPI.....	76	testosterone cypionate	61
sprintec (28).....	73	SYMLINPEN 120	59	testosterone enanthate.....	61
SPRITAM	29	SYMLINPEN 60	59	TETANUS,DIPHTHERIA TOX PED(PF)	68
SPRYCEL	25	SYMPAZAN	29	tetrabenazine	31
sps (with sorbitol).....	54	SYMTUZA.....	11	tetracycline	18
sronyx	73	SYNAGIS.....	11	THALOMID	26
ssd.....	50	SYNAREL.....	61	THEO-24	78
STAMARIL (PF)	68	SYNERCID	15	theophylline	78
stavudine.....	11	SYNRIBO	25	theophylline in dextrose 5 %	78
STELARA	49	T		THIOLA	54
STIMATE.....	61	TABLOID	25	THIOLA EC	54
STIOLTO RESPIMAT	78	tacrolimus	25, 50	thioridazine	40
STIVARGA.....	25	tadalafil	79	thiotepa	26
STRENSIQ.....	61	tadalafil (pulmonary arterial hypertension) oral tablet	20	thiothixene	40
STREPTOMYCIN	15	mg	78	tiadylt er.....	45
STRIBILD	11	TAFINLAR	25	tiagabine	29
STRIVERDI RESPIMAT	78	TAGRISSO	25	TIBSOVO	26
subvenite.....	29	TALZENNA.....	25	TICE BCG	68
subvenite starter (blue) kit....	29	tamoxifen.....	25	tigecycline.....	15
subvenite starter (green) kit..	29	tamsulosin.....	79	tilia fe.....	73
subvenite starter (orange) kit	29	TARGETIN	25	timolol maleate	45, 74
SUCRAID	64	tarina 24 fe.....	73	tinidazole	15
sucralfate	65	tarina fe 1/20 (28).....	73	TIVICAY	12
sulfacetamide sodium	75	tarina fe 1-20 eq (28).....	73	tizanidine	32
sulfacetamide sodium (acne)	50	TASIGNA	25, 26	tobramycin	74
sulfacetamide-prednisolone..	75	tazarotene.....	50	tobramycin in 0.225 % nacl..	15
sulfadiazine.....	17	tazicef	13	tobramycin sulfate	15
sulfamethoxazole-trimethoprim	17	TAZORAC	50	tobramycin-dexamethasone..	75
SULFAMYLYON.....	50	taztia xt	44	tolbutamide	59
sulfasalazine	64	TDVAX	68	tolcapone.....	30
		TECENTRIQ.....	26	tolmetin.....	36
		TECFIDERA.....	31		
		TEFLARO	13		

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

tolterodine	79	TRISENOX	26	vandazole	71
topiramate	30	tri-sprintec (28)	73	VANTAS	26
toposar	26	TRIUMEQ	12	VAQTA (PF)	68
topotecan	26	trivora (28)	73	VARIVAX (PF)	68
toremifene	26	TROGARZO	12	VARIZIG	68
TORISEL	26	TROPHAMINE 10 %	82	VARUBI	64
torsemide	45	TROPHAMINE 6%	82	VASCEPA	47
TOUJEO MAX U-300 SOLOSTAR	59	trospium	79	VECAMYL	48
TOUJEO SOLOSTAR U-300 INSULIN	59	TRUEPLUS INSULIN	59	VECTIBIX	26
tramadol	36	TRUEPLUS PEN NEEDLE	59	VELCADE	26
tramadol-acetaminophen	36	TRULANCE	64	veletri	45
trandolapril	45	TRULICITY	59	velivet triphasic regimen (28)	
trandolapril-verapamil	45	TRUMENBA	68		73
tranexamic acid	71	TRUVADA	12	VELTASSA	54
tranylcypromine	41	tulana	71	VEMLIDY	12
travasol 10 %	82	TWINRIX (PF)	68	VENCLEXTA	26
trazodone	41	TYKERB	26	VENCLEXTA STARTING	
TREANDA	26	TYMLOS	69	PACK	26
TRECATOR	15	TYPHIM VI	68	venlafaxine	41
TRELSTAR	26	TYSABRI	31	verapamil	45
treprostinil sodium	45	TYVASO	79	VERSACLOZ	41
tretinoin (chemotherapy)	26	TYVASO INSTITUTIONAL		VERZENIO	26
tretinoin topical	50	START KIT	79	V-GO 20	59
tri femynor	73	TYVASO REFILL KIT	79	V-GO 30	59
triamcinolone acetonide	52, 55,	TYVASO STARTER KIT	79	V-GO 40	59
56		U		VIBERZI	64
triamterene	45	ULORIC	68	VIDEX 2 GRAM PEDIATRIC	
triamterene-hydrochlorothiazid		unithroid	61		12
	45	UNITUXIN	26	VIDEX EC	12
trianex	52	UPTRAVI	45	vienna	73
triderm	52	ursodiol	64	vigabatrin	30
trientine	54	UVADEX	50	vigadron	30
tri-estarrylla	73	V		VIIBRYD	41
trifluoperazine	41	valacyclovir	12	VIMIZIM	61
trifluridine	74	VALCHLOR	50	VIMPAT	30
TRIKAFTA	78	valganciclovir	12	vinblastine	26
tri-legest fe	73	valproate sodium	30	vincristine	26
tri-linyah	73	valproic acid	30	vinorelbine	26
tri-lo-estarrylla	73	valproic acid (as sodium salt)		VIOKACE	64
tri-lo-marzia	73		30	viorele (28)	73
tri-lo-sprintec	73	valrubicin	26	VIRACEPT	12
trilyte with flavor packets	64	valsartan	45	VIREAD	12
trimethoprim	18	valsartan-hydrochlorothiazide		VISTOGARD	18
trimipramine	41		45	VITRAKVI	26
TRINTELLIX	41	VALSTAR	26	VIVITROL	36
tri-previfem (28)	73	vancomycin	16	VIZIMPRO	26
		VANCOMYCIN IN 0.9 %		voriconazole	9
		SODIUM CHL	16	VOTRIENT	26

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

VRAYLAR.....	41	XOLAIR	79	ZELBORAF	27
VYNDAMAX	48	XOSPATA.....	27	zenatane	50
VYNDAQEL.....	48	XPOVIO.....	27	zidovudine	12
VYXEOS.....	26	XTANDI.....	27	ziprasidone hcl.....	41
W		xulane	71	ZIRGAN	74
warfarin	46	XURIDEN	54	ZOLADEX	27
water for irrigation, sterile....	54	XYREM.....	41	zoledronic acid.....	61
wera (28)	73	Y		zoledronic acid-mannitol-water	54, 61
X		YERVOY	27	ZOLINZA.....	27
XALKORI.....	27	YF-VAX (PF).....	68	zolmitriptan.....	31
XARELTO	46	YONDELIS	27	zolpidem	41
XATMEP	27	YONSA	27	zonisamide	30
XELJANZ	70	yuvafem	71	ZORTRESS	27
XELJANZ XR.....	70	Z		ZOSTAVAX (PF)	68
XERMELO.....	27	zafirlukast	79	zovia 1/35e (28).....	73
XGEVA.....	18	zaleplon	41	zumandimine (28).....	73
XIAFLEX.....	54	ZALTRAP	27	ZYDELIG	27
XIFAXAN.....	16	ZANOSAR	27	ZYKADIA	27
XIGDUO XR.....	59, 60	zarah	73	ZYPREXA RELPREVV	41
XiIDRA.....	75	ZARXIO	66	ZYTIGA	27
XOFLUZA	12	ZEJULA	27		

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This formulary was updated on 01/30/2020. For more recent information or other questions, please contact CHRISTUS Health Plan Generations (HMO) / CHRISTUS Health Plan Generations Plus (HMO) Member Services, at 1-844-282-3026 or, for TTY users, 711, 8 a.m. – 8 p.m. local time, seven days a week, from October 1 – March 31, and 8 a.m. – 8 p.m. local time, Monday – Friday, from April 1- September 30, or visit christushealthplan.org.

